VR WY

COPY NO. ____

TECHNICAL REPORT 4141


TABLE OF POISSON NUMBERS

DONALD C. RAPPAPORT

NOVEMBER 1970

PICATINNY ARSENAL DOVER, NEW JERSEY

NATIONAL TECHNICAL INFORMATION SERVICE Springfield, Va. 22151



TECHNICAL REPORT 4141

NOT REPRODUCIBLE

TABLE OF POISSON NUMBERS

DONALD C. RAPPAPORT

NOVEMBER 1970

AMMUNITION ENGINEERING DIRECTORATE
PICATINNY ARSENAL
DOVER, NEW JERSEY

This document has been approved for public release and sale; its distribution is unlimited.

TABLE OF CONTENTS

Sec t	tion	Page
	SUMMARY	1
	USE OF TABLE	3
	REFERENCES	5
	APPENDIX	
	FORTRAN Program	7
	TABLE OF DISTRIBUTION	7 5
	A DOMDAC TO TO TATE	79

SUMMARY

The Poisson distribution is an excellent approximation of the binomial distribution. Its formula, uses and limitations can be found in many statistics books. It is noted that the lower the defect rate, the better these numbers approximate the more exact binomial distribution.

This compilation of Poisson numbers was designed to perform two functions: to estimate reliability quickly and to prepare operating characteristic curves.

The FORTRAN Program used to generate these numbers was written by the author and is in Appendix A.

USE OF TABLE

This compilation of Poisson numbers was designed for two functions: to estimate reliability quickly and to prepare operating characteristic curves:

To estimate reliability:

Turn to page of desired confidence.
Find observed defects.
Take associated Poisson number and divide by sample size.
Subtract from 1.

Result is reliability with confidence as selected.

To estimate reliability in redundant systems:

Turn to page of desired confidence.
Find observed defects.
Take associated Poisson number and divide by sample.
Raise resultant number to the power that equals the number of times the mechanism is reproduced in the system.
Subtract from 1.

Result is reliability with confidence as selected.

To estimate a point on an operating characteristic curve for single sampling plan:

Select desired probability of acceptance Find maximum acceptance number under observed defects. Obtain associated Poisson number, divide by sample and multiply by 100.

Result is percent defective vs. probability of acceptance.

(The formula, uses and limitations of the Poisson distribution can found in many statistics books. Two examples are References 1 and 2.)

REFERENCES

- 1. Defense Systems Department, General Electric Company, Tables of the Individual and Cumulative Terms of Poisson Distribution, D. Van Nostrand Publishing Company, Princeton, New Jersey, 1962.
- 2. Thornton C. Fry, <u>Probability and Its Engineering Uses</u>, D. Van Nostrand Publishing Company, Princeton, New Jersey, 1928.

APPENDIX

FORTRAN Program

	1				
	10 10	PPOGRAM POJSSO (TMP) J. OH TPUT, TAPFS=IN	T.tape5=tNPUT.TAPE6=0UTPUT) P.521.eFp.(521.eD.(521.eD.(52).eE.(52).eE) 52) aF (52)	
	15				
JU C	- C	11 1			
	Ĭ.	= 152			i +
	a.	386 1 =			-1 213 - 6"
10	ر د	(T) = \(([*]) +] \\ (T . 1 . = \(([*]) + 1 \)			TF (C = .5) 398-360-301
	u	1 1		00	
	- 1	1+(1-1)3 = -(
		C Chriff Tarille			4× 1= 1∗k
	620 CD				4 (IE3. #F
15	. F G	080 = \$11. 080 = \$11.		-	TOTAL + ONITY II ONLY
	מזט ענט) HI	5.4.5x.25HPROBARI	OF ACCEP	E
	,	11A CF. F6.4///LUX. SHORSESYED. 3X. 7HPO	ED. 3x. THPOISSON, 10X. 8HORSERVED, 3X, THPOIS	7 . 47	. 1
	056	250M-10X+9HOWEFWFD+3X+7HP01550M+10X+8HORSERVED+3X+7HP01550N/10X+7H	SHOPSERVED, 3X, 7HP	DISSON/10X.7H	Ċ.u
20.	306	<u> </u>	JEEECTS.4X.6HNUMBER.11X.7HDEECTS.4X.6HN	FECTS.4X.6HN	
	2 to 2	4) PORT 114.7 DEFECTS.4X.4HNUMBER/)			v .
		1 4			
	, C	11 CXS =			
26	a H	= SY^ (F (T)			
	FE				
		(4.5] ") C(1) *(P(1) *D(I) + DP(I) + E(I) + EP(I) + F(I) + FP(I)	(1)	
	510 50	FORMAT (12X F F 4 D C 4 X 8 F 2 4 9 1 2 X 8 E 4 4 0 2 4 X	<u> </u>	PF 844912X1	
راد	747	されています。			
		•		FUNCTION SYN (C. SUM)	
	33 5115	E SUM .		K = C + 0.1	
		10 420	100	pul 0.	
		100		н	
20	. (1) . (2)	100 + 300 × 1 × 100 × 1 × 100	ני	**************************************	
			7,	Carried -	
	015 20	SUUT + MIS H		i 11	
		10 420		115 - 61	146
4.0	00	(Sur - 1945) 21,942	10 200	>¢>i* = DN2	
	(1)5 La	100 + MIS =		(PND+CND)	
	05	10 520		01F = 145(P.2 - Pall)	
	41 00	• - 4(15)		Ü	£00+e1
		H :	201	= 542	
4 և	C	10 KV()	<u>π</u>	/ :	•
		2574 F 00 =		۔ اِ	1,000 4,000 00 00 00 00 00 00 00 00 00 00 00 00
		10 420	007	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
	to nic	e		14.	

POTSSON	210 66	- 6	24.81	5.707	6.594	105.	ים.	297	195	360	σ	132.8924	```		,		• •	•	, ,		100	0105-141	יים		(4	7.320	8.224	9.129	0	σ,	C I		יי קי	. 4	ç	٠,	8.1	e.	005	606.0	اعو	d,	634	244	165.4514	9.0	1642.791	7871*891
OMSFRVED DEFFCTS	1	156	1	'n	156.	157.	158.	Jrd.	140.	141.	142.	143.	164.	145	146.	147.	• 84 1		170.	171	176.	173.	• t - 1	C. 7.	177		0	180.	101.	1°5	193.	104.	1 20°	Ŏ t	• G		0	101.	192.	103.	104.	195.	Ja6	107.	198	109.	200	201.	- 202-
PO-SSON NUMBER		77.8642		4944	• -	82.2343	33,1101	43.9864	84.8633	85,7408	86.6189		98,3766	89.2562	90,1364	91.0170	91,8982	92.1799	93.6621	8775.76	95,4280	96.3116		9A,0A03		ŏ	100.1300	102.5100		. 4	5.173	106.0616	106.9506	07.	108.7297	, (· -		, ~	14.076	696.4	15.861	6.755	7.648	B.542	9.437	0,331		•
09SFBVFD DEFECTS		101	.00	1034	701	106	1001	100	0	٠.		• -	. M	1 7		ď	117.	118.	119.	120.	121.	122.	123.	124.	125.	124.	127.	x c	• • • • • • • • • • • • • • • • • • • •	131.	132	133	134.	135.	136.	137.	* CC C	164		1410	163.	•	57 (44	15.7	44	149.	1 S S S S S S S S S S S S S S S S S S S	151
.055)a		35,3032	٠.	なかなか。		27.99.55	•	4.0551	•	プロング・コン	٠,	•	7. T. T.	֝֝֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֓֓֓֓֜֜֜֜֜֜֜֜֓֓֓֓֓֓֜֜֜֜	→ C	•		7 7 7		51.1741	2000			•	•	-6.2757	7.1%	J.	5x - x 3 9 6	10°4041	6.0004	£0£6 67	62.1394	43.0914		\$	î,	-		•	٠.	100501	- ;	00000 00	0.40	- 0		C 4	7.H64
Careford VCD				क ा हा। चे।				•		£.3	• •	• ['		9 1 1		• 0.7. • 0.8.		- :5	• o		_		~	77	.Ψ.		* ; ,	* 7.	• • • • • • • • • • • • • • • • • • •		- - - - - - -		a. 2		, d	4 L 5	o. o.	g;	•	- 1 (o. 1	•	• :: ::	ا ا ا	. 1	• ,	* o	* 7 C	• • •
0.8100	7. U.S. 4.0.4		50.1	2775	6664.	1.0779	1.5360	2,0373	2,5711	3.1324	2,7160	4.3214	15.00.4	S 5 5 5 5	4.2707	4864.99	7.5670	9.25.94	75.40° C	9.55443 	10,454	2690-11		17.37.	7405	1 4	4 2 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	14, 2: 42	17.	17.	15.5342	14,7740	167 5 16		10 mm of 10	15 C C C C	7 107 70	24.1.		18.5.70	27,1.3~	27.325/	٠.	F 5 * 0 6		_	115,000	~; ·	3605.75
י זענוריוניי	PEFECTS	•		· n		7	u	\$0	۲.	o:	•	10.	<u>-</u>	. 12.	٠.	14.	٠ ٢	16.	17.	٠ د د	•	20°		35.5	· .	0 1/	• 4	27.	α		ू (†) (†)	٠١٤	35.	2.5	446.	ָרָי, אָלָ אָלָי, אָלָי	17.	, ar	; j	4.4	6.1.	4.2.	٠٤ 7	444		, h	7.7	444	4 H

1055100	he same		_			701530x
:: 11:::2F.:	YHUWA MEN	XUS IN	DEFECTS:	MUMER		MANUEL
5363	• •	30.2831	101	RZ-3456	152	128.6814
1,716.		2121.05	102.	H3.2442	153.	129.5985
57.75		700000	103	N4.1431.	965	אבוביחרו אבני וני
7 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	• । इ.स.च	61.7234	105	85-9426	156.	132,3513
7.0.491		47.5444	104.	86.8430	157.	133.2695
7.564	-	43.4511	107.	87.7439	158	134-1879
3.3671		44.3166	108	88.6453	6 5 1	135-1065
3,95.31		_	•601	89,5471	Type	136.00
4.6194		44. 5.10	110.	00.000	141.	130.7440
5. Marin	1. • 15	40.72.31		02.2551	16.3	138-7837
7 v		10: /0/2	113.	93,1587.	164	139 7036
7.624	:		114.	94.0627	145.	140,6237
		53-4461	1.5	04.9671	146	141.5441
4.0x. a		007d-14	116.	95.8719	147.	142.4647
4.6377		52.1549	117.	42777	148 e	143,3456
10.7415		44°4367	114.	97.4827	149.	144.3067
11,1520	4	53.9074	119.	98.5887	170	145.2280
11,9149		54.7950	120.	99,4951	171.	146.1496
12.6913	~	. 55.6635	121	100,4019		7600 271
13.44.23		100 min 100 mi	.22.	1605-101	173.	200071
14.24.23		57.4279	123.	102.7166	176	0018-841
	3 (1	# # # # # # # # # # # # # # # # # # #	- 50° C	104-1-228	176	150-7607
14.424.41		60,000	126.	104,9415	177.	151,6836
17.4232		. 60.9513	127.	105.8505	178	152,6067
14.231		6.1 . P.25.3	129.	106.7598	179.	153.5300
19,0392	•(.7	£2.7200	129	107.6695	laû•	154.4536
19.8497		43.4154	, 130.	108,5796	191.	155,3773
20-6634	2.	64*4916	131+		186	1100 -001
21.4401		45.4784	132.	110.4008	.Ea1.	157.2255
77.7994		66.7669	1.35	112 2232	105	159.0744
27.7.0.00	•	7 7 7 7 7 Y 4	135	113,1350	196.	155,9992
24.7741		47.0325	136.	114.0470	197.	160.9242
25,6039		69.4227	137	114.9594	laße	161-8493
24.436	3 2	70.7134	134.	115,8721	1 a 9.	162.7747
1075-75		71.6048	139.	116,7851	100.	163,7003
24.1044		12.4968	140.	117.6985	101.	164.6261
28.944.		73,3394		118,6121	192	165,5520
29.795		74.29%	142.	119.5260	103.	166.4782
10-6274		75-1752	143	120-4403	120.	167-808-
31.4715		74.0705	• 44.	121.3548	195.	164.3310
12,317.3	:	76-9654		122-254	100	7.01 051
33.1640		77.8400	. 45.	125.1847	• 60.	1/0-184/
34,0141	• • • • • • • • • • • • • • • • • • • •	18.45.65	1,44.	125 0159	90	172,0300
25 71 70		911,5501	149.	125,9318	200	172.9665
26.5711		01 // 10	150	1070 701		
	-	しっける。「て	•	1010-021	•102	173.8941

en en beste y en estados de estados en entre estados en entre de estados de estados en entre en entre entre en

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00100	יייייייייייייייייייייייייייייייייייייי	1055:00	NASERVED	PO15504	OHSFRVED	MOS5104
DEFECTS	Here were	t.Ex F.C.T.S.	NULLER	DEFECTS	NUMBER	DEFFCTS	NUMBER
c	0253	- 15	835	101.	3.16	152.	-
	6676		39.7004	102.	6110°48	143,	30.
-2-	.78134	**************************************	·C	103.	84.9755	154.	ທຸ
۳.	•	4 '	1.473		ċ,	145	132.480
• • • • • • • • • • • • • • • • • • • •	1.6235	ſì.	7	105.	•	051	•
ឋ	0 0 0		3.171	• t 0 t	1586.18) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	134.36
<u> </u>	Zed104		1000		י ני	9 0 0	7
۲.	4		* 1 h • †	x c	0110	• c ·	٦,
G	- '	• The state of the	0	•	ָבָּ בַּבְּרָ	• • •	2 0
o ;		٠.		2 :	770	7 (•
Ġ M	٠	• (4. 1	נו ניין	٠,	5022.26	'n,	, 0
	A. 2004	•	- 6	v	•	• 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	•
N)	022K+3		Y. (ŋ,	a c	\$ U	• •
- :	,	٠.	٤ :	1 (٠,	•
14.	٠. ١٠:	• (1)	7 0	n v		9	
វ	•	c t	•		•	• •)
ď	T	• / •	Į.	• <i>j</i>	9 1	- 14G	† † (
17.	ي. د	1,4	£ ;	11 9.	ш.	149	ĸ.
- 1B*	11.4332	• 6.4 · · · · · · · · · · · · · · · · · · ·	ທຸ	1.19.	66	170.	ø.
•	2.216	4.6	55.45]A	120.	6	14!	
, , ,	12.040 £	- 1 /	m (121	58	172.	
۲,	4.727	30.	, N	122	20	173.	
22.	4.540	, e	58.1959	123.	i03.1368	174.	
23.	711.5	. 7.4	£ 6003	124.		175.	
24.	5.172		59.8794	125.	3	176.	
د	100° Y	14.	44.7672	124.	Š.		
24.	1.793	• 2.2	£1.6358	127.	9	178	
27.	מ הירים	• 17	42.5454	124.	ν.	179.	
28	9.421	•62	63.4350	129.	ຫ້.		
,	PO . PO F. C. J.	* 1. 3	4.325	130	6	• [6]	156.5182
30	1.043	31	55.2173	131.	2	•	
٠[۴	4 a a	60	٠ ا	137	Ľ	. A.3.	8
32.	2,715	• (F)	57.0017	133	2	9 1	Ž.
٦٤.	7°44	• 91.	֓֞֞֜֜֞֜֜֞֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	• 4FT	<u>.</u>	Cal.	ġ :
34•	4.379	a.	, 7.	135.	.	981	;;
λ.	7.014	٠. • م	4	. 35.	Į,	• / K	Š
36	5,051	• 15	573	137	ׅ֡֞֞֝֟֞֝֟֝֟֓֓֟֝֟֝֓֓֟֟֝֟֝֟֝	188	3
٦٢.	4. aa.	σ 3	•474	138.	16.853	Ç,	Ç,
œ i	7.		72,3706	139	`•	190	
0	α. n	• : 5	.247	140.	ç		65.8
* Ü †	9	• 10	.165	141.	119,6054	Š	66.7
41.	なかりんずした	ري د	75.0430	142.	120,5233		167.6600
42.	1.1	em or	75.5616	143.	4	Ø	68.5
4ع.	· -	• 100	• מעני	144.	•	O	69.51
	Q1	្ សូត	77.76ga	145.	Ŋ		76.
44°	٠	٠ ٢	.444	146.	∹	c	71.37
4	3.	425	79.5611	147.	∹	O.	'n
47.	3	a n	462	148.	6.0	199.	Ň
Œ	7		1,3	Φ	126,9562	200.	74
0	7.	* 44.3*	7.26K	150.	7.8	201.	:10

20166.17.	ביני ישים	2077	G 12 7 10 C C C			
Minapp	· · · · · · · · · · · · · · · · · · ·	NIIIIAER	DEFECTS	NUMBER	DEFECTS.	NUMBER
2020	* 15	1705-64	101	8580	152	130,5959
24.75	2	60.1771	100	84.7751	<u> </u>	131.5200
* C 1 C 1	•	77.07	102	85, 6826	154	132 6662
4.00 th		1 0000	700	86.5905	145.	133.3688
1000	•	1972 CA	100	4004	156	134.2936
9 39.00		63.6600	106	88.4076	157.	135,2186
2,427		44-5448	107	89.3169	158	136,1439
2,5413		45.4217	108.	90,2265	159.	137.0694
4.2451	1.3.	46.2996.	109	91,1366	140.	137,9951
4.64.05	4.14	47.17A5	110.	92.0470	141.	138.9210
5.6553	f.l. 6	48.11584	1114	92-9579	142.	139.8472
1775.7	•	£6£6*87	112.	93.8692	143.	140.7736
J.1095	£3 £	49.8211 -	113	94-7808	164	141,7003
7.8521	ъ.	9F07.	114.	6269*56	145.	145.5271
9.603E	±0.4	51.5875	115	96,6053	146.	143.5542
9.3437	1. n	17.44720	116.	97,5181	147.	144.4415
11111	F.7.	53,3574	117	98,4313	JAR	145,4090
F 20.00 0		54.7434	114.	99.3448	169.	146.3368
1-6857	31 6	55.1307	119	100.2587	170	147,2647
2,4719		56.0184	120.	101,1730	171.	148.1929
3,2633	71.	36.4072	121	102.0876	172	-149-1212
4 0497		57,7966	122.	103,0026	173.	150.0498
4.860R		5x.6368	123	103,9179		150.9786
5.4441	, , , , , , , , , , , , , , , , , , ,	50.6777	124.	104.8336	175.	151,9075
6-4755	A	hi-4694	125	105,7496	176-	152,8367
7.244K		1.3417	126.	106,6659	177.	153,7661
N. 1:54		67.2543	127	187.5825	1-0	154-045
4.0755 3.3.8		63.16X5	* c	108.4443		156 555
ないさい く			130	110.3345	101	157.4856
71,11,07		74 CCC0		111 2524	107	158.4150
71.45.46		526.7261	132	112,1707	193.	159,3465
2 4 7 4 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7		1 1 1 1 1 1	137	113 0802	761	160.2772
07.00			124	114.0081	105	161.2081
\ r = 7 = 7 = 7 = 7 = 7 = 7 = 7 = 7 = 7 =			136	100011	106	142.1302
	:	03+4/67	136	115.8467	187.	163.0705
26 4334		0100.17	137.	116.7664	198.	164.0020
27.27.46		9021-22	138.	117,6865	199.	164,9337
27.1276	1	73-6214	139	118,6068	100.	165,8655
777P. HC		13.9225	140.	119,5274	101.	166.7975
29.9294.	712	74.B241	141	120.4483	192.	167,7297
£264°.12		12.7262	142.	121,3695	103.	164.6621
31,5398		16.6288	143	122,2909	104	169-5946
32040		025576	144.	123,2127	105.	170.5273
33.2546		78-4357	145	124,1346	106.	171-4602
14.1151		6666.67	146.	125,0569	127.	172,3932
74.976E.	1	Fu.2445	.147.	125,9794	108.	173,3265
35 BA6"1	α • συ	41.1497	148.	126,9022	109.	174.2598
36-794P		92-0553	149	127,8252	200-	175,1934
37,57"4.	• : = :	97.9415	150.	128,7485	2~I.	176,1271

		1057 08	ひまれてまちゃん	1405 5 ±0c	Orderayen	P015504
		+ U F. C	DEFECTS	ल देखार, विक	OEFFC!S	2
			1 ii 1	4	152.	
Per Control	• 	400 P	. 0	1066.34	1∈3.	132.290
	• (٠.:	•	4,	154.	133.217
V 100 -	• •	42.4474	104.	_	1 n.s.	1 54 - 444
(1) Pr	ਦ ਪ ਪ	ູຕ	195.	88.1239		• c
200		4.1.4	10K.	49.4361	* du l	36.028
e e m		4.945		00 T T T T T T T T T T T T T T T T T T	100	. σ
4. A. A.	• п э). 156	•	91224	140	138.784
ক	ф (7) (3) (3) (4)	40°C7 C7	110	92.68.86	141.	139,713
U		1) Tu	_	93.6028	142.	140.642
י דע	4 4 6	601015	. ~		14.3.	_
(F		EREC. OS		95.4322	144.	142.500A
1	F 46	51.1.12	114.	94.3474	145.	14 3 4 504
a: c:	4. - nu	52.0632	• S. T. T.	97.2631	160	14.000
A. 0		٠,	c 1	171196	. C	146.2203
-		53,6415	117	4000000	169.	147,1506
=	3 d	₹.	* 0		170.	146.081
11		15.50.42	120	·	171	•
		17.43.77 87.44.78	121.	102.7643	172.	149.943
	• 0	0 - C - C - C - C - C - C - C - C - C -	122.	103.6824	173.	150.974
	• • • • • • • • • • • • • • • • • • •	59-1954	123.	104.6008	174.	151.805
	74.		124.	105.5196	175	153.668
57 ed 1	• \$7	62.9859	.125	106.4386	177	, .;
17.16	. TA.	41.48VV	127	108.2777	- 60	S.
7. C.	2	2611970	128.	109.1977	179	÷
	• 1 • 7 • 6	64.5751	129.	110,1181	100.	157.3979
Ši č	∰ (4 0 €	45,4740	130.	111,0387	• (o	œ.
4.7.40	415	66 - 3735.	131.	111,9596	Ni d	159.2031
45.00	0.2		132.	112,8809		141 1200
٠,		T)	133.	113.8024		162.0633
26.226	• 4 33	; ځ	* 10.0	114.7642	٠.	162.996
25,07	• ហ	69.9775	126	116.5688	-	
10.70	• P	וואאיין / יוב המל וכ	137	117.4914	80	164.864
24,442	H 7	72.5867	138.	414	1 09.	165.7981
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		73,5909	139.	119,3376	100	
		74.4955	140.	120.2612	<u>•</u>	196-191
		75.4007	141.	121-1849	192•	700°H01
7.	٠ د	74.3764	142.	122.1090	• 10°	170-47
31.2	• • •	17,2126	143.	123.0333	. v	171.407
40.7	3	F71-17	• • • • • • • • • • • • • • • • • • •	126.8827	126	172.342
रा • •		6760 00	146.	125.8078	107.	173.278
10.00		70 70 VC	147.	126.7332	198.	
_		81.7510	149	127,6588	109.	'
, - 76		H2.561	149.	384	200	9
76.76		43.5696	150.	129.5108	-1u2	71110
		,				

CONTINUE .0400 DROBBOILITY OF ACCEPTANCE .9400

1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	201650-	DEFECTS	NUMBER.	DEFECTS	NUMBER	DEFFCTS	NUMBER
1.00	30.0	515	40.0896	101.		152.	132.0487
6.4 6.4 <td>41.15</td> <td>د2.</td> <td>413.9686</td> <td>102.</td> <td>85.9392</td> <td>1:3.</td> <td>132,9780</td>	41.15	د2.	413.9686	102.	85.9392	1:3.	132,9780
C. A. A. A. A. B.	26.20	53	41.8687	10401	87.7674	145.	134.8373
c.c. c.c. <th< td=""><td>1.86.13</td><td>S</td><td>43.6121</td><td>105</td><td>88.6823</td><td>156.</td><td>135,7673</td></th<>	1.86.13	S	43.6121	105	88.6823	156.	135,7673
100 100	P.4463	r 6	44.4955	106.	A9.5972	167.	136.6975
Colored Colo	2,5		X 2652	901	01.4285	159.	134.5585
10	9 / 0 / ° /		47.1515	100	92,3448	140.	139.4894
111 95,0959 162,	5,2177	6.7	48.11389	110.	93.2615	141.	140.4205
4.2. 6.0.416.1 112. 96.0359 14.3. 4.2. 6.0.416.1 114. 96.0317 145. 4.2. 5.2.486. 115. 99.6882 145. 6.7. 5.2.764. 117. 99.6882 145. 6.7. 5.2.164. 117. 99.6882 146. 6.7. 5.2.164. 117. 101.5276 170. 7. 5.2.164. 117. 101.5276 170. 7. 5.2.164. 117. 101.5276 170. 7. 5.2.164. 120. 101.5276 170. 7. 5.2.164. 120. 102.5203 171. 7. 5.3.2478 120. 175. 176. 7. 5.3.2478 127. 176. 176. 7. 5.3.2478 127. 176. 176. 7. 5.3.2478 127. 176. 176. 7. 5.3.2478 127. 176. 176. 7.	5-9352		-48.927u	111	94-1785		141-3518
13, 66, 6114, 16, 66, 6114, 16, 61, 614, 16, 61, 614, 61, 61, 61, 61, 61, 61, 61, 61, 61, 61	A. F 744	4.2	49.4161	112.	95.0959	143.	142.7433
KA. \$1,6664 \$16,069317 \$12,0664 \$16,069317 \$12,0885 \$15,0885 \$15,0885 \$15,0885 \$15,0885 \$15,0885 \$15,0886 <	255.11		50.7060	113-	96.0136	164	
F.S. S.S. & ASS. 115. 99.7690 167. 6.7. 54.2743 117. 99.6882 167. 167	7-1-56	. A.A.	5}.5969	114.	96.9317	. (Y)	144.1404
F.K. 543,3410 117. 99,688 167. 6.7. 55,1643 118. 106,677 149. 7. 55,1643 119. 102,487 172. 7. 56,1643 120. 172. 172. 7. 56,1643 120. 172. 172. 7. 56,1643 120. 172. 172. 7. 56,2644 120. 172. 173. 7. 56,2646 123. 174. 175. 7. 56,2678 126. 107,0536 176. 7. 56,478 127. 176. 176. 7. 56,478 127. 176. 176. 7. 56,478 127. 176. 177. 7. 56,478 127. 178. 187. 7. 56,478 127. 187. 187. 7. 56,478 127. 187. 187. 7. 56,478 127.	1.4.5.74.1	f.5.	52.4885	115.	97,8502	1404	166 0113
67. 54,744 117. 94,648 164. 69. 55,163 119. 101,5276 170. 170. 71. 54,9476 121. 103,3683 170.	73.6	r.e.	53°34]n	114.	1041.80		
40. 56,048a 118. 100,2576 170. 71. 56,0543 119. 102,4478 171. 171. 172. 172. 171. 172.	20,2137	£7.	. 54.2743	117.	99.6RB2	* KY	140-1410
7.	F 4 . 4 . 1	• a •	55.1444	118.	100.6077	64.	00/20/07/
7. 54,9449 127. 107.2478 172. 172. 173. 173. 172. 173. 174. 174. 175. 174. 175. 174. 175. 174. 175. 174. 175. 176. 177.	2 . Yak Z			119.	101.5276	• n	146460090
71. 547,8557 121. 103,2803 173. 174. 174. 174. 174. 174. 174. 174. 174	7000 C	71.	64.04zB	120	2744470		150 6750
17. 17.	3.2.32	●	5559-74	121.	104.3583	173	151,6096
74. 67.5444 125. 103.113 175. 175. 175. 175. 175. 175. 175. 175.	4.1.4	· C /	66.74.42	• • • • • • • • • • • • • • • • • • • •	104.6746	174.	152.5431
72. 61.4474 125. 107.0536 176. 177. 63.2478 127. 108.8981 177. 178. 177. 178. 177. 178. 177. 178. 177. 178. 177. 178. 177. 178. 177. 178. 178. 177. 178. 178. 177. 178. 178. 178. 178. 179.	~ ;		. 4. 6. 5. d. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	163.	105-113		153.4770
17. 17. 124. 107.9757 177.	2777.	1	61.4475	125.	107,0536	176.	154.4111
77. 63.2478 127. 108.8981 178. 179. 179. 179. 179. 179. 179. 179. 179	27.7.7		62.3473	124.	107,9757	177.	155,3453
79. 64.1464 128. 110.7439 179. 79. 65.853 130. 111.6672 180. 71. 66.853 131. 112.5908 180. 71. 66.853 131. 112.5908 180. 82. 68.6634 131. 182.5908 182. 83. 68.6634 133. 182.5908 182. 84. 68.6634 133. 182. 183. 85. 76.4732 134. 115.3633 185. 85. 77.7740 134. 115.364 186. 84. 77.7742 140. 121.462 193. 84. 77.7742 144. 127.462 194. 84. 77.7743 144. 127.462 194. 84. 77.7743 144. 127.462 195. 84. 78.542 144. 127.463 197. 84. 78. 144. 127.465 197. 84.	0.6266	17.	63.2478	127.	108.8981	178.	156.2798
79. 65.0505 129. 110.7439 1840. 10. 66.9524 130. 111.6672 162. 162. 162. 163. 163. 163. 163. 163. 163. 163. 163	ر ا ا ا	• 0 2	F071 * 57	124.	109.8208	. 10	157.7144
130 11.6672 191. 192. 191. 192. 192. 192. 192. 192. 192. 192. 192. 192. 192. 192. 192. 192. 193.	5.600	*6.E	65.0505	129.	0	and t	158.149Z
### ### ### ### ### ### ### ### ### ##	Fee1 * 10	•	Ħぐらひ・1·1	130.	_	-10.	7940 GG
## 67.7593 132. 113.5147 193. 194.	1. 37.1.	*** :: ::	66.8558	131.	·	152	\$510*091
### 68.6644 13. 114.4388 184. 184. 185. 116.2881 105. 10	5717.00	°C3	£1.7593	132.	113.5147	• S • .	160.44
14. 115.36.33 145. 145.36.33 145. 145. 145. 116.2881 116. 1	3.6633	*En	68.6634	133.	114.4388	• 40 L	151.890Z
05. 76.4732 135. 116.2881 170. 06. 71.3746 134. 117.2131 107. 13. 72.2743 103. 109. 109. 03. 72.0044 140. 120.9159 100. 03. 72.0044 141. 121.8422 101. 03. 141. 121.8422 102. 04. 72.7340 142. 122.7688 103. 04. 72.7440 142. 125.8557 104. 04. 72.7440 145. 125.85502 104. 04. 72.5440 145. 127.447 107. 04. 72.4440 146. 127.447 109. 07. 83.4743 147. 127.447 109. 07. 83.4743 149. 179.2622 200. 07. 170.1908 150.1908	4115.46	**************************************	ひゅかよ•ひか	134.	115,3633	-Cp.	106.16
17.2 31 197.	56.8.00	95€.	76.4732	135.	116.2881	• 10 P	163.7618
137 1841384 1848	10012.00	940	71.3740	134.	117.2131	9 0 0	0.70.40
134 135 139 139 139 139 139 139 139 130	- 15mm-7	H 7.	. 72.2453	137.	118-1384	188.	102.0340
19.9898 190. 19.9898 191. 191. 191. 191. 191. 191. 191. 191. 191. 191. 191. 191. 191. 191. 192. 192. 192. 192. 192. 192. 193. 193. 193. 193. 194. 193. 194. 193. 194. 1	4364.70	* 7 0	73.1.27	٩٤.١	113.0639	• 6° -	155.0/24
75,0074 146, 120,9159 101, 121,8422 102, 102, 102, 103	1.747.40	• * :	74.:005	130	119.5898	-00	0/05./41
10	1.54		4700.47	146.	120.9159	اد <u>ا</u> ادا	164.44.17
42. 74.42.47 142. 172.7468 104. 43. 173.6957 104. 104. 104. 44. 124.6228 135. 135. 44. 144. 125.5502 136. 136. 44. 144. 126.4778 137. 136. 45. 47. 127.4677 136. 138. 46. 129.2622 200. 140. 47. 140. 130.1908 201.	4	• 1 :	75.4158	. [7]	121.A422	192	169.3805
123.6957 1946 194	2122.10	* K 3	14.9247	142.	122.7688	103°	170.3176
124.6228 125.6288 125.6288	45.67.68		77.73413	143.	123.6957	104.	171.2548
125,5502 126, 126,5502 126, 126,5502 126, 126, 126, 126, 126, 126, 126, 126,	7	477	72.44.34	144.	124.6228		172,1922
126.4778	35.471.	•	745.54	145.	125.5502	90	173,1297
127, 41,4764 147, 127,4057 128, 138, 139, 139, 139, 139, 139, 139, 139, 139		* t	31. 444.0	146.	126.4778	107.	174.0573
148, 128, 3338 109, 1 149, 129, 2622 200, 1 149, 129, 2622 200, 1 150, 130, 1908 201, 1	76.17.35	6.7.	A1. 17h3	147.	127.4057	Pro l	175,0052
149. 129.2622 Zn0. 1	1 d V	-	12.2441	148	124,3338	109	175.9432
150. 130.1908 501.	1	**************************************	1.4.7.4.1	149.	129.2622	2n0.	176.8813
			4.5.11.27	.50	1 10.190R	• I ~ Z	177. HIGh

न्द्रे वृद्ध

41.

1

٧,

17

	:			00 . CC (N.	OASERVED	POTSSON	OHSFRVED	POISSON
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	<u>Janos</u> buc		プルンドルブルン からご	NU ASER	DEFECTS	NUMBER	DEFECTS	NUMBER K
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	513333	*					152.	133,7653
1, 1771 1, 1	J.	1566		41-0202	162.	87.3174	153.	134.7007
2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	· -	1546	.	1000 CV	103	88,2387	154	135-016
4. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	2		, , ,	43.6917	104.	89,1605	155.	130.5123
6. 5, 1757 106. 91,0091 150. 7. 7, 72. 46, 127. 106. 91,0091 150. 8. 7, 72. 47, 72. 109. 92,691 110. 9. 4, 72. 40, 106. 110. 92,695 101. 10. 5, 72. 40, 106. 110. 92,695 101. 11. 6, 12. 40, 106. 110. 92,695 101. 11. 7, 13. 41, 21. 40, 106. 110. 96,695 101. 11. 7, 13. 41, 21. 40, 106. 110. 96,895 101.	 •	7.17°	1 '1' 1 '4'	44.5242	105	90.0856	25	138.4446
		75777	£ 5	45.4776	106.	91.0051	1,08	139,3811
6, 1, 2, 3 6, 1, 2, 3 100, 93,776 160, 14 6, 2, 2, 3 6, 2, 6, 6, 6 110, 95,622 162, 14 7, 2, 2, 1 6, 3, 3, 4 110, 95,622 162, 14 7, 2, 2, 1 6, 3, 4 110, 95,522 162, 14 7, 2, 2, 1 6, 3, 4, 60 112, 112, 112 162, 14 7, 2, 2, 2 6, 3, 4, 60 113, 112 96,375 162, 14 1, 2, 2, 2 6, 3, 4, 60 113, 112 96,375 162, 14 1, 1, 2, 2 6, 3, 4, 60 113, 112 16, 60 16, 60 1, 1, 2, 2 7 5, 3, 4, 60 110, 113, 22 170, 11 1, 1, 2, 2 7 5, 3, 4, 60 110, 11, 23 170, 11 1, 1, 2, 2 7 5, 2, 4, 60 110, 11, 23 170, 11 1, 1, 2, 2 7 5, 2, 4, 60 110, 11, 11 170, 11 1, 1, 2, 2 7 5, 2, 4, 60 110, 12, 11 170, 11 1, 1, 2, 2 7 5, 2, 4, 60 120, 10, 12 170, 11 1, 1, 2, 2	. 4	30.45	7.4	65,3720	107	02 0511	159.	140.3178
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1	172 71 77	K 13	47.2473	801	93.7746	160.	141.2547
6, 27,2 6, 27,2 6, 27,2 112. 65, 27,2 162. 163. <td>• cr</td> <td>4.7257</td> <td>55</td> <td>48-1635</td> <td>110</td> <td>94.6985</td> <td>141.</td> <td>142.1917</td>	• cr	4.7257	55	48-1635	110	94.6985	141.	142.1917
1, 172. 1, 2, 5, 1477. 112. 96, 5674 163. 165.	c	45 64.74	• ('	0000°77		95,6228	162.	143,1290
	12	5.2741	4	50.8572	112.	96.5474	163.	144.000
1. 1. 1. 1. 1. 1. 1. 1.	:	7.1342	• · · · · · · · · · · · · · · · · · · ·	51.7569	113	67.4723	166	145.9419
1, 172	12	1 1 1 1	,,,	52.4571	114.	98,3975	146.	146.8800
1. 17.2 1. 1. 1. 1. 1. 1. 1.	· .	, en		53,5582	115	1525.96	167.	147.8182
11, 170.2, 12, 16.64 118, 102.1017 16.9. 11.30.2, 12.1.654 118, 102.1017 12.1.654 118, 102.1017 12.1.654 118, 102.1017 12.1.654 118, 102.1017 12.1.654 12.1.65		1727	F.6.	54.4600	116.	0442*001	1684	148.7566
17.7074 F4. 55.2654 118, 103.0255 170. 172.01255 170. 172.01255 170. 172.01255 170. 172.01255 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170. 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170. 170.0557 170.	. 4	7.70	+7+	55,3626		101 1017	149.	149.6952
12 12 12 12 12 12 12 12	17	11, 702%	. T	56.265A		107.025	170.	150.6339
13.4134 71, 54.0745 121, 104.6831 172, 113.2134 173, 113.2134 173, 113.2134 173, 113.2134 173, 113.2134 173, 113.2134 173, 113.2134 173, 113.2134 174,	a -	12.545	6.9	57,1699	130	103.9557	171.	151,5729
1.215.2 1.215.2 1.	0	13.4134	• 0 L	58.0745	161	104.8831	172.	152,5120
	20	14,2353	-114-	58-9798	122.	105.8108	173.	153,4513
	٠١٥	15.3526		1000	123	106.7388	176-	154-3907
1, 7, 7, 7, 7, 62, 6, 176, 125, 108, 595, 8 177, 11 19, 254, 254, 76, 63, 516, 1 126, 110, 453, 8 178, 119, 453, 8 178, 119, 453, 8 178, 119, 453, 8 178, 119, 453, 8 178, 119, 453, 8 18, 119, 118, 123, 8 18, 123, 8 18, 1	22	15,4433	1	41.6997	124.	107.6672	•64]	100.000
19, 25,15	ξ.	14.7274	75	62.6076	125.	108.5958	177	157.2102
19.25.15 17. 64.4252 12.3130 179. 19.25.15 179. 19.25.15 179.	4 %	19.4.164	16.	63.5161	126.	109,5640	178	158.1503
20,0475 78 65-3749 120 112.3130 180 180 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 182 182 183 182 183 182 183 184	. 40	19.25.05	77.	64.4252	4756	111.3833	179.	159.0906
20. 9472 19. 67.1559 130. 113.2430 181. 182. 182. 21. 7494 P1. 68.0573 131. 115.1037 182. 115.1037 182. 115.1037 182. 115.1037 183. 115.1037 183. 115.1037 183. 115.1037 184. 115.1037 18	27.	240.00	78.	65.3349	021	112,3130	180	160-0311
27,7495 H3 H3 H4 H3 H3 H4 H3 H4 H4 <t< td=""><td>28</td><td>25.9472</td><td>20</td><td>67 1550</td><td>130</td><td>113,2430</td><td>.iei</td><td>160.9717</td></t<>	28	25.9472	20	67 1550	130	113,2430	.iei	160.9717
22 ESAZ H2 KH.0792 132. 115.1037 143. 22 A.1113 42 69.8016 134. 116.0345 186.1 24 A.216 134. 116.0345 186.1 186.1 25 A.025 84. 70.8045 134. 116.0465 186.1 26 A.025 84. 72.5420 137. 118.8284 187. 27 A.283 137. 118.8284 187. 188. 27 A.283 136. 136.6922 188. 27 A.283 136. 120.6922 191. 28 A.482 189. 120.6922 191. 30 A.4407 91. 75.3768 180. 31,344 92. 76.2927 140. 122.5570 191. 31,344 92. 78.1259 144. 126.2895 196. 32,445 92. 80.48789 144. 126.2895 196. 34,440 92. 80.8789 144. 126.2895 196. 34,440<	20.	21.7495	- I 6	6650.83	131	114,1732	192.	9518-141
24,370.5 83. 69.8916 134. 116.9655 185. 25,370.5 84. 70.8045 134. 116.9655 185. 26,105.5 84. 70.8045 136. 118.8964 187. 26,105.5 84. 72.6420 187. 187. 27,828.7 136. 120.6922 180. 27,828.7 130.652 180. 29,543.7 89. 75.2050 191. 30,543.7 91. 76.2927 140. 122.5570 191. 30,543.7 91. 72.2030 140. 122.5570 193. 31,3140. 92. 78.1259 140. 122.5570 193. 31,3140. 92. 78.1259 144. 126.2895 105. 31,440. 95. 80.8789 144. 126.2895 105. 31,440. 95. 80.8789 144. 126.2835 105. 31,440. 96. 80.8789 144. 126.2835 10	30	22.4.54	62	68.9792	132.	115.1037	193	149, 747
25,2721 84. 70,8045 134. 112,6968 186. 26,0055 85.2721 136. 118,6264 187. 26,0055 87. 73.566 138. 120,6922 188. 27,8283 87. 146. 120,6922 189. 180. 27,8283 89. 74,4414 139. 120,6922 189. 180. 29,5432 89. 76.2927 140. 122,5570 191. 191. 30,4407 90. 76.2927 140. 122,5570 191. 192. 31,3140 97. 78.1258 142. 124,428 193. 31,4140 95. 80.8789 142. 126,2895 105. 32,646 140. 126,2895 105. 105. 105. 31,646 144. 126,2895 105. 105. 105. 34,456 144. 126,2895 105. 107. 107. 34,475 148. 130,025 1	- (F	* - '. '. '. '. '. '. '. '. '. '. '. '. '.	83	69.8916	133	116-0365	185.	164.7360
26,1055 B5 71,718.0 136 118,8284 187. 24,4410 136 118,8284 188. 27,8283 187 126 189. 27,8283 187 189. 180. 29,5432 189 121,6245 180. 10,4407 99 76,2927 140. 122,5570 191. 11,140 97 78,1258 140. 122,5570 193. 11,140 97 78,1258 142. 124,4228 193. 11,140 97 78,1258 144. 126,2895 195. 11,140 97 78,1258 144. 126,2895 195. 11,140 95 80,8789 144. 126,2895 195. 11,140 95 80,8789 146. 128,232 195. 11,140 126,2895 195. 197. 197. 12,140 96 81,7975 146. 128,009 197. 12,140 <td< td=""><td>1</td><td>15.2721</td><td>. 44.</td><td>70.A045</td><td>* #51</td><td>110.400</td><td>186</td><td>165.6774</td></td<>	1	15.2721	. 44.	70.A045	* #51	110.400	186	165.6774
24, 0410 84, 72,6120 137, 119,7602 188. 27, 6283 87, 73,546 138, 120,6922 189, 190 24, 6074 88, 74,4414 138, 120,6922 180, 190 29, 6682 99, 75,3768 140, 122,5570 191, 191, 192 31,3144 90, 76,2927 141, 123,4898 192, 192, 192, 192, 193, 193, 193, 193, 193, 193, 193, 193	36.	26,1955	PS	21.7180	35.	118.8284	197.	166.6190
27, 8283 186 120.6922 189 28, 4074 196 121.6245 190 29, 4642 99 75,2927 140 122.5570 191 31, 440 77,2030 141 122.5570 192 31, 440 77,2030 141 122.5570 193 32, 1944 92 78,1258 142 125,3560 193 33, 1944 92 78,1258 144 126,2895 195 33, 1945 94 126,2895 196 34, 4259 95 80,878 146 126,2895 196 34, 4259 96 81,7975 146 126,2895 196 34, 5896 96 81,7975 146 128,1571 197 36, 5896 96 84,5556 148 130,0256 200 37, 4734 96 84,5556 160 131,0656 200 38, 4759 150 131,0650 201	35.	24.0414	, r	73.666	137	119.7602	-881	167.5608
79,5642	4	27.8283	86	74.4514	138.	120.6922	. O	7444.001
10. 122.5570	7.5	3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	o	75,3768	139	121.6245	101	170.3870
31,3144 91,77,2090 142,124,4228 193,422,124 72,1944 92,78,1254 142,125,4528 104,104,125,125 73,1475 64,79,608 144,126,2895 105,106,128,123 74,259 95,80,8789 146,128,157 197,146,128,157 74,771 97,82,7164 146,128,157 198,127 74,774 99,84,556 148,130,0256 109,130,102 74,747 99,84,556 160,130,0256 200,130,102 74,747 99,84,556 150,130,0256 200,130,102	30	30.4407	90	16.2927	140	122.5570	192.	171, 3293
72.1904 92. 78.1758 147. 125.3560 104. 126.2895 105. 17.94. 126.2895 105. 17.94. 126.2895 105. 17.94. 126.2895 105. 17.94. 126.2895 105. 17.94. 126.2895 106. 196. 128.1571 107. 107. 107. 107. 108.1571 107. 108.1571 108. 108. 108. 108. 108. 108. 108. 108	• • •	31.3164	91	17,2090	24,	124.4228	193.	172.2719
73.0£15	41.	22.14nd	65	78-1258	143	125.3560	104.	123.2145
13, 9440 34, 9259 14, 9259 14, 120, 121, 122, 131, 131, 131, 131, 131, 131	42	33,06.25	1	20 000	144.	126.2895	105.	174.1573
14. 128.1571 198.1571	43.	13,9460	, K	80.8789	145.	127.2232	100	176.0434
16.5896 97. 82.7164 148. 130.0256 109. 17.4734 58. 83.6358 149. 130.0256 200. 18.3583 99. 84.5556 169. 131.8950 201.	44:	36 707	94.	R1.7975	146.	128-1571	801	176.9866
77.4734 ca 83.6358 149 130.9602 200.	4 4	36.5896	97.	82-7166	187	130-0256	199.	177.9300
38.3583 100 85.4758 150. 131.8950 201.	47.	45.47.75	α (C	A3.635A	160	130.9602	200	178.8736
	484	18.3583			69,	121 BOKO	201.	2/10°6/1

rasfoven DEFECTS	POTSSON MIMPED	ORSFRVED	POISSON	OBSERVED	POTSSON	OBSFRVED	POTSSON
			N 30 70	200	MINNEK	DEFECTS	HIMBER
4	0619	61	41-2R7R	101	86.7894	152.	134.256
• (746.F.	ر د د	42.1402	102.	87,7125	153.	135,1940
	17H	53	63.0737	103	88.6360	156.	136-1314
.	34.4.6	. 4.	43.94B2	104.	89.5598	145.	137.0690
	2.0746	65	64.R636	105.	90.4841	156.	138,0068
i .	7.7400	, n	45.7599	106.	91.4087	157.	136.9446
	2,7,7		66.6572	102	92,3336	158.	139,8830
• •	3 7 7 7	; ;	47.5554	108.	93.2589	149.	140.8214
0	8 4 1 C 7	94	4P-4544	109.	94,1845	160.	141,7600
•			2450.65	110.	95.1105	141.	142.6988
-	25,55	١	50.2543	111	96.0368	162.	143,6378
- 0	1000	* c	10.1564	112.	96.9634	163.	144.5769
1	2000		382022	1113	97.8903	166	145,5163
• •		4	52.9616	114.	98.8176	145.	146.4558
31	11 3010		Name of the last	145	2452	146	147-3065
		Č į	4.7549	116.	100.6731	147.	148,3354
			65-6751		101-6013	148	140 27EE
•	F-V7	a	56.5810	118.	102,5298	169.	150.2157
!		3	27.62.75	9	103.4586	421	161 1641
,	- LOGG	· .	5H . 3948	120.	104,3877	171	152.0967
			59,3027	127	105,3121	172	153,0375
- 0		2.	60.2113	122.	106.2468	173.	153,9784
33	14 305 0	13	61-1205	123.	107,1768	126	154-9195
. 70	1,467	4 L	2010-24	124.	108.1071	175.	155.8608
25.	10 5025		90 95 74	125	109-0376	427	156,8023
26.	19.4369		01-1-60	• 621	\$805.50T	177.	157.7439
27.	20,2910	ar.	65. 475.3	75	110,8995	178	158,6857
26	21,1356	• 0.	44 noon	128•	8059-111	179.	159,6276
20	21.00.10	0.0	2 50.00	87	112,1625	lan	160,5697
30	22,45,6	5	21:10-74	130	113.6944	181	161.5119
3.	21,17,50	Co	60 3303		2000		162-654
72	24 - 27/15	a	20.2640	136	48CC*C11	. BA.	•
33.	1.6L7 5c	770	71,1503	125	12.4	481	164-3397
-36-	26 35.70	o d	12.0.55	• 10° -	11704643	I 85.	165.2825
, in	1771,76	p.k.	72.0014	75.	9755	98	165-2256
4	23 14.70	r.7	73,0000	100	119.6710	1a7•	167.1688
٦٦.	29,9194	30	74.4254	135	121 1505		121
38	20 7030	ОЯ	75.7433	• C. C.	123 663	64	169.0556
90	27,4690	3.5	76.6613	071	22 6276	9	60.0002
40	31,5473	13	77.5799	• 6 7 6	0/20*621	•161	170.9430
41.	42.4.2K3	25	78.4000	5%1	24 0024	20	27 8870
62	11 20.67	63	79.4105	• • • • • • • • • • • • • • • • • • • •	104.6904		172.8310
4 3	74,1305	70	2204			40	222.52
44	15, 1717.	មួ	מטשכ נמ	* * * * * * * * * * * * * * * * * * * *	800/-021	195	174.7196
4.5	35, 3561	73	C2 120E		2, 7023	4	75.6641
44	- 75 duly		£001 60	C 1	78.6380	197.	176.6088
47	77.7.75	a o	96 6223		28-5739	80	12, 5536
	5013 25	0.0	6970-49	. O % E	31 4444	199.	178.4985
, C.	10,00	66-	9700			7,07	45.44
	•	•			הרשר כר. הרשר כר		

dandaev	DATE CO.	Care Code D	.USS Jd	CHSESAED	P015504	OFSFRVED	PO 1 550N
DEFFETC			- Mais and Ham. maran.		NUMBER	4 73440	
•	*	٠.	1.762.07	101	P. 0192	152	135,5672
	. 4.4 4.5		できてはんな	102.	88.7670	153.	136.5091
	. I . A			103.	89.6962	154	137-751
٠,٠	27.50	41	61.7.74	104.	90.6257	145	
		The second of th	0119-57	105	02-4857	157.	140.2784
ຜ້ ເ	a :	٠, د ۲	0017.74	107	91 4162	15.8	141 2211
7	18. 14	FE	40.3254	104.	94.3470	155.	•
- 2		E. O	0212.03	100	05,2781	140	143,1023
σ	5.42.5	4	60.1303	110.	96.2096	141.	144.0506
- 10 ·	4.6+14.		51.0561	112.	98.0734	143.	145,9377
	22.5		52.3656		99,0058	144	146.8816
	1661.4	64.	53,7759	114.	99.9384	145.	147.8256
			54.66366	115.	100.0714	16.7	1417 941
ر د .	1 1.64.76	, r , r		117.	101-5040	148	150.6586
		, a	57.4233	114.	103,6719	149.	151,6033
• a	13.1276	6.9	58.3368	119	104.6060	170.	152,5481
C.	וילאס"דו	·et	59.2509	120.	105.5404	171.	153.4931
20	14.9.21	714	60+1656	121.	106-4750	172	154,4382 165 351
	10. 40.47	* c c c	61.0209	122.	107.404	176.	156,3290
22	17.746.0	74.	62,9133	124.	109.2805	175.	157.2746
24.	19.1946	75.	63.8303	125.	110,2162	176	158.2204
۶۷.	19,0963	14.	64.7478	126.	111.1521	177.	159.1664
26.	19.917.7	11.	65,6659	127.	112.0883	178	161.0587
	20.7768	* o	たち しょうなもの	120	113.9614	180	162,0051
200	02.5.40	Ġ.	68.4233	130.	114.8983	101.	162,9516
30	23,373	916	69,3435	131,	115,8355	162.	163-8983
٦١.	7076.20	ر د د	70.2541	132	116.7729		104.5401
32.	26 0969	770	72.10£4	134.	118.6484	145.	166.7392
34.	26.8730	30	73.028B	135.	119,5865	1864	167-6865
34.	27.7524	, ch.	73.9513	136.	120.5249	787	168.6338
36	28.6331	05	76.7076	138	122.4022	189.	170.5291
- 00	- 1 de - 2 de -		76.7214	139	123,3412	lage	171.4769
101	11.26.12	" U"	77.6457	140.	124.2804	101.	172.4248
40.	32,17/13	91.	78.5203	141	12×.2199	192.	9275-571
41.	93,6472	* * (* (*)	79.4954	142.	126-1595	193	175.2695
27	34.834"	94.	81.3467	144.	128.0394	145.	176.2180
44	35, 7298	95	82,2729	145.	128,9797	1964	177,1666
40.	94°45	• 45	R3.1995	146.	129.9202	107.	178,1154
46.	17.5164	97.	84.1265	747	130 B609	1984	700 001
47.	2017° at	.	A5.0539	143	131.601/	200.	180.9626
64	0502.07	1691	86.908	150.	133,6841	201.	181.9116
• ; ;				1 ; 1)	

0
Ž.
PPO
0
.0A00
•
'n
TDENCE
340

PROBABILITY OF ACCEPTANCE .9200

PREFEREN	P01550M	3103436		DEFECTS	NIMEER	DEFECTS	MUMBER
PEEFIS	438600	CI TATAN	No mark				
ć	76.7%	נו	42.2196	101.	88,1535	152	135,9607
	. 45.7	40	43.1224	102.	89.0840	153.	136.9040
• - 1			1900.44	103.	90.0169	154.	137.8676
,	3003	43	44.9307	104.	90.9461	155.	138.7910
• .	מר אני ני	ម	45.8361	195	91.8776	156	139-7368
U	2 36 %	5.6.2	46.7424	106.	95.8094	157.	140.6788
ř,	6244	67	47.6496	107	93,7416	158.	8229
	•	3.1	5755.87	108.	94.6740	159.	142.5673
• ,	100 m	* ou	49.4662	109.	95.6068	1604	143-5118
	5 0733	40.	50.3757	110.	96.5399	141.	144.4564
•	1000		51,2959	111	97.4733	1624	165-6013
 	7 - 12.	. 62	67,1969	112.	98.4070	143.	146.3463
- (53,1085	113.	99,3409	166	147,2915
1		64	5.4.0208	114.	100.2752	165.	148.2368
•	7	, y	54.0338	115.	101,2098	146.	149.1823
4	75.37	44	55.8475	116.	102,1446	167.	150.1280
<u>.</u> ;			56.761B	117	103,0797		151.0738
-	42756	0.7	57.4768	119.	104.0151	149.	152.0198
			2000	110	104.9508	170	152,9660
31			E CASE	120.	105.8867	171.	153,9123
	7 37		14.0004	121	106.8229	172	154.8588
20	14.0241		20.00	193	107.7503	173.	155.8054
۲.	15.77.4	2 6	10 to 00	- 201	108.4960	174.	156,7522
22.	16.6265	457	2001.	124	109,6330	175.	157.6991
• רל	D: 07 /	3 1	14. Lear	126	110,5702	176	158.6462
24.	1 = 33%	45	25.00.30	136	111.5077	177.	159.5934
, Y	C 2 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	• :	20000	127	112,6454	138	160-5408
26	70.02		44.0501	128.	113,3834	179.	161.4883
77.	グレンカ・ショ	• •		120	114.3216	Jan	162.4360
7B	21-13-2		2007	130	115,2600	101.	163,3838
o (•	100.707	121	116 1987	102	164-3312
S :			70 EAS	132.	117,1376	193.	165.2798
- 1	24.41	•	2000	133	118.0762	18%	166.2281
72			9105 65	136.	119,0161	105.	167,1764
٠ ۲	26.		114C 02/	136	110.0557	186	168-1250
36.	27.042	44,	26.26.25	126	120.8955	197.	169.0736
٠ ٢	•	ž 1		132	121.8355	Par	120.0224
4	2 X X X Z	o a	76.000	138.	122,7757	199.	170,9713
47.		•	27.0166	130	123,7162	190	171-9204
F :	>77.7	0.5	27.0416	140	124.6569	191.	172.8696
•	. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•	78.8691	141.	125.597B	192.	173,8189
	77.77	65	79.7949	142.	126,5388	193.	174.7684
- 0	1 7 7 7 7		0001.00	143	127, 6801	19%	125,7180
73	25 0220		41.4408	144.	128,4216	105.	176.6677
•	4,000	1 th	87.57.00	145	129.3636	126.	27.6.75
4	7550 25	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	83.5062	146.	130,3052	107.	178.5675
		• ````````````````````````````````````	0464.44	147	131.2673	108	179,5176
	31.47:3	6.0	05.260	148.		109.	180.4678
47.	4 9	• ប្រជ	P. 2035	140	133,1321	200	2814-181
84	34.517	,		0.5	0740 761	100	103 3407
				-		• T 2	10000000

しまったまション	٠٠١١ ١٢٠٠٠	じゅうにゅうない	PO1SSCN	OHSERVED	NOSSIDA	OBSFRVED	MOSSION
DEFECTS		5133430	NUTEE	DEFECTS	MUMBER	DEFECTS	MUMBER
Q	17.63	51.	42.6243	101	88.7640	152.	136.6923
-	F 54.42	, C 3	43.5315	102.	89.6777	143.	137,6431
2	1-1-14	£3.	44.4396	.03.	90,6117	154.	138,5891
۳,	1.67.5	.46.	45.3445	104.	91,5461	145.	139,5353
4	2,3524	53	46.2583	105.	92.4807	186	140-4817
វ ំ	61.55° c	y .	47.1489	106.	93,4156	157.	141.4282
١,	3.70.6	7.5	F080 44	707	2000 30	150	14.5 2210
•	: - t - c - c - c - c - c - c - c - c - c	l. 7	さんかかったす	* 60.	70,000	• • • • • • • • • • • • • • • • • • • •	14363610
9 3	27 7 4	1.7	5010 00	801	07.1505	161	145.2160
•		• 5	10011		000100	140	144.1434
 =	7.57.5	42	4 '	112	90.0316	143.	147.1109
- (0 4 4 C 0	• ¿	53,5639	113	99.9686	146.	148.0586
13,	31 (F.4	44.	54.4803	114.	100,9059	145.	149.0064
16.	11. 11224	454	55,3973	115.	101.8434	166.	149-9544
14.	4 1 0 C C C	64.	54.3149	115.	102.7812	147.	150.9026
16.	11,7443	67.	57,2331	117.	103,7193	148.	151,8509
17.	12,4227	***	58.1519	118.	104,6577	149.	152,7994
10	13.4657	49.	59-0714	119.	105,5963	170	153,7480
10	14.1127	٠٠٤	400.05	120.	106.5351	171.	154.6968
20.	15,1536	.11	5/1-9119	121	107.6762	172.	155.6457
21.	14. 141	12.	61.4330	122.	108,4136	173.	156.5947
22.	14,4759	73.	62,7547	123	109,3532	176.	157.5440
23.	17.7347	74.	63.6769	124.	110.2930	175.	158,4933
24	13,5075	75.	9665499	125.	111,2331	176.	1594428
٦۴.	10.4670	۲۴.	45.5224	126.	112,1735	177.	160,3924
26	21,3341	77.	5644465	127.	113,1140	1284	161,3422
.70	21.2.14	74.	£7.3707	128.	114.0548	179.	162.2922
28	22.1.314	79.	63,2954	129.	114,9958	190	163.2422
.00	22,05,74	e ci c	F9.2205	130.	115.9371	101.	
30	23.4354	o l o	70,1461	1314	116,8786	182.	165,1428
;	24.7150	46	7117	132.	117,8203	10,3	166.0932
25-		83	71,0007	- 133	118,7622	Jake	167-0438
• ۴ •	24.44]	970	72.9256	134.	119.7043	185	•
34	27,3564	#54	73,8530	135	120,6467	188	168-9454
٦,	72 "C" 0C	• 4 0	74.7809	136.		197.	159.8965
1		0.7	75, 7090	137	122,5320		474
77.	1665.76	er o	74.6477	138.	٠	96.	171.7989
38	30, 4237	ea -	77-5667	139	124.4182	190	172, 7503
٠ ود	31. alkk	• •	78.4961	140		19.	173.7018
404	32,71.3		79-4259	1414	126-3051	72	45.0.47
41.		¢ (142.	127.2489	163.	175.6052
2	- 55.4.45	15	22.52.		22. 22.	35,	
* .	- 1 - 4° - 1	* t	**************************************	**	153,1371	•667	14000//1
44	40.40	4	SHOT N		130-081	-	30.5
٠. د .	BC07.4c	÷ r	84.0806 0.00	- C - C - C - C - C - C - C - C - C - C	131.0200		0514.671
44	- 48-1-22		42-016		20.000		
		x o	10.4444 04.044	- R41	136.9137	600	#016.101
9	2012		1010				
2							

Control Director								
1, 17.2 42, 44.50 101 62, 02.02. 153, 153, 153, 153, 153, 153, 153, 153,	PEFFOTS	POTSSON	DELECTE DELECTE	P01550v	ORSERVED DEFECTS	POTSSON NUMBER	OHSFRVED DEFECTS	POISSON
1,712 1,514 102 103 104	o	3999	51		101	69.0220	162	137,0437
1712	-	7412	62.	43.7243	102.	89.9572	163,	137.9908
1,146 6.5 46,5622 1155 92,7264 154 2,146 6.5 46,242 104 93,7010 157 2,246 6.5 46,242 104 94,120 104 2,146 6.5 46,242 104 94,120 104 2,146 6.5 46,242 110 97,240 141 2,146 6.5 46,442 111 91,242 142 1,142 6.5 6.5 6.5 6.5 6.5 1,142 6.5 6.5 6.5 6.5 6.5 1,142 6.5 6.5 6.5 6.5 6.5 1,142 6.5 6.5 6.5 6.5 1,142 6.5 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 6.5 1,142 6.5 6.5 1,143 6.5 6.5 1,144 6.5 6.5 1,	,	1.7121	-4.	45.5455	1040	91.8285	155.	139.8854
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	• ,	2 2131	55	46.4573	105	92,7646	15.6	140,8330
1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	ີ ທີ່ ເ	4.1.50	7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7	9695.74	106.	93.7010	157.	141.7807
1. 1. 1. 1. 1. 1. 1. 1.		7005"	63.	49.1974	108.	95,5747	149.	143,6767
1, 2, 2, 2, 4, 4, 4, 5, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	8	5,34:4	98	50-1122	100	96.5120	160	45.434
1, 2, 2, 2, 4, 6, 10 112 99,3256 143 1, 2, 1, 4 6, 5, 4, 6, 6, 7 116 101,2027 145 1, 2, 1, 4 6, 5, 4, 6, 6, 7 116 102,0202 145 1, 2, 1, 4 6, 5, 6, 6, 7 116 104,0803 144 1, 2, 1, 4 1, 4 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	c c	A 1740	. F. J.	51.0278	110.	97.4496 98.3875	141.	145.573
1, 2, 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	-:-	7.7=42	42.	F2.4609	112.	99.3256	143.	147.4706
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		- Bains		53.7785		100 2640	144	917-97
1, 4, 4, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,	• •	447° 5	9 U	54.6967	***************************************	101.202/	165	160.312
1, 2013	15.	11. 'G .K	F.S.	56.5351	116.	103.0809	147.	151.2670
12,273	164	- tixatt	67	57.4551	117	104,0203	148	152.216
	17.	5507.01 5708.53	er e	58.3758 50.2020	118.	104.9601	149.	153.166
15,27a	0.	14.00.1	10.	40.2184	120.	106.8403	171.	155.0657
1, 1, 1, 2, 4 1, 2, 6, 2, 0, 6, 0 122 106, 125 173 174	20.	15,275	314	51414	121	147,7807	132	156-015
17. 17 74 65.0114 124 110.6036 175. 12.205 12.205 12.50	<u>.</u> د	70710	9 6	62.0640	122.	108.7215	173.	156.966(
12, 200.5 15, 66, 6159 15, 611, 6467 177, 65, 7607 126, 112, 4867 177, 65, 7607 126, 112, 4867 177, 66, 6162 126, 112, 4867 177, 68, 5145 128, 114, 3708 179, 113, 3131 14, 3708 179, 113, 3131 14, 3708 179, 115, 2517 181, 25, 25, 27, 27, 27, 27, 27, 27, 27, 27, 27, 27	27	17. : 17	74.	43.9114	124.	110.6036	175.	158,8669
	24	18 7245	75	64,4359	125.	111.5451	176	159,8175
25, 21.71 74 68,5205 126 116,3708 179 25, 21.71 40 68,5205 130 116,3708 179 27, 21.71 40 69,4653 130 116,2557 181 27, 21.21 81 76,3626 131 112,1985 182 27, 21.22 81 72,2685 132 119,1915 184 27, 21.21 82 73,1770 136 120,6282 186 27, 21.21 84 73,1770 136 120,6282 186 27, 21.21 84 74,1361 136 120,6282 186 27, 21.27 87 74,1361 136 123,6373 186 27, 21.27 87 74,1361 136 123,697 186 27, 21.27 89 77,8262 139 189 189 27, 21.27 89 77,8262 139 191 192 24, 81 81 82,6886 181 186 184 185 24, 81 82 88 184 185,693 193 24, 81 82 84 84 184 132,283 194 24, 81 84 84 84	ų,	16,5000	74°	45.7607	126.	112.4867	177.	160.768
22 2172	27.	7 . 6 10	7%	47.4121	128.	114,3708	179.	162,6702
130, 116, 2557 181, 117, 198, 182, 182, 182, 182, 182, 182, 182, 182, 182, 182, 182, 182, 182, 183, 182, 183, 183, 183, 183, 183, 183, 183, 183, 184,	211	22.217.	19	68,5385	129	115,3131	100.	163.621
2., 2.12 2.2 71,3903 132 118,1415 183 2., 70,10 2., 22,484 134 120,0282 184 2., 64,11 44 73,177 134 120,0282 185 2., 64,12 42 75,0455 136 120,9718 186 2., 64,14 44 75,0455 136 120,9718 186 2., 64,14 47 75,0455 136 120,9718 186 31,064 40 76,8655 136 120,971 188 31,064 40 77,8262 130 120,886 190 31,044 40 77,772 40 126,6380 190 32,473 40 126,6380 190 34,474 40 126,6380 190 34,474 40 126,6380 190 34,474 40 126,6380 190 34,474 40 126,6380 190 34,474 40 126,6380 190 34,474 40 126,6380 190 34,474 40 126,6380 190 34,474 40 126,6380 190 34,474 126,6380 126,6380 190	20.	100 mm		69.4653	130.	116.2557	. [a]	164.5727
25, 703 to 23, 72,2485 133, 119,0847 184, 26, 473 to 44, 1361 134, 120,0282 195, 120,0282 196, 120,0282 27, 474 to 27, 134, 136, 121,9157 187, 187, 187, 187, 187, 187, 187, 188, 187, 187		24 27 25	0.3	71 2202	122	110 1415	103	166.475
22, 47,11 44, 73,1770 134, 120,0282 195, 196, 196, 197, 196, 197, 196, 197, 197, 197, 197, 197, 197, 197, 197		25, 70,30	• • • • • • • •	72.2485	133.	119,0847	184	167-427
20, 47 20, 74, 1061 135, 120, 9718 196, 27, 47, 47, 47, 47, 47, 47, 47, 47, 47, 4	33.	24.47	47.	73.1770	134.	120.0282	105.	168,3794
136 121.9157 187.	72	17.61	100 100	74,1361	135.	120,9718	196.	169.3313
7. 1617 20. 1617 21. 1653 21. 1653 21. 1653 21. 1653 21. 1654 21. 1652 21. 160 22. 160 23. 161. 126.6330 24. 17. 1686 24. 167. 167. 167. 167. 167. 167. 167. 167	į į	1 20.0		75,0355	136.	121.9157	- La I	170.2834
11 126 124 1484 190	126	2. 11.1 4	08.	76.8955	138.	123.8040	199.	172.1880
101 125.6931 191. 192.4774 140 125.6931 191. 126.6380 192. 192. 193.2774 194. 126.6380 193. 193. 193.2774 194. 127.5830 193. 194. 127.5830 193. 194. 1	35	11 . 253	ħκ	77.8262	139.	124.7484	190	173,1405
12, 4/74 21 19,6886 141 126,6380 192 13,775 49	• טר	3. mm. le	• ຄົນ	78.7572	140.	125.6931	101.	174.0931
13,71,2 42, 80,6703 42, 127,5830 193, 194, 175, 194, 194, 194, 194, 194, 194, 194, 194	4:4	22,111	618	79.6886	141.	126.6380	192.	175.0459
75, 5747	• (,	24.74.0	° 6	80.4703 01 cmpt	0. n	127,5830	193.	175,9987
77,272 CA. 84,3510 145, 130,4193 196. 77,372 CA. 84,3510 146, 131,3651 197. 72,272 GZ. 85,2845 147, 132,3111 198. 72,172 G3. 84,2784 148, 133,2573 199. 72,172 C9. 87,1524 149, 134,2036 200.	12.4	25.5707	54.5	92.4940	10.4.5	120.4737	105.	177.9046
77,272 GZ R4,3510 146, 131,3651 167, 16, 25.22 GZ R5,2845 147, 132,3111 198, 194, 195, 195, 195, 195, 195, 195, 195, 195	• 44	26.4767	95	83.4178	145	130.4193	196	178,8580
10.2.72 01. B5.2845 147, 132,3111 198. 199. 10.17. 133,2573 109. 10.17. 175.1526 149. 134,2036 200. 10.17. 150. 134,2036 200.	45.	7116.76	• 40	94.3510	145.	131,3651	197.	179.8114
33,177. 93, 94,2144 148, 133,2573 199, 190, 130, 134, 2036 200, 134, 2036 200, 135, 150, 135, 150, 201,	46	15.2.2		25.2845	147.	132,3111	198.	180.7648
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, d	40° 10° 10° 10° 10° 10° 10° 10° 10° 10° 1	• ช ว	01.U124	148	133.2573	100	181.184
	S N N N N N N N N N							

STATE OF THE STATE

-	P015508	CHARBORED	MO55100	ORSERVED	POTSSON	OBSFRVED	POISSON
PEFFOTS	रा नेत्रात ।	DEFECTS	NUVRER	DEFECTS	NUMBER	DEFECIS	NUMBER
c	1254	512	42,9991	101	89.2899	152.	137.3776
•	9123.	62,	43.9104	102.	90.2265	153.	138.3258
7	1,1.21	5.3	44.8226	103.	91,1635	154.	139,2742
۴	1.7648	.4.	45.7355	104.	92.1007	145.	140.2228
4	2,4,726	45	46.6693	105.	93,0382	1564	141.1715
r.	3,1510	i.A.	47.5632	106.	93.9761	157.	142,1204
4	3,898	57.	48.4791	107	94.9162	158.	143005
7.	4.4441	* 64	49.3951	108.	95.8526	. 65	144.0187
a	5-4226	53	50.3118	109.	96. 7912	160.	144.9681
°	F166.+	4 fi •	51.2292	110.	97.1302	1610	0/16.641
10	7.020.7		52-1473	111	98*6594	162.	146.8673
= :	7,4203	, to	53.0461	112.	0609.66	143.	147.8171
125	9,6459	6.3.	53-9855	1130	7885-001	4891	1747-481
۳,	4.4694	F. 6.	54.0055	114.	101.4888	145.	149.7173
16.	10.2996	454	55-8262	411	1878-201	• gyT	130 about
· ·		ξ.	56.7474		105-3040	• • • • • • • • • • • • • • • • • • • •	151.6160
 - -	1978-11		57.000	776	10493104		163 6103
	<u> </u>	i d	77.50	. o	105.1928	10.	154.4702
2	- 17 626.3	0.2	40. 4382	120	107-1366	171-	155.4213
•	15 3027		61.3622		108.0762	172.	156.3724
12	16.2436	22.	62.286A	122.	109.0182	173.	157.3237
2	17,1076	73.	63,2119	123	109,9605	174.	158,2752
۲,	17,9746	74.	64.1375	124.	110,9030	175.	159.2268
24.	18,8443	75.	65,0636	125.	111.8457	1764	160-1785
25.	19.7167	74.	5066.49	126.	112,7887	177.	161.1304
26.	20,5315	17.	65-9173	1274	113,7318	1784	162,0824
. 1.0	74-4-14	٠,8	47.844R	124.	114.6753	179.	163,0345
2A.	22.3490	79.	68.772B	129	115,6189	190	163,9868
• 60	7666.86	ه با •	69.7113	130.	116.5627	191.	164.9392
30	24,1129	414	70.6302	1314	117,5068	1824	165-8917
٠ ا	24.0941	α· (71.5595	132.	118.4511	183.	166,8444
32	25. R452	0.36	12,4993	1330	CCKLAVII	TRAC	178/7/01
• F (24.7740	• •	73.4194	134	120.3402	106	106/-891
36	C#30477	42.	76 2010	1.5	122,2302	107	170.6567
• <u>4</u>	20.45/0	67	76.2124	127.	123,1755	188.	171.6096
37.	31.2.344.0	αn	77.1442	138.	124,1210	109.	172.5630
30	2,13	30	78-0763	130	125.0667	log	173.5145
30.	1 4 T 0 0	• u b	79.5088	140	126.0126	101.	174.4702
40	33,1374	619	79.9417	141	126,9587	102.	175,4239
.14	44.4700	ري د ک	80. A750	142.	127.9049	193.	176.3779
54	25 × 25	63	AROM IS	54	129.9514	, ya	121-3318
43.	۶۶ _و ۲۵۱ ن	• 75	A2.7426	144.	129.7980	195.	178.2860
77	36.66.55	95	83.6770	145	130.7648	-90	129-2403
44.	47.55(12	ם ע•	44.4116	146.	131,6918	197.	180.1946
46	72.456n	97	85.5466	147	132,6390	ga	184
4.7°	75.45.35	or or	A6.4920	* c < ;	133.5864	• 60°	1601.201
	1731		25.00				
• • • • • • • • • • • • • • • • • • • •		•	C	-051	135.4A16 ·	-Tu2	184.0133

1625 102 102 102 102 103 104 105	DEFECTS	SOTSON	DEFECTS	POTSCON	OASERVED	POTSSON	ORSFRVED DEFECTS	NUMBER NUMBER
1,447	0	1625	51.	44.5747	101.	01.5742	162.	140.2186
131 44	-	Ct +2	62.	65,5029	102.	92,5230	163.	141,1767
2,174,1 64, 47,3415 104, 3,550,2 66, 49,2225 106, 4,24,2 57, 62,017 103, 5,14,5 62, 619 110, 6,21,0 60, 62,019 110, 6,21,0 60, 62,019 110, 7,24,0 62, 619 110, 7,24,0 62, 619 111, 1,32,0 63, 62,019 110, 1,32,0 64, 6100 112, 1,32,0 62, 6120 113, 1,32,0 64, 6100 116, 1,32,0 64, 6100 116, 1,32,0 64, 6100 116, 1,32,0 70, 64, 6100 116, 1,32,0 70, 64, 1005 120, 1,4,20 70, 64, 1005 120, 1,4,20 70, 64, 1005 120, 1,4,20 70, 64, 1005 120, 1,4,20 70, 64, 1005 120, 1,4,20 70, 7000 120, 1,4,20 70, 7000 120, <	2	1 33 6	4.3	46.4310	103	91.4719	154	142 1350
2 1550 55 48.2017 105 2 1550 56 50 50 50 50 50 50 50 50 50 50 50 50 50	, ,	1450.0	. 45	47,3615	104.	94.4212	155.	143.0934
1,550	4	2. 16:41	55	48.2017	105	95,3706	156	9150.44
\$ 15.45 \$ 15.45 \$ 15.45 \$ 15.45 \$ 20.1540 \$ 100.5 \$ 20.1440 \$ 20.4540	'	2.55.0	E.A.	49.2255	106.	96,3203	157.	145.0106
5,1545		4.36.4	57	50-1540	787	97,2703	158	4696-24
	٠,	5. J. i. i.	ब ध	51.0861	109.	98.2204	149.	146.9283
		787				**********		47.00
1, 1, 1, 2, 2, 2, 3, 4, 1, 1, 1, 1, 1, 1, 1, 2, 3, 4, 2, 1, 2, 2, 3, 4, 1, 1, 2, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3,	• :	A. G [O	• c •	6146.54	110.	100.1215	. [4].	148.8465
		2.07		E. 6100	51.	102 0234		150 7453
	- 0	7.50		55.7547	112	102.0747	144	161 724
	13.	15,14,24	64.	56.6900	114.	103,9262	165.	152.6845
1, 0,0,1	14.	11.35.2	45	57.6258	115.	104.8779	146.	153.6663
12 75.42	٦٤.	11,32-1	44.	54.5621	116.	105.8298	167.	154.6042
13.44 1	14	12,75.12	6.7	59.4989	117	106.7819	168	155,5643
	17.	13,44.61	ੱ ਬ	60.4361	118.	107,7343	149.	156.5244
	1	14.5455		61,3739	911	108-6868	110	157.4847
14, 3129	0	4.6047	10.	42.1119	120.	109,6395	171.	158.4451
17.201 72. 64.1995 122. 14.9224	20	16, 31.23	7.	63,2505	121	110.5925	172	159.4056
14 Gast 124	٠١.	17.2011	72	64.1495	122.	111,5456	173	160.3662
14,44924 74, 66,0687 124, 27,7747 76, 67,9496 126, 21,6724 77, 68,8906 128, 21,6724 77, 68,8906 128, 23,4724 77, 69,8320 128, 23,4724 12, 12, 130, 23,4724 12, 12, 130, 24,1124 12, 130, 25,4724 12, 12, 130, 27,1124 12, 130, 27,1124 12, 130, 27,1124 12, 130, 27,1124 12, 130, 27,1124 12, 130, 27,1124 12, 130, 27,1124 12, 140, 27,1124 12, 140, 28,4121 12, 140, 28,4121 12, 140, 28,4121 12, 140, 28,4121 12, 140, 28,4121 12, 140, 28,4121 12, 140, 28,4124 12, 1	22	11 20 11	73	65,1289	123	112,4989	176	161 3269
14, 477.17 76, 67,0000 126, 126, 21,0724 77, 68,8006 126, 126, 127, 122, 122, 123, 123, 123, 123, 123, 123	٠,	14,4274	74.	66.0687	124.	113.4524	175.	162.2878
21 6726 21 6726 22 6726 23 4752 24, 8906 128, 8906 128, 128 24, 1739 25, 244 27, 144 27, 144	24	15.9221	75	67.0000	125	114.4060	126	163.2687
21 6726 77 68.8006 128 128 129 129 129 129 129 129 129 129 130 128 130 130 130 130 130 130 130 130 130 130	, ,	7.77.0	76.	47.9496	126.	115,3599	177.	164.2098
22, 3724 124 126 128 129 129 129 129 129 129 129 129 129 129	26	2100124	17.	6H-R906	127	116-3140	128	165-1210
134 154	. 40	5025.00	* * *	69.H320	128.	117.2682	179.	166.1323
74, 37493 410, 71,7159 130, 130, 25, 222, 223, 41, 72,6584 131, 132, 133, 132, 133, 132, 133, 134, 132, 133, 134, 134, 134, 134, 134, 134, 134	28	154.155	79	20.2738	129	118,2226	100.	167-0937
22. 17.27 42. 73.4412 132. 27. 17.04 44. 75.4479 134. 22. 62.21 44. 75.4779 136. 22. 62.21 44. 77.3759 136. 36. 23.86 97. 78.3204 136. 31. 44.34 98. 77.3759 136. 32. 44.34 98. 80.2103 140. 34. 44.51 97. 82.1015 140. 34. 44.51 97. 83.43.93 146. 34. 33.44 97. 87.21015 147. 35. 33.44 97. 87.21015 147. 36. 34.44 97. 87.21016 147. 37. 37.4 97. 87.21016 147. 36. 34.4 97. 87.21016 147. 37. 34.4 97. 87.21016 147. 37. 34.4 97. 87.21016 147. 41. 24.2 97. 87.21016 148. 41. 24.2 97. 87.21016 148. 41. 24.2 97. 87.21016 148. 41. 24.2 97. 87.21016 148. 41. 24.2 97. 87.21016 148. 41. 44.2 97. 87.21016 <td>900</td> <td>54.75.00</td> <td>٠ د ت د</td> <td>71.7159</td> <td>130.</td> <td>119.1772</td> <td>18]</td> <td>168.0552</td>	900	54.75.00	٠ د ت د	71.7159	130.	119.1772	18]	168.0552
73. 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		15.5.5.5		72.6584		120-1319	- 201	169-0168
72, 11, 11, 11, 11, 11, 11, 11, 11, 11, 1		24.00.20	*. **	73.4012	132.	121.086P	183.	169.9785
22, G241		- 6 to linear		74.5444	133	122-0418	100	170-8403
74,2744		2:	3 (75.4479	• #E	2766.521	183	7706-171
130 130		:		10-6117		123-052	To the second se	72-8642
71. httle pa. 79.2652 138. 1 32. 5747 89. 80.2103 139. 1 34. 4151 61. 62. 1015 140. 1 34. 4151 62. 82. 1015 141. 1 34. 344 62. 83. 64.95 142. 1 34. 347. 64. 84.9414 146. 1 34. 347. 66. 86.8344 146. 1 34. 344. 62. 87. 7819 147. 1 34. 444. 148. 1 34. 444. 64. 84.956 148. 1	•	7 0 0	• •	11.1754	- 130	7906.	• / M = 7	1 13.000
7. 17.77		21. 4. 1.5		30 2052	130	122 0100	900	175 7500
37,43744 GP, 82,1015 140, 1 34,4151 GP, 83,6475 142, 1 34,2646 G3, 83,6475 142, 1 37,1747 G4, 84,9404 144, 1 34,377 G5, 85,8973 145, 1 30,9443 G7, 87,7819 145, 1 41,2640 144, 1 34,2640 144, 1 34,2640 147, 1	• 00	76 CF CF	• (c	2007.67	130	127 2750		1001001
24,4151 61, 82,1015 141, 1 24,4164 92, 83,6475 142, 1 34,2646 93, 83,6404 144, 1 34,377 95, 85,8973 145, 1 34,377 95, 86,8144 146, 1 30,0443 97, 87,796 148, 1 41,740 99,6775 149, 1	3.3	35 4.360	00	01 1557	1.0	1210127	• • • • • • • • • • • • • • • • • • • •	177 4750
76,3744 92, A3,0475 142, 1 36,2546 53, A3,0434 144, 1 36,377 95, A6,8473 146, 1 36,1214 96, A6,8734 146, 1 36,3442 97, A7,796 146, 1 70,3442 52, A8,7296 147, 1				101010		7367 001	• (96.601.1
36,274	-	7, 73,	- 65	20.000		124.0000	197.	1.00.00.00
77.1747	- (***************************************	• 6	NO. 1000	- 241	130,000	• 601	3100.671
34.377	1	27 175	1	20.00	16.50	131.65410	1986	150402001
70, 914, 7 97, 87, 7819 145, 1 90, 944, 97, 1 947, 1 947, 1 947, 1 947, 1 947, 1 947, 1 94, 94, 94, 89, 6775, 1 949, 1	•	1000	* u	*****	* ! * .	136.0000	100	6070-101
70, 44,2 70, 44,2 71, 44,2 72, 87,219 89,6775 148, 1 41, 74,2 41, 74,2 49,6775	7,0	20 1 30 6	20	2758377	ec#1	133.5130	90.	10C-4899
7. 4440 43. BP. 1946 148. 1		6 7 7 7	. .	******	• • • • • • • • • • • • • • • • • • • •	134.4.168	· / 67	163.4550
7.3 44. 44. 148. 148. 1	4	1000		Z19777	10/0	135.4300	• R6 T	184.4162
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. r.	ט אלו אי	• •	PR. 7296	14A.	136,3875	199.	185.3795
	X T	7.4.4.7	700	89-6775	149	137,3450	Z004	186.3428
. 62.72 3 100. 99.6257 150.	۰۵4	r 61.67	•	4569.00	150.	138,3027	2n].	187,3063
				- 7155 (4C	- TCT	139.45000	*ZUZ*	アント・ススー

DEFECTS	5615605 190960	DEFECTS	POTSSON NUMBER	ORSEWED DEFECTS	POTSSON	OASFRVED DEFFCTS	NUMBER
		•			40.00		1702 C76
		4 7 5	BACKACA	- 101	21.00.00		2017 671
. .	777	. 9	40. / 40. I	102	94.5/39	•	143.4703
,	3 20.00	5.0	4 4 4 0 1 2	104	2602.70	165.	145.4028
• <	45.41.	ָּבֶּר רְּבָּי מיני	246,624	50.	97.252	156.	146.3691
ď	3.0.37	SA	50.5684	106.	98.2113	147.	147,3355
	7887	67.	51,5127	107.	99,1707	158.	148,3021
7.	1,47.61	. KS	52,4575	108.	100.1302	159.	149.2687
a	4.2.4	6.3	53,402B	109	101.0899	160.	150 2355
3	7.2042	* U *J	54.34HS	110.	102.0498	141.	151,2023
10.	4-1-70	+1.	55,2947	111	103,0099	162.	152, 1693
11.	2080.4	*	5146.43	112.	103,9702	143.	153,1363
12.	ائالقرو	43.	57.1884	113	104.9306	164.	154,1035
13.	10.7040	• 77	54.1758	114.	105.8912	145.	155.0707
14.	19,5%21	, F.S.	59.0837	115.	106.8520	1664	156,0381
16,	25.5730	, K.	60.0320	116.	107.8130	147.	157,0055
14.	13046.71	+7.	60.9806	117.	108.7741	168.	157,9731
17.	14.3474	**************************************	41.9296	118,	109,7354	149.	158.9407
19	19,200,7	64	62.8790	119.	110-6968	170	159,9085
10.	14.1722	70.	63.828R	120.	111,6584	171.	160.8763
20	17 - 7H7	711.	64,7789	121.	112,6202	1724	161.8442
2.	17,9472	. 61	65.7293	122.	113,5821	173.	162.8123
22.	14.44.77	73.	66.6801	123.	114.5442	174.	163,7804
٠٢,	19.915.3	74.	67.6313	124.	115.5064	175.	164.7486
24.	2.47245	75.	68-5827	125.	116-4688	176.	165-7169
75.	71.44.17	74.	69.5345	126.	117.4313	177.	166.6852
26.	22.25.54	11.	70.4866	127.	118,3940	178.	167.6537
.70	71.17°Ed	7₽.	11.4390	124.	•	179.	168.6223
20	24,3343	.67	72,3917	129.	120,3198	lab	169.5909
• 00	F 175 56	•(a	73.3447	130	121.2829	- G .	170,5597
37	25-2437	41 t	74.2980	131-	122-2462	-28T	171-5285
٠.١٠	27.16.82	دی	75.2515	132.	123.2096	183.	172.4974
32	20,0940	n 3	76.2054	133.	124-1731	188	1/3.9509
•	6966	• 77	77.1595	134.	125.1368		174.4354
34	29, 64, 49	950	78-1139	135.	126-1006	- GRI	175.4046
٠ ٩	9774° 76	* * *	79.0686	136.	127.0645	197.	176.3738
35.	21.41.79	97.	R0 - 0235	137.	128-0286	ABBL	77.36.32
٠٢٤	5+62°66	* x a	A0.9787	138	128.9928	189.	178.3126
39.	33,5747	6.6	1986-18	39.	129,9571	190	179.2820
. 0£	74.4.34	•05	R2.8898	140.	130.9215	191.	180.2516
4.0	35.52.70	91.	83.8457	141.	131,8861	1924	181,2213
6.3	44.114	٠ دی	94.A019	142.	132,8508	193.	182.1910
424	37.4.25	93.	85,7593	163.	133,8157	104.	183-1608
٠٤ ٠	32.45.F	• 75	A6.7149	144.	134.7806	145.	184.1307
44	34,27.52	95	87.6718	145.	135.7457	106.	105-1006
4 4.	244.21AA	. 95	A8.4288	146.	136.7109	197.	186.0706
144	41546	97.	89-5861	147.	137-6762	108	187.0407
47.	EE50*70	• የጉ	90.5437	149.		109.	188.0109
34	2 2 4 1 1 5	65	61.5014	140	139.6071	200	188-5812

DESECTS NUMBER	152. 147.9561		1	150,9095		157. 152.8787	1	149. 154.8481	140. 155.8329	141. 156.8177	157-	143. 158.7875	36.0 36.3	145. 160.1313	162.	1	149. 164.6979	3	172 167 6537		1	•		177. 172.565	174.	Ţ	1al. 176.5234		1	145. 180.4666	182		•	7696 766	101. 100.3024			195. 190.3270	1	107. 192.2858		•
POTSSON OF NUMBER OF	1000 00	9130	001000	100 7751	101.7563	102-7376	103.7190	104-7005	105.6820	106.6637	107.6454	108.6272	100,001	110.5911	110 5550	113.5374	114.5197	115,5020	116.4845	118-4495	119-4321	120.4148	121 3976	122,3805	124.3464	125,3294	126,3125	128.2789	129.2622	130.2456	122 2125	133.1960	134.1796	135,1633	136.1470	138.1147	139,0986	140.0825	141.0665	142.0506	144.0189	
09SERVED DEFECTS			•201		104	104	107	801	100	110.		112.	134	114.		117	118.	118	120.	122	123	124.	125	124.	128.	129	130.	133	133	134.	136	132	138.	130	140.	142	143.	144.	145	146.	941	
P015504		42.0481	\$1.00°07	חבמאיווב	11. 26.88	56 H46H	7.50 1.00	7,77	£ 4 7 4 7 3	E7 7164	58.6018	59.6673	60,6431	61.6130	62,5651	64.5670	65.5745	46.5014	47.4784	444 V 02	70.4103	71.3479	12,3657	73,3436	75.2998	76.2782	77.2566	78.2752	90.1929	91-1719	82.1510	H3.1302	85.0890	86.0686	A7.0483	60 0001	1000.00	90.9682	91.9485	92.92B	93-9093	
(13/1-23-30)		1	ر د د د	£3.	• : t:		<u>,</u>		ר ז ג		. 4	42	17	.4.4				6.9	7:3 ·	77	• י י	14.	75	76.	7.8	2.5	. c. a	13	ָרָ מָלְ מַלְ	* 77	85	2 5 4 7	80	88	•v6	19.5	* * *	75	55	• 45	25	
	1) EZ		3. 4. 16		3.°°		7	7 di 7) (n		13 3447	245.6.61	13.26.41	15.1.44	14,1000	17 3566	14,0103	-18,9273	12.0014	21.2443	22 9350	24.766	24.724A	71.00.17 74.00.17	7012.70	4415 82	24,54.70	31.4.25	72,44.95	23.4170	75, 35,33	26, 1221	47.2412	13.26.1R	מיגל סר	41.1717	42.1422	43.1140	9580.57	
ממשנה שני	TELECTIVE.		•	2	۳.		u°		۲.	В	° ;	• •	- 0	- 2	14	บ้	17	18	-01	20		22.	24	25.	24.	. 20	20.	30	٠. د د د	3	34	35.	36	90	30	40	61°	2,3	• 44	45.	44	

Burns all water burth

OBSFDVFD	NUSSIDE	OBSERVED	POTSSON	ORSERVED	POI SSON	UNSFRVED	NOSCI DA
PEFECIS	MIMBER	DEFFCIS	MUMBER	DEFECTS	NUMBER	DEFECTS	MUMBER
0	5108	515	49,8683	101	99,1366	152.	149.5584
-	1.3764	£2 .	50.R507	102.	100.1219	153.	150.5482
7	2,285.1	53	51.8333	103	101,1096	154.	151,5380
۳.	3.2113	4 5	52.4161	104.		145	
	77414	4	1887		103-0865	150	वारकार
, A	0140.4	1.6. 1.0.	54.7421	100	104.0723	157.	154.5075
,	4.9914	r g	56-7438	108.	106.0479	159.	156.4874
8	7.9466	59	57.723	109	107,0358	160.	157,4774
6	4,9044	, r.	54.7159	110.	108.0237	141.	158.4674
10.	9.8644	61.0	59,6997	111.	109,0117	1624	1594575
11.	10.4762	47.	64.6436	112.	109.9997	143.	160.4476
12	11,7897	43.	61,6677	113.	110,9878	164.	161-4377
13.	. 12.7546	* 77	42.6519	114.	111,9759	145.	162.4278
14.	13,7208	45.	63,6362	115.	112,9641	166.	163,4180
٦٥.	14.5441	44.	64.6205	116.	113,9524	147.	164.4082
16.	15,6565	67.	65,6051	1112	114,9407	1484	165,3984
17.	14.6258	• 84	66.5A9A	114.	115,9290	149.	166.3887
18.	17,5950	69.	67,5745	119.	116.9174	1.70	167,3790
10.	18,4674	70.	4675.84	120.	117,9058	171.	164,3693
20	19,5387	71.6	49.5444	121	118,8943	172.	169,3596
	1115.00	72.	70.5294	122.	119.8829	173.	170,3500
22.	21,4461	73.	71.5146	123.	120,8714	174.	171-3404
23.	22,4577	74.	72.4999	124.	121.8601	175.	172,3308
24	23,4319	75.	73.4853	125	122,8488	126.	173,3213
25.	34:4.46	74.	74.4709	126.	123,8375	177.	174.3118
24	25, 3916	17.	75-4563	127.	124,8262	178.	175,3023
. 10	24.7474	٠۵/	74.4420	128.	125.8150	179.	176.2928
28.	27, 3335	79.	17.4278	129.	126.8039	180.	177.2834
\$	שיונ אכ	• 6 a	78.4136	130.	127,7928	19].	178.2739
30	29,2449	41.	74,3995	131	128,7817	18?	179.2646
٤.	C47C* "F	, C1	A1.3455	132.	129.7707	143.	160.2552
72	31,2414	43,	81,3717	133.	130,7597	184.	.181.2459
٠,	てかして。こと	• 70	A2.357A	134.	131,7488	1.45.	182,2365
34.	13,1541	35	93,3441	1354	132,1379	186.	183,2273
م ب	14.1747	y a.	84.3305	136.	133.7270	197.	184.2180
34.	35,155A	97.	95e 3169	137.	134,7162	1984	185.2088
٠٢٤	445 L + FE	• tro	PK. 3134	138.	135,7054	109.	186.1996
30	37.1142	68	P7.2900	139	136.6947	190.	187.1904
• •	977 0 778	٠ دي د	88.2766	140.	137.6840	101.	188.1812
4.1	7470	5 i.e	89.2633	141	138 6733	192	189,1721
41.	40.1-42	• ć:y	40.2501	145.	139.6627	103.	190.1630
6.2	4] 1347	F.5	91.2370	143.	140,6521	194.	191-1539
۴7	22,0154	• 75	02,2239	144.	141.6416	105.	192.1448
44.	42.0.54	-5:	93,2110	145.	142.6310	196.	193,1357
4.F.	4774.50	04°	54.19AB	146.	143,6205	107.	194.1267
44	5036.01	47.5	95,1852	147.	144.6101	176.	195.1177
4.7.	5 1 44 a 4	• ¤ u u	94.1724	148.	145.5997	199.	196.1087
77.7		6.5	27,1597	149.	146,5893	2002	197-1998
•07	27.0.10	• () •	04-1470	100	147.5700	1,46	200
				•:-	20.00	• 100	1040.061

典

シコイビ ・

1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		POTSSON NUMBER	ORSFPVEN DEFECTS	POTSSON NUMBER	OBSERVED DEFECTS	POTSSON	OBSFRVED DEFECES	POISSON
1, (733)		. 6031		51.6671	101.	€31.6669	1=2.	152,666/
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		1.6783	٤2.	52.4670	102.	102.6669	153.	153,668
1,472	2	2.6%1	53	53,6670	103.	163,6669.	154.	154-666
6,640 6,640 10,646 10,666 <td>٠,</td> <td>1,4721</td> <td>4</td> <td>54.6670</td> <td>104.</td> <td>104.4669</td> <td>155.</td> <td>155.666</td>	٠,	1,4721	4	54.6670	104.	104.4669	155.	155.666
1,649	4	5.6702	56.	56.6670	106.	106.6669	157.	157,666
1, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6,		4.6696	5.7.	57.6670	107.	107,6669	158.	158,666
1,646.50 1,0,646.70 1,0,666.8 1,0,	7.	7.6693	85.	58.6670	109.	108.6668	169.	159.666
1, 6, 6, 6, 7	a a	8.6690	65	59.6670	109.	109.668	1604	100-000
1, 6, 6, 6, 6, 6, 6, 6, 10, 11, 11, 11, 11, 11, 11, 11, 11, 11	•	0.6697	, to	0799.05	• • • • • • • • • • • • • • • • • • • •	110.0000	141	101-000
	١.	10.6695	199	07.75	1:	112.666	143.	163.666
13.464	· .	10 4480	• • • • • • • • • • • • • • • • • • •	62.6470	יי ני	113.6668	166	166-666
		13.4681	44.	64,6670	114.	114.6668	145.	165.666
15,4670 15,4670 116, 116,6568 147, 117,4648 148, 118, 118, 118, 118, 118, 118, 118,	• 4	14.6680	65	65.6670	115.	115,6658	1864	166.666
1, 4, 4, 7	ŀ	15.6470	F.F.	66.6670	116.	116.6568	147.	167.666
17,6479		16.6678	67.	67,6670	117	117,6568	148.	:68.566I
19.6477	7.	17.4478	.	68.6670	118.	118.6668	149.	169.666
19,6477 70,6470 120,6668 171, 17	a	18,6677	69	69-6670	917	119-6668	4021	170-04
11.6664 121. 12.6668 173. 174. 1	•	19.6477	70.	70.6470	120.	120.6668	171.	171.666
1,44774	5	27.6675	71.	71.6669	121	121-6668	1724	172 666
12.0 124. 124. 124. 125.	•	21.46.76	72.	77.6669	122.	122.0005	1.00	174.666
24,6675 75 75,6669 126 126,6668 176 176,6669 177 176,6669 177 177 177,6669 177 177 177,6669 177	2		73	73.6669	123	124 4440	175	175.666
25, 4674 76, 4669 176 176, 4669 177 177, 474, 474 177 177, 474, 474 177 177, 474, 474 177 177, 474, 474, 474 177 177, 474, 474, 474 177 177, 474, 474, 474, 474, 474, 474, 474,		74.6475	4 4	74.555	126	125.4668	176.	176.666
26, ACATA 77. 77, ACAGA 127. 127, 6668 179. <td>,</td> <td>25 54.7%</td> <td></td> <td>76.6669</td> <td>126.</td> <td>126.6668</td> <td>177.</td> <td>177.666</td>	,	25 54.7%		76.6669	126.	126.6668	177.	177.666
24.6674 78.6669 129. 129.6668 179. 199. 199.6668 180. <td>• (</td> <td>26.6674</td> <td>77.</td> <td>77.6669</td> <td>127.</td> <td>127_6668</td> <td>1784</td> <td>178.556</td>	• (26.6674	77.	77.6669	127.	127_6668	1784	178.556
29, 6674 199, 19,6669 180, 180, 180, 180, 180, 180, 180, 180,	,	27.4474	74.	78.6669	128.	129.6668	179.	179.666
20,6673 00. P0,6669 131. 131.6668 181. 182. 182. 182. 182. 182. 182. 182. 182. 182. 182. 183. 183.6668 183. 183.6668 183. 184.	ď	29.6674	79.	19,6669	129.	129.6668	1804	180.666
13 13 13 13 13 13 13 13	•	5444°	•00	80.6669	130.	130.6668	181.	181.666
13. 132. 132. 183. 183. 183. 183. 183. 183. 183. 183. 183. 183. 183. 183. 183. 183. 183. 184. 1	ا	30,6673	414	P3.6669	131	131,6668	1828	DOG-281
13, 4, 6,668 165. 15. 13, 6,668 165. 15. 13, 6,668 186. 186. 13, 6,668 187. 13, 6,668 187. 13, 6,668 187. 13, 6,668 187. 13, 6,668 187. 13, 6,668 187. 13, 6,668 187. 13, 6,668 187. 13, 6,668 187. 13, 6,668 187. 13, 6,668 187. 13, 6,668 187. 141. 1		71.0473	* C &	P2.6669	132.	132,6668	Ed.	183.666
14.6672 14.6669 135. 135.6668 186. 14.6672 14.6669 137. 135.6668 187. 15.6672 18.6668 187. 14.6672 18.6668 189. 14.6673 18.6668 189. 14.6673 18.6668 189. 14.6673 18.6668 189. 14.6673 18.6668 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668 189. 189. 14.6668		12,6573	H 3	43000	1334	737 777		777 301
14.007	.	73.44.72 7435	• • • • •	74.055V	1.24	135.6668		186-666
34,6672 97 87,6669 137 137,6668 189 189 139,6668 189 189 139,6668 189 189 139,6668 189 189 139,6668 189 180 18	3	34 66 72	412	96.4660	136.	136.6668	197.	187.666
77,6472 uR. R8.4649 138.6668 189.618 38,6672 uR. R9.6569 140. 140.6668 190. 40,4672 uR. uR. uR. uR. uR. uR. uR. 41,4652 uR. uR. uR. uR. uR. uR. uR. uR. 41,4652 uR. 42,447 uR.	د د	36.6672	. Z d	87.6669	137.	137.6668	188.	188,556
38,6672 99 6569 139 139,6668 190 1 94,6672 91 91,6669 140 140,6668 191 1 41,6672 91 91,6669 142 142,6668 192 1 41,6671 92 92,6669 144 1668 163 1 42,5471 94 94,6669 144 144,6668 195 1 64 94,6669 146 146,6668 195 1 1 65 94,6669 146 146,6668 195 1 1 65 96,6669 147 146,6668 197 1 1 65 96,6669 147 146,6668 196 1 1 65 97,6669 147 146,6668 197 1 1 65 96,6669 147 146,6668 199 1 1 1 1 1 65 66 96 147	,	27.46.72	a a	88.4449	134.	138.6668	149.	189.666
44,4672 91,04669 191,1 140,6668 191,1 191,1 192,1 192,1 192,1 192,1 192,1 192,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 193,1 194,1	c	7A_6672	6 8	89,6569	139.	139.6668	190	190.666
41.6672 91.6669 141. 141.6668 192. 41.6471 92.6669 142. 142.6668 193. 42.5471 93.6669 144. 144.6668 194. 43.6471 94.6669 195. 195. 64.6671 95.6669 146. 146.6668 196. 65.6671 97.6669 147. 146.6668 197. 65.671 97.6669 147. 146.6668 198. 67.671 99.6669 147. 148.6668 199. 67.671 99.6669 148.6668 199. 199. 67.671 160. 160. 166.668 201. 201. 67.671 160. 160. 166.668 201. 201. 67.672 160. 160. 166.668 201. 201. 67.673 160. 160. 166.668 201. 201. 67.674 160. 160.6668 201. 201. 201.	•	44.4672	• City	40.4669	140.	140.6668	191.	191.666
41,5471 92,92,6669 142,142,6668 193, 1 42,5671 93,6669 144, 144,6668 194, 1 44,6668 195, 1 44,66		41,55572	414	91,6669	141	141.6668	1924	192.666
42,5671 63,6669 194. 1 42,5671 64,6669 105. 44,6668 105. 105. 44,6669 105. 105. 44,6669 105. 196. 44,6669 105. 196. 45,6669 107. 107. 45,6668 107. 198. 47,6668 108. 199. 44,6668 109. 199. 44,6668 109. 199. 44,6668 109. 199. 44,6668 109. 199. 44,6668 109. 199. 44,6668 109. 109. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201. 44,6668 201. 201.		41.5471	° 05	92.4669	142.	142.6668	103.	193.666
44.6668 44.5668 44.6668 44.6668 44.6668 44.6668 45.6668 46.6668 46.6668 47.6668 47.6668 48.6668 49.6668 49.6668 49.6668 49.6668 49.6668 49.6668 49.6668 49.6669 49.6668 49.6668 49.6668 49.6668 40.6669 40.6669 40.6669 40.6669 40.6669 40.6669 40.6669 40.6669 40.6669 40.6669 40.6669 40.6669 40.6669 40.6669 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666 40.6666	7	42,5671	C.J.	93,6669	1434	143.6668	1944	194.666
(A. 5471) (35. 95.6669) (45. 145.6008) 190. (A. 5471) (A. 6669) (A	۴.	43.4471	475	94.4669	144.	144.6668	105	195.666
AF, KA71 GA, GK649 146. 146. 147. 197. 198. 1 A7, A5, A71 GA, GK649 149. 149. 199. 1 A4, A5, A71 GQ, QQ, GA, GA, GA, GA, GA, GA, GA, GA, GA, GA	4	44.5671	95.	95,6669	1454	145.6668	961	190.000
	.	15.4471	ر ب .	94.6669	146.	146.6668	107.	197.666
48.6668 199. 48.6668 199. 48.6668 199. 48.6668 199. 48.6668 200. 48.6668 200. 48.6668 200. 48.6668 200. 48.6668 200. 48.6668 200. 48.6668 201.	4	65,5571	97.5	97,6669	1474	147,6668	198.	198.666
74-5471 10. 10.5459 150-6648 201.	7.	27,6471	ੈ ਕੁਦ ਦ	98.6669	149.	148.6668	109.	199.666
TATAL TOTAL	α	17954	2 0	69595	691	150 4449	201	701-106
	o c	74.4571 22.77.33	•	5000°CC	150	150.000		202.666

	DESERT.	:055.0d	03550010	POTSSON MINGER	DEFECTS	.05/10d
			11.1		; ; ;	
	+14	1275,52	101	102,9388	152.	154.2244
	, ,	50 50 50 50 50 50 50 50 50 50 50 50 50 5	102	103.9450	153.	156.2346
1		55.6009	104	1:15.9574	155.	157.2396
i	5	56.4094	105	106-9635	156	158,2746
	, 4 4	57.417B	104	107.9696	157.	159-7497
1	2 7	6.00.00	701	109.4817	159.	161 . 596
	• 7 -	60.6425	100	110.0877	160.	162.7546
!	• 1 4	61.650A	110.	111,9937	141.	163,2695
:		62.65.R6	111	112,9997	142.	164.2745
	• C 7	63.6666	132	114.0056	163.	165.2794
1	£3	64, 6923	116	116-0174	145	167.2692
	*	66.6901	115.	117.0232	146	168.2941
!	F. F. B.	47.4978	116.	116.0291	147.	149.2989
	-£7	68,7055	117.	119,0349	1684	170.3038
	a 4	69.7131	118.	120.0407	149.	171.3086
	£3	70.7207	118.	121.0464	021	# 17 - 27 ·
	76.	71.7282	120.	122,0522	171.	174.182
	72.	73.7630	122	124.0635	173.	175.3278
	23.	74.7503	123	125.0692	174	176,3325
	74.	75.7576	124.	126.0748	175.	177,3373
	75	76.7649	125	127,0805		27.5
	74.	77.7721	124	128.0840	170	100.3515
İ	7A.	79.7AK3	128.	130,0972	179.	181.3561
!	79	45.02.08	120.	131,1027	100.	182,3408
	· Ca	81.8004 80.000	130.	132,10A2	191.	143,3655
	2 2	83.6163	132	134.1192	183.	185.3748
	9.3	94. 9212	133	135,1246	184	186,3794
	• †a	P5.8281	134	136.1300	145.	187,3840
	95	86-8349	135	137, 156	20.7	180 3032
	• · ·	513x	135	139.1462	108.	190 3978
	άα	89.8551	134.	140,1515	199.	191.4024
	80.	90.8617	130	141,1569	lan	192,4069
	• u b	91.8683	140.	142,1622	101.	193,4115
	- 61	92.8749	141	143,1675	102	194.4160
	6 %	93.8814	142.	144.1727	103.	195.4205
	63	94-8880	E W 1	165-1780	90.	107.4205
	* L	######################################	144	140-1032	96.	198.4740
	64	07.0073	146.	148.1936	197.	199,4385
	97.	98.9137	147	149,1988	108.	200.4430
	ir C	0026.66	148.	150.2040	109.	201.4474
	60	100.0263	149	151.2091	201	203-4563
	• • • • • • • • • • • • • • • • • • • •	9256-101	150	152,2142	· 700	204-4607
		1064 8 100				

nagebyen	PATSSON	CHARROVED	NOSCION .	CHUERYEU		DEFECTS	NIMBEO
DEFECTS	MINIBER	3133430	MUMBER		MUNKEK		
c	9163	61.	43.5086	101	104.2421	152.	155.8180
	2 4222	53	54.5261	102.	105.2546	153.	156.4282
	2 1006		56.545	103.	106.2671	154.	157.8384
	4 1753	54.	56.5607	104.	107,2795	165.	158.8486
• <	7,0366	2	57.5778	105.	108,2919	156.	.858
u	6 2010	56.	58.5947	104.	109,3042	157.	160.8688
r u	7646	5.7	59.6114	107	110,3164	158.	161.8789
,	סטחיי כ	200	60.6280	108.	111.3286	1<6.	162.8889
• a	0.44.0		61.6445	109	112,3407	160.	163.8990
٥	10 4757	F. 9.	62.660R	110.	113,3528	141.	154.9089
•	11,5153	, [,	63,6770	111	114.3648	142.	165.9189
=	12 5572	42.	1503.48	112.	115,3768	143.	166.928
	13.5504	. vi	65,7090	113.	116,3887	164.	167,9387
12	14.6243	, 44 ,	46.7248	114.	117,4005	145.	168,9485
	15.6570	45,	67.7495	m	118,4123	. 146.	169.9584
15	16.6994	46.	69.7561	116.	119.4241	147.	170.9682
• 4	17,7219	47.	69,7716	117.	. 120.4358	168.	171.9779
17.	18.7525	, R.A.	70.7869	118.	121.4474	149.	S
<u>a</u>	19.7822	69	71.8022	119	122,4590	170.	173.997
2	20.4111	10.	72.8173	120.	123,4706	171.	175.007
· c	21.H393	71	73,8323	121.	124.4821	172.	176.016
21.	22.4668	12.	74.8472	122.	125.4936	173.	177.026.
	23,4037	73.	75,8620	123.	126.5050	174.	178.035
23.	0470.46	74.	76.8767	124.	127,5164	175.	179,045
24.	25, 345 #	75.	77-8913	125.	128,5277	176.	
75.	04.9710	74.	78.9059	126.	129,5390	177.	_
26.	27,9954	17.	79,9203	1274	. 130,5502.	178.	182.0741
27.	lucu*bc	٠8٢	80.9346	124.	131,5614	•64.	183.183
29-	30-0440	79.	81.9488	1294	132.5/25	THO	760000000000000000000000000000000000000
• 00	31.016	• (0	A2.9430	130	133.5436	• 1 a 1	4701.441
30	32,09.15	918	83.9771	133	135 6057	103.	187.1211
	251135	2 (2)		137	136.6167	104.	188-1305
32.	24.1.35	45.2	2010 70	136	127.6276	195.	139
٠ د.	45.1474 2. 1403	* 100 100 100 100 100 100 100 100 100 100	2010-10	135.	138,6385	106	
445	3000	45.	00 0.61	136.	139,6494	107	7
ί, ^χ	100000	• · ·	1050.00	137	140,6602	198	5
	26.26.26	ao	91.0732	138.	141.6710	1 49.	193,1768
	7646 - /	• † †	02.1866	139	142,6817	190.	194.1960
20	11.20.17	500	63.0999	140.	143.6924	101.	195.1951
	4:,71		94,1132	141	144.7031	• ¿ · · ·	196.2043
41.	:C1.7.	6 00	95.1264	142.	145.7137	103.	197.2134
6.2	4 4 5 4 5 4	6.3	96-1395	1434	146.7243	194.	199.2225
٧٦.	3415	* 70	97.1524	144.	147.7348	195.	199.2315
400	, , , ,	5 5	9521.55F	145.	148,7454	106.	200-2406
រ	A 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	• y ;	94.1749	144.	149.7558	107.	201.2496
. 4 4 7 1	5-14-4		10141413	147.	Ψ,	198.	202.2580
	445 40 2 2 2	* 4 D	10[.294]	14A.	151.7767	601	2/4/2*F5/
L. 2	9480	10.00	1.2,2163	149.	152,7871	*002	704 700
9	51.473F	• <u> </u>	103.2295	150	153, 7974		CAV - CEV
	: ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;				767.0		

יו פנה יני	\$ C 1 5 6 12	DENE MED	-055:00	ORSFRVED	P01550F	OHERMED	2000000
PEFECTS	T. T	LEFFCTS	NUCHER	DEFFCTS	NUMBER	DEFFCTS	MAIN AND A
c	1, 1, 1	414	54 4349	101.	105.6006	152.	157.4765
-	7.4.1.4	F.2.	45,4114	102.	104,6197	143	138.4471
	3.3414	£3.	56.5380	103	107.6387	* u	159.001
۴.	1 5	* ; u	57.5442	*****	108,6575	156.	161.5385
• -: ·	4 C	. 	111.0000 111.0000 111.0000	105	110.6950	157.	162,5538
• ,	7 7 7 7	, r	60.5614	107	111.7136	158.	163.5692
,	73	ブノ	41.4666	108.	112,7322	159.	164.5844
o'	- 5 miles		. 62.6917	100	113,7506	140.	165,5997
• ;	C+	, d	63,7165	110.	114.7690	141.	166.6148
•	11.3736	f. 1.	64.7412	111	115-7872	162	167-6300
-	13, 212	* 6 y	45.7454	112.	116.8054	143.	
			66.7898		117,8235		77. 7. 25.
٠٤ ١	15.17.16	£44 .	47.4139	114.	118.8416	143	170,000
1	Italia?			115-		167	172,7040
٠,	27.5.12	4 K .	79° 4615	• : :	1/100 101	4 A 7 L	173.7108
16.	1856.81	£7.	711-8050	117	2588-121	0/1	176 7366
. 7 .	4.4.4	4 ·	71.00.17		4714.271	120	175 7494
18			72 05/5	120	124.9482	171.	176.7641
• •- (7 × × 1 * * * * * * * * * * * * * * * * *		24 6773	121	125.965Z	112.	177.7788
• • • • •	//•##50.4 0.00 0.00	7.5	74.000	122	126.9831	173.	178.7934
- 0	42.79		77.0225	123	128,0005	174.	179.8080
• 6	\$5.55 E.S.	14.	74.1449	124.	129.9178	175.	180.8226
• • • • • • • • • • • • • • • • • • • •	26.6.233		79-367	125	130.0350	176-	181,8371
7.	57.1.75	74.	0680°CF	126.	131.0521	177.	182,8516
. j.c.	50.1.49	33.		127	132-0492		100 0000
. 46	56.7419	a x	42.1324	128.	133.0862	•66.	4000 461
7.8	70.7742		83.1546	527	136 1201	101	186.9001
ָסָ מָלָ	21.00	· -	1076	121	136-1369	182	187,9234
1 7	25.55.55	n 2	4F.2189	132.	137,1537	123.	188.9376
0	34.3174	2	87,2399	133	138,1704	184.	189.9518
	15, 45, 10	70	PH. 2609	134.	139.1870	1.85.	190.9659
36	36.99.39	45	89.281H	135	140-2036	106.	1086 161
7°.	4411 aur	۵. ۲۰	40.3025	136.	141.2201	107.	195.9941
36	39.5434	97.	91, 3232	137	102.25	997	105,0222
٠٢٢.	46.0400	a d	92,3437	* C C	14.3,6367	100	106.0362
3B.	- 41-112		430.50	0.71	145.2855	101.	197.0501
o.	0/01-0/0		*********		146.3018	102	100.0660
- u4:		25	96.4246	142.	147.3179	103.	199.0779
• (.5. 2221	C O	07.4446	143	148,3340	104	200,002
۴7	44,2614	• 75	9444.30	144.	149.3501	105.	201,1055
44	47.24a4	C5	99.4842	145.	150-3661	90	202,1193
44.	44.3141	• y 5	100.5039	146.	151,3820	197.	203.1330
44.	44 34 25 ···	6.Z _*	101.5234	147	152,3979	201	204-402
47.	40,1/55	• ਬਾਂਡਾ	•	148	153,4137	100	206-1505
444	51.4.13	63	779450		L	201	207,1875
•			200		7111	71117	

OFFECTS.	NUMHER	SLUBABO	NUMBER	DEFECTS	NUMBER	DEFECTS	NUMBER
g	1.2.140	5.1	55,5266	101	102.0450	152.	159,2370
<u>.</u>	2.1342	, C,	56.5829	102.	108.0709	143.	
2.		53.	52,5988	103	109,0967	154	161-2793
٠.	4.7422	.4.	58.6345	104.	7	15.	
	- 44964	55	٠	105	111-1480	156.	163,3213
• •	Action 6		50. 704R	104.	112,1735	157.	4
-	2000	9,	- 5257	707	113-1988	1584	и.
• •	7 1000	• • • •	76.11.34	10k°	14-7-411	. 49.	6.38
	25.05		77 0K 974	109.	115.2491	160	7.40
•	1000		F.4 . H4] H	116	•	14]	.
			E5-8753		•	162.	169.4459
- :		* c	66.90R6	112.	118,3237	143.	170.4664
VΓ	75.75	1	6.494.15	1134	98	154.	171.4868
	4 L L L L L L L L L L L L L L L L L L L	, Ku	5H-9743	114.	•	145.	172.5073
• 5	יייי דבטי •מדיי	6	70.000	115.	-	166.	173.5276
<u>,</u>	17.4.71	, r.	71.0390	116.	122,4217	147.	174.5479
16.	18.9977		72.0719	117.	123,4459	168.	175,5681
17.	10.46.10	• #4	73.1029	110.	124.4700	149.	176.5883
18	21, 1225	A.0.4	7441343	119.	125.4940	170.	177,6084
<u>•</u>	7651, 066	٠,٧	77.1656	120.	126.5180	171.	179.6284
22.	23.1468	71	. 76.1967	121.	127,5418	172	179.6484
۲.	24.1070	72.	77.2276	122.	128,5655	173.	180.6683
-22-	25,2536	73.	7d.2582	123.	129,5891	174.	_
۴,		. 47	79.2987	124.	130.6127	175.	
24	27,3514	75.		125.	131,6361	176.	÷
ຸນ	24 1 70 00	٠٧٤	a].349n	126.	132,6595	177.	3
26.	29*465	77.	22.3788	127.	133,6827	178.	185,7671
27.	30.43F3	a,	43.4045	128.	134.7059	179.	186.7867
Z Z	745-11.	• o	Ċ₩£4•4ŏ	. 129.	135,7289	100.	187,8062
• 00	FF12.6F	• ប្រ.	F5.4673	130.	٦.	101.	188.8257
30	33,551"	0.1	¥6964	131.	137.7748	182	189.8451
٠ •	VH: 4.56	» د »	47.5253	132.	138.7976	193.	190.8645
32.	35*7542		89.5541	133.	139.8204	104.	191,4838
•	74.7uga	90	Py.5A24	134.	140.9430	105.	192,9031
34	37*2445	라	90.6110	135.	141.8656	1 26.	193,9223
ب م	34. unuc	٠٧٠	5654.19	136.	142,8880	107.	3
35	34.9325	-17	92.6674		143.9104	198.	195.9606
٦٢.	4755	יר מ מ	43.6453	134.	144.9327	109.	196.9797
3e .	+2.0179	ू क इ:	94.7231	139.	145.9550	190.	197,9987
o C	\$5.4°.5	ir	4.75.7	140	146.9771	101	199.0177
ō.	44.1:12	15	96.7782	141.	147,9992	192.	200,0366
٠١٠	45.1421	e C II	97.4755	142.	149.0212	1,3	201.0554
42-	46.1.25	E5	-94.8327	143.	150,0431.	194.	202,0743
4٦.	47.7224	• • •	49.4597	144.	151.0649	195	203.0930
44.	6125.44	٠ ٢٥	100.8856	145.	152,0867	196.	
45.	000 B . 000	٠,٠	1-1-4133	146.	Ė	197	205.1304
44.	## F E * 7 5	6.7	102.9399	147.	7	198.	206-1490
٠.٦.	4777	a i	1-13.9664	148	155,1515	900	4
9.9	77,174	0.5		149	6.173	200.	208.1842
- 3	f 1 >	202			:		
· (•		_	157.1964		1770 000

POISSON	141 1515	162,1787	163,2059	164.2330	165,2600	166.2869	167,3137	169.3404	169,3671		171,4201	. (173,4728	174.4991	175,5252	176.5513	172,5773	178.6033	129,6291	180.6549	181-6806	182,7062	184-1348	185.7827	186,8080	187.8333	189.8585	100 0007	191.9136	192,9586	193.9834	195.0082	52.0.961	197.0576	199,1067	200,1312	201.1555	202 1799	203.5041	205 2525	206.2766	207.3006	208.3245	209.3484	210 3723	211.3461	
OMSFPVED DEFFCTS	,	1 5 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	164.	155	166.	157.	168.	. 64	150.	141	162.	143.	164.	145	146	147.	148.	149.	120	171.	122.	173.	174.	24.	177.	178	179.	081	100	103.	104	195	106	187.	189	100	101.	102	193	40	105	107.	108	199.	200	201.	202
POTSSOM NUMBER		108.5183		0212 111	777.0111	7687 511	02010011	1010-411	0000	\$000°01;	11/4/13	118.7450	114.4.11	1070 661	176.0401	124.1028	125,1340	126-1650	127, 1959	128.2267	129,2573	130.2878	131,3182	132,3485	133, 4785	134.4386	136.4684	137,4980	138.5276	136.000	140.5004	142.6447	143,6737	144.7026	7601	147.7887	148.8172	149,8456	150.8739	151.9021	152,9302	150 000	156.0139	157,0416	158,0692	159.0967	160.1241
O-SERVED DEFECTS		101.	• 201	103	* 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	107	• 1 2 3	107.	. H.	100.	11v	111.			114.	115		118	110	120	121	122.	123	124.	125	• • • • • • • • • • • • • • • • • • • •	128.	129.	130.	161	13%	134	135	136.	137	138	140	*	142.	143.	144.		147.	148.	149	150.	151
60 5501 7.U · Fix		55.6554.	47.7121	55.7584	270E-63	50.84.05	41.5944	6249342	43.9434	65,0273	44.070H	67,1139	64.1567	. 63.1991.	2122.1	71.2830	できた ・ ノー	746465	/ G • 45 / 7 / 7 / 7 / 7 / 7 / 7 / 7 / 7 / 7 /	76 4.973	10401	77.470	73.60.44	A. A. 6.456	H1.6845	42.771	144.7997	95.8776	96.8753	37,4127	84.0499	91.037	92.0602	43.0965	94-1322	95.1686	2000	04. 2752	5018.99	100-3652	101.3800	102-4146	103.4490	104 5172	106.5511	107.5848	108-6183
100,430 (Ep. 010			Š	ም፤ //1	۲′۰	ır ur •	۳. ۲۴.		٠ ن ا	an Gr	• 1 •	£1.	42.		• • •		1.65		9 1 \			7.5	•	74.		74.	77.	2	· 5	77	<u>د</u> ه	# 15 m	វេជ	. Ya	87	ਰ ਕ		• 5	65	6.3	75			. +25	י ס ד ט	100	101
5 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	:	1.4-63	76	01 01 01 01	77 - 5	5) + / J • 5]	7654.7	ម្នាក្ស	3.1		5	4.00	1 \	1 . 2173	X 12.90	.17,3439	11 44 K	1, 25.51	ع (علا على الأ المالية المالية	21-7310	יש ייירו	23,95.31	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 X C C . 7 //	2±155k	1.76% 50	ರಾಜಕ್ಷಣೆ.	41. 474. 41. 474.	7000 CC	34.5522	76126	36.6722	37.7406	38 - 1883 - 10	40 9313	41.9566	21 10-64-	44.0451	4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.	04.1.4.0 0000 7.4	27/2-87	49.3250	577F.02	_	DE 17° 65	435444	10. TO 10.
	11 12 14 14 14 15 16 16 17	ç		• <	, ~	.7	س		,	. 3	i σ	•	• -		12.		ñ	. Y		184	• 6	• :: > ::	• •		24.	, X	7£•	٠,٢٢	300	30	11.	32.	33°	36	36	37.	334	30.	404		7.	777	4.5	. • 444	67.	- B v	07

.2000

POISSON NUMBER	165.8310	166.8728	167.9146		171.0390	172,0802	173,1212	174.1622	5.203	176.2437	177.2843	179.3641	180.4052	181.4453	182,4853	183,5251	184.5548	185.6045	186.6440	187.6833	ŧ,	107.000	191-8197	• (193,9173	194.9559	195.9944	107,0328	198.0711	199-1092	200.1473	202 2212	203.2609	204.2986	205, 3362	206,3737	207.4111	208.4484	209 4856	210,5226	21.2 6046	212.5336	214.6701	215, 7067	216.7433	217, 7797
OMSFRVE DEFFCTS	152.	1=3.	156.	• 64.	150	168.	169.	140.	141.	142.	143.	164	146.	167.	158.	149.	170.	171.	172	173.	7		137	178.	179.	lad	191.	162-	193.	104.	185.	107	1 a.B.	199.	100	191.	102.	103.	yor.	195		100	199.	200-	201.	242
POTSSON NUMBER	112,4754	6	114.5776	700°C	117,7292	118,7793	119,8291	120.8787	121,9281	122.9772	124.0262	124 124	7171 751	128,2198	129,2676	130,3153	131,3628	132,4100	133,4571	134.5040	135,5507	136.5972	139 6807	139,7356	140.7814	141,8270	142,8724	143,9176	144.9627	146.0076	147.0524	140 1413	150.1856	151,2297	152,2736	153,3174	154,3610	155.4044	156,4478	157.4909	275.0	160.6195	161.6621	162,7045	163,7468	164,7889
OMSERVED DEFECTS	101	102.	103.	•	105	107.	104.	109.	110	1111.		ಗ ತ	• •	116.	117.	118.	119.	120.	121.	122.	123	124.	126	127.	128	129.	130.	131	132.	133.	134.	136	137.	138.	139	140.	141	142.	143	144.		140.	148.	149	150.	151
PO1550*	59.4750	K1.5467	61.6178	1	64.871	44,8957	66.9636	0150.84	4600.64	70.1540	71.2244	75657	1866.61	74.4879	76.5504	77.6135	74.6758	7757.47	- 1802 · UR	P1.8601	H2.9207		1000	87.1590	FF 2176	89,2759	7888.00	91,3913	4844.60	93,5053	94.5417	7547 70	97.7292	98.7844	19.83	100.8939	101-9481	1500.601	104-0559	105.1092	100-1464	7517.701	109.3200	110,3721	111.4239	112.4754
LENECTLE D	- T	· `;	4 E 31 5	• • • •	1) rt 1: rt 1: rt	r.7.	23	7: J:	* U. *	4 1 4			a u			- T- J-	4.0	₽ ₽€		. 24	73.	7 .		77.	70.	/9	5.3	10	٠ ر ع		9 11 0	70	. K. K.	70	02		-15	٠ ۲۵.	83	• 45 50 50 50 50 50 50 50 50 50 50 50 50 50		• F 0	03	68	001	tut
in the second se	12.1	3,27.	4-7231	1	. (*Z\$/C;	2, 731	10.4.0.	12-111-	1 1,24.4	2112	15.8442	15.47.47	4 July 1 -			37.50	2342146	2.4214	25-1373	24. P4.94	27.96 40	21, 3474	27.5	2017, 11 2017, 05	33,4770	34-5746	39,4779	36-7549	27.06.77	38.9491	90.0° 0.1	.4441/11/	43,3012	44. 3862	45-4791	44.55.20	47.6346	49.7154	49,7952	12,874)	myck-ts.	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	55. 180B	56,2555	47,1794	58,402K
		-	1	•	4 2 U	• 4		4	e.	17.	- (• .	104	• •	-	a	-0-	20.	٠١٠.	22.	٠ د (24	• • •		2B.	000	3.0	٠.	32.	ř.	: : :	ָּ קייני פייני	37.	ь С	30.	. 404.	41.	-27	• •	•	4 ×	4.7	6.8	6.04	.50 .

ORFECTS	DOTGGON	OBSFORED DEFECTS	POTSSON NUZEED	ORSERVED	POTSSON	OBSFRVED	POISSON
•		•					X 48 K
٠,	2 3026		61.4290	101	115,1382	152.	169,0504
	1. XXXX	ູ້ <u>ເ</u>	62.5177	102.		153	170.1024
٠,	4.6408	75	2007 77		•	154	121,1540
	7.00.7	53	65.7788	105	116,3275	145	172,2054
.	4.2747	r. F.	66.8643	106.	120.4521	157.	174.3078
	10,5321	5.7	67.9490	107	121.5140	15.8	175, 1587
• •	11,7709	er d	69.0330	108.	122.5756	159.	176.4095
0	14. 3.460		70-1163	100	123,6369	160	122,6601
• •	15.4066		71.1989	110.	124.6980	141.	•
=	14,5981	42.		112	124, 0102	4:	179.5609
12	17,7816	£3	74-4426	113	127.8794	14.	181.6611
ا	ו'א סקפט	, p.	75.528	114.	128,9394	145.	182.7109
4:	20.128a		76.6020	115.	129,9991	146	•
֡֡֜֝֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֜֜֓֓֓֡֓֓֓֓֡֜֜֜֓֓֡֡֡֜֜֓֓֡֡֡֜֜֡֡֡֡	2000.10	4. i	77.4807	116.	131.0586	147.	184.8102
	23 6061		78-7589	117	132,1177	148	185,8596
1 8	24.7563	404	20, 20, 20, 20, 20, 20, 20, 20, 20, 20,	æ .	133,1767	149.	186.9089
0	25.9125	7.1	0060.18	120	125, 2030	1246	187.9580
70.	27.0451			121	136,3520	172	100.000
5	F 201. 05	.2.	H4.1413	122.	137,4100	14.5	191,1045
22.	29.3203	734	85.2162	123.	138,4677	174.	192,1530
. 6	ררה. הרהם ור	74.	Ph. 2904	124.	139,5252	175.	193.2014
25	32 7113	45,	87.3645	125.	q.	176.	194.2497
5,	33.8354	• • • • •	84.479	126.	- (177.	195.2978
27.	34.0593	7.8	2015-20	IZ7.	142.6963	178.	•
28.	34,0799	6,	91.6553	120	143.7329	. 46	197.3937
. 60	77. JORE	• U Ø	92.7269	130.	rus	•	
30	39,3151	918	93,7980	131.	146.9214	192	
- C	αρ († 6 Γ	٠ د :	94.8686	132.	•	183.	201.5839
33	4042427	H.3.	95.9399	133.	149.0326	194.	202.6311
36	25.76.14	e c c	7800.76	134	150.0880	195.	203.6782
75.	43.8715	96	35.00.00	45	151,1431	196.	204.7251
36	44. 9780	97.	175150	137	152.1980		205.7719
37.	1660.44	• B B	101.2940	138.	154,3072	180	207 8452
38	47,1858	468	12,3518	139	155,3615		208.9117
. 6¢	44,2401	- "CE	£617°E01	140.	156,4156		209.9580
40+	- 49.3902	<u> </u>	04.4864	141.	157,4655		211.0043
• - 0 %	10.4.11.11 10.04.11.11		(65.553)	142.	154.5233	193.	212.0504
£ 7	52.4961		35.65	143	159.5768	•	213,0963
. 44	53,7926	e u	44.44.44.44.44.44.44.44.44.44.44.44.44.	. 147	160.6302		214.1422
45.	54.H77B	C.K.	74.8165	145	161.6334	196.	215.1879
46.	55,9721	2 5	1.441.	147	163 7802		0567-412
47.	57.1453	a J	11.0442	148.	164,8418	100	2765 916
9.7	58,1577	্ড	13-0105	149.	165,8943		219,3698
યા ! વિ	76.31	•	14.1745	150.	166.9465		220.4149
	7					•	ì

NOT REPRODUCIBLE

152. 169.8344 163. 170.8885 154. 171.9425 155. 172.9963 156. 174.0500
101. 115.7.876 102. 116.8539 103. 117.9199 104. 118.9855 105. 120.0509 106. 121.1160
117
101
64.0010 64.0010 64.0919 65.1829 66.2731
1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1
2,4080 6,0217 5,4740 6,8437 4,1752
• • • • •

1	NASERVEN	NOSSIDA	CREFOVED	P01550N	OHSEBVED	P01550N	OBSFRVED	POISSON
1, 4,1643	DEFFCIS	MINGED	5133430	MUZGED	DEFECTS	MUMBER	OEFFCIS	MUNBER
1, 4, 1683 E2, 64,6210 102,	d				101	116.4957	152.	170,6886
2 5,6418 5,3 103 4 8,3747 6,4 6,234 104 4 8,3747 6,4 104 104 5 9,6446 6,7 6,0466 106 7 1,2287 6,0466 106 9 1,4,7040 6,1 7,046 106 9 1,4,704 6,1 7,046 106 10 1,4,704 6,1 7,046 110 11 1,4,704 6,1 7,046 110 12 1,1,4,7 6,2 7,046 110 13 1,1,4,7 7,0 1,1,4,7 1,1,4 14 2,2,403 6,4 7,0 1,1,4 15 2,1,203 6,4 7,0 1,1,4 20 2,2,4 1,1,4 1,2,4 21 2,2,4 1,1,4 1,2,4 22 3,4 1,2,4 1,2,4 23 3,4 1,4 1,4	1.	4.1583	۳. دی	63.5267	102.	117.5652	153.	171.7453
3. 7.0342 54, 65,7184 104, 5. 9,6467 57, 1942 105, 105, 105, 105, 105, 105, 105, 105,	2	5,6418	53	64.4230	103	118,6366	15%	172.8019
13.474 C. 47.0066 106. 13.4734 110. 13.4734	r.	7.0342	* t	65.7184	104.	119,7032	145	173.8583
1, 26.65 1, 20.00 1, 10.00	a u	27070	5.6	67.0066	106	121 A 199	157.	175.9705
12,2287 12,1829 104 10	n d	10 0665	67-	6.0 000G	102	122.0077		177.0264
13,4734	7	12,2282	69	70.0916	108.	123,9752	159.	178.0821
14.7149	d	13.6736	E0.	21.1820	100	125.0425	140	129-1376
15,9247 11 13,3432 111 11 11 11 11 11 11	6	14.7049	t y	72.2734	110.	126.1094	141.	180.1929
17,1145	10	15 9247	F.1.	73,3632	111	127 1760	142.	181-2481
18.3356 63 75.5006 113 114 115 114 115	- 1	17.1345	, ¢4	74.4523	112.	128.2423	143.	182,3031
19,598A 14, 76,694 114, 115 12,694 19,598A 14, 78,616 115, 115,	12	18,3356	63	75-5406	113	129,3083	1660	183,3579
20,7152 45 77,153 115 21,0692 47 78,8016 116 1 21,0692 47 70 82,064 116 1 24,239 48 82,034 120 1	13.	19.5288	F4.	76.6283	114.	130.3741	145.	194.4125
21.8953 £4. 78.8016 116. 11 23.0698 £7. 79.8273 117. 11 24.6037 £6. 80.0724 118. 11 25.6037 76. 83.1406 120. 11 27.7203 72. 85.304 120. 12 30.6718 72. 85.304 120. 12 30.6718 74. 87.4707 124. 12 31.1677 74. 87.4707 124. 12 31.1677 74. 87.4707 124. 12 31.1677 74. 87.4707 124. 12 31.1677 74. 87.4707 126. 12 31.1677 74. 44.07 126. 12 31.1677 74. 44.07 126. 12 34.5875 77. 40.71 127. 12 41.3618 42. 20.8 133. 13 41.3618 42. 20.8 133. 13 42.5038 42. 110.9 134. 13 44.7577 44. 70.7 140. 13 45. 2038 44. 70.7 140. 14 45. 2037 44. 70.7 144. 14 45. 2037 44. 70.7 144. 14	14	20,7152	65	17,7153	115	131,4395	146.	185,6670
23 0698 £7 79 09724 117 24 0794 £7 83 1405 120 25 0737 £6 83 1405 120 27 7203 76 83 1405 120 27 7203 70 83 1405 121 27 7203 70 83 1405 121 34 8728 72 86 233 123 30 8728 74 87 2405 123 31 1677 74 87 2406 122 31 1677 75 49 2517 124 34 8545 74 97 30 485 124 36 8545 74 97 485 124 36 8545 77 97 485 124 37 183 97 1809 133 134 41 3618 97 1809 133 145 42 3618 97 184 145 146 42 3618 97 184 145 146 42 3618 97 184 146 147 42 3618 97 184	15.	21.8953	F.6.	78.8016	116.	132,5047	147.	186.5213
24,2391 68,0568 118. 25,4037 69,0568 119. 26,4037 70. 82,0568 120. 27,5440 70. 84,2436 120. 27,4170 124. 127. 127. 34,5875 74. 87,4707 124. 124. 31,4603 75. 49,6317 124. 124. 34,5875 77. 49,6317 127. 127. 34,5875 77. 49,7317 127. 127. 34,5875 77. 49,7310 127. 127. 34,5875 77. 49,7310 128. 139. 40,2380 41,437 42. 42. 44. 137. 40,2483 42. 43,433 44. 134. 134. 44,772 44,772 44. 134. 134. 44,772 47. 47. 47. 134. 44,772 47. 47. 47. 134. 45,433 </td <td>14</td> <td>23,0698</td> <td>17.</td> <td>79.8873</td> <td>112</td> <td>133,5696</td> <td>148.</td> <td>187,5255</td>	14	23,0698	17.	79.8873	112	133,5696	148.	187,5255
25, 4037 26, 5640 27, 7013 27, 7013 27, 7013 27, 7013 27, 7013 27, 7014 27,	17.	24.2391	, A.A.	PU.9724	114.	134.6342	149.	188.6295
24,5640 76. #3.1406 120. 28,7203 21. #6.2239 121. 28,7728 72. #6.2339 122. 30,0718 73. #6.2302 123. 31,1677 74. #7.4702 124. 34,5875 74. #7.4702 124. 34,5875 74. #9.5512 127. 36,5875 74. #9.4701 127. 36,2876 77. #9.485 130. 40,2876 13. #9.485 130. 40,2880 41.3619 42.8709 133. 44,4837 42. #9.575 134. 45,4837 42. #9.575 135. 45,4837 44. #9.575 134. 45,4837 44. #9.575 135. 46,4837 44. #9.575 136. 46,4837 44. #9.575 136. 46,4837 44. #9.575 136. 46,4837 44. #9.575 136. 46,4837 44. #9.575 136. 46,4807 46. #9.575 136. 46,1790 47. #9.575 146. 56,4928	18	25,4037	63	82,0569	119	135,6985	120	189,6834
21,7203 21 84,2234 121 26,3764 122 122 123 30,0218 74 87,4702 124 123 31,104 74 87,4702 124 127 32,3104 75 80,5312 126 126 34,5875 76 49,6317 126 127 36,8545 79 90,7316 127 126 36,8545 79 91,7316 127 126 37,9445 71 92,7310 128 136 41,3618 42 94,3316 133 136 41,3618 42 94,3316 134 136 42,4727 42 94,3316 134 136 44,7729 44 94,2575 134 136 45,8389 44 95,3336 137 141 46,1770 94 143,433 144 144 46,1770 94 143,433 144 144	10.	24.5640	70.	A3.140A	120.	136.7626	171.	190.7371
28,8728 72, 85,3066 122, 12 30,0218 74, 86,383 123, 12 31,4507 74, 86,383 124, 11 34,5875 76, 49,6317 126, 12 34,5875 77, 90,7116 127, 12 34,5875 77, 90,7116 127, 12 36,8545 77, 90,7116 127, 12 37,727 77, 90,011 128, 11 37,727 91,731 129, 11 41,3518 93, 97,026 131, 11 40,2780 97, 100, 40, 20 134, 11 44,7727 96, 1039 134, 11 44,7727 97, 101, 404 137, 140, 11 44, 7727 97, 101, 404, 11 141, 11 50, 2007 104, 707, 10 140, 11 50, 2007 104, 707, 10 144, 11 51, 4001 92, 105, 927 144, 11 52, 5082 92, 106, 959 144, 11 54, 7208 92, 106, 959 144, 11 52, 5082 92, 106, 959 144, 11 52, 5082 92, 106, 960	-20-	27.7202	71	84.2239	121	137,8264	172.	191-7906
10	21.	24.872A	. 62	95.3766	122.	139,8900	173.	192.8440
11.1477 74. 87.47702 124. 13.4503 76. 49.5312 125. 13.4503 77. 49.4317 127. 14.5275 74. 91.7911 127. 15.455 79. 91.7911 127. 16.5275 79. 91.7911 128. 17.9844 91. 92.8450 130. 40.27870 92. 94.2575 131. 41.3518 93. 94.2575 134. 41.3518 94. 94.2575 134. 44.3729 94. 94.2575 134. 44.3737 95. 94.2575 134. 44.3739 95. 101.484. 137. 45.9437 94. 102.5492 134. 45.9437 99. 104. 104. 45.9438 97. 101.484. 137. 45.9437 99. 104. 107. 45.9437 99. 104. 107. 45.9407 99. 107. 99. 50.2907 99. 107. </td <td>- 22</td> <td> 40.02.1A</td> <td>73</td> <td>86, 3997</td> <td>123</td> <td>139,9532</td> <td>124.</td> <td>193,8972</td>	- 22	40.02.1A	73	86, 3997	123	139,9532	124.	193,8972
32,3104 25,3104 25,317 126,317 34,5875 77 90,7116 127 36,8245 79 91,7911 128 1 36,8245 79 92,8100 129 1 36,8545 79 93,9485 130 1 37,9844 91 93,9485 130 1 40,2380 93 96,139 133 1 40,24837 94 95,2336 134 1 44,379 95 94 134 1 44,379 95 94 135 1 44,379 95 94 135 1 45,4839 95 94 135 1 45,4839 95 94 135 1 45,4839 95 97 101,484 1 45,4839 95 94 136 1 45,4839 95 94 136 1 46,4840 10 94 1 1 1 46,4840 10 10 1 1 1 50,290 94 10 1 1 1 50,290 94 10 1 1 <td>23.</td> <td>71.1677</td> <td>74.</td> <td>97.47AP</td> <td>124.</td> <td>141.0163</td> <td>175.</td> <td>194.9563</td>	23.	71.1677	74.	97.47AP	124.	141.0163	175.	194.9563
33,4503 74, 49,64317 124,613 34,5875 72, 90,7116 127, 128, 128, 130, 129, 130, 129, 130, 130, 130, 130, 130, 130, 130, 130	24	32,3104	75		125	142,0791	176.	196,0032
34,5875 72, 90,7116 127, 128, 128, 136, 136, 14, 200, 200, 200, 200, 200, 200, 200, 20	25.	13.4503	74.	49.6317	124.	143,1416	177.	197.0560
36,8545 79 92,8700 129 36,8545 79 92,8700 129 37,9444 41 94,85 130 39,1123 41 94,054 131 40,24837 42 94,133 133 42,4837 44,729 14 133 44,729 44,729 134 134 44,729 44,729 134 134 44,729 44,729 134 134 44,729 44,729 134 134 44,729 44,729 134 141 44,729 41,42 142 142 50,296 42 11,42 144 51,400 62 106,43 142 51,400 62 106,43 144 51,400 62 106,43 144 54,296 62 110,024 145 54,926 67 113,205 148 54,928 67 113,205 148 54,928 67 113,205 148 69,132 67 113,205 148	26.	34.5875	17.	90.7116	127.	144.2039	178.	198.1086
36.8545 79. 92.8700 129. 37.9844 91. 93.9485 130. 37.1123 91. 94. 131. 40.2780 93.9485 131. 41.3518 92. 94. 133. 42.4837 94. 94. 133. 44.7229 94. 134. 133. 44.7229 94. 134. 134. 45.8389 97. 101.4844 134. 48.0577 99. 134. 134. 49.1799 99. 104. 149. 50.2907 99. 104. 142. 51.4001 99. 106. 142. 51.4001 99. 144. 144. 51.4001 99. 110.09. 144. 51.4001 99. 110.09. 144. 52.5082 99. 144. 144. 54.9286 99. 110.09. 149. 54.9286 99. 110.09. 149. 54.9286 99. 110.09. 149. 59.1320 99. 110.09. 149. 59.1320 99. 110.09. 149. 59.1320 99. 110.09. <t< td=""><td>27.</td><td>35.722</td><td>7ª•</td><td>91.67.19</td><td>128.</td><td>145.2659</td><td>179.</td><td>199,1611</td></t<>	27.	35.722	7ª•	91.67.19	128.	145.2659	179.	199,1611
37.9844 1.1, 93.9485 130. 1	28.	36.8545	79.	92.8700	129.	146,3277	190.	200-2134
40,2123 El 95,0264 131. 40,2380 93 97,1809 133. 41,3613 93 94,2575 134. 42,4837 94 94,2336 135. 44,722 97 101,4844 135. 45,8389 97 101,4844 135. 46,9541 84. 102,5592 136. 48,0677 99 103,5336 136. 48,0677 99 104,70 140. 51,2907 91 105,451 141. 51,4001 93 141. 142. 52,5082 94 144. 142. 54,7208 94 110,0714 145. 55,9286 97 113,099 147. 54,2708 94 113,099 54,2708 94 144. 56,9286 97 113,099 56,9286 97 113,099 56,9286 97 113,099 59,1320 94 114,000 60 113,099 114,000 70 114,000 114,000 80 110,000 114,000 80 110,000 114,000 80 111,000	.62	17.9844	•	93.9445	130.	147,3893	, 4 J	201,2656
41,3480	38	39,1123	61	950,4264	131	148-4506	192	202,3176
41.3618	J.	40.73A0	٠ د د د د د د د د د د د د د د د د د د د	96.1039	132.	149.5117] R3•	203,3695
43.4637 64. 94.7575 134. 135. 134. 43.40. 94.7575 134. 135. 134. 135. 134. 135. 134. 135. 134. 137. 134. 137. 134. 137. 134. 137. 134. 137. 137. 137. 137. 137. 137. 137. 137	32.	41,3618	93.	97.1809	133.	150.5726	1.04	204.4213
43.5038 95.3336 135. 44.7227 97.3336 136. 45.8389 97. 102.4844 137. 48.0577 99. 138. 138. 48.0577 99. 138. 139. 48.0577 99. 140. 140. 50.2907 91. 106.45 141. 51.4001 97. 106.45 142. 51.4001 97. 107.9271 142. 51.4001 97. 107.9271 142. 51.4001 97. 110.0214 145. 52.406 97. 112.2143 147. 54.9286 97. 113.29. 97. 59.1320 97. 113.29. 97. 59.1320 97. 114. 149. 59.1320 97. 114. 149. 50.1320 97. 114. 149. 50.1320 97. 114. 149. 50.1320 97. 114. 149. 50.1320 97. 114. 149. 50.1320 97. 114. 149. 60. 114. 149. 149. 60. 114. 149. 149. <t< td=""><td>33.</td><td>42,4837</td><td>• 70</td><td>9H.2575</td><td>134.</td><td>151,6332</td><td>195</td><td>205.4729</td></t<>	33.	42,4837	• 70	9H.2575	134.	151,6332	195	205.4729
44,722 46,8389 136,132 45,8389 47,111,4844 137,13 44,041 84,173 134,13 49,1799 70,174,532 139,13 50,2907 41,403 141,13 51,4001 72,174 142,13 52,5082 43,174,22 142,14 54,7208 44,11,14,1 144,14 55,825 76,11,14,31 144,14 54,9286 72,11,14,31 144,14 54,9286 72,11,14,31 144,14 54,1320 72,11,14,31 144,14 74,1320 74,11,14,31 144,14 74,1320 74,14,14 144,14 74,1320 74,14,14 144,14 74,1320 74,14,14 144,14 74,14,14 74,14 74,14 74,14,14 74,14 74,14 75,1320 74,14 74,14 74,14,14 74,14 74,14 75,1320 74,14 74,14 75,1320 74,14 74,14 75,1320 74,14 74,14 75,1320 74,14 74,14 75,1320 74,14 74,14 75,1320 74,14 74,14 75,1320 74,	34.	43.5038	-56	95-3336	1354	152,6936	196	206.5244
45.8389 97 101.4844 137 45.9389 138. 138. 138. 48.0577 99 138. 138. 49.1799 90 104.7076 140. 140. 50.2907 91 104.7011 141. 141. 51.4001 93 104.271 142. 142. 52.5082 94 144. 144. 144. 54.7208 94 111.1431 144. 144. 55.8252 9286 97 113.29652 148. 54.9286 97 113.29652 148. 149. 59.1320 94 114.05 149. 91.220 94 144. 144.	35.	44.722	e 4.	7603.001	134.	153,7538	. / a /	207.57
46,0541 84. 102,5592 138. 48,0677 99. 103,6136 139. 49,0677 90. 104,7076 140. 50,2907 91. 106,4543 141. 51,4001 93. 106,4543 142. 52,5082 94. 142. 144. 54,7208 94. 116,0714 144. 55,825 9286 97. 111,1431 147. 56,9286 97. 113,295 148. 148. 59,1320 92. 148. 149. 50,1320 92. 92. 92. 50,1320 92. 92. 92.	36.	45.83R9	97	10104844	137	154.8138	1884	208.5210
48.0577 99. 103.5336 139. 49.1799 90. 10.4.7076 140. 1 51.2907 91. 10.4.711 141. 1 51.4001 92. 10.4.71 142. 1 52.5082 92. 10.4.9994 144. 1 54.7708 95. 110.0714 145. 1 55.9286 92. 11.13.295 147. 1 59.1320 92. 11.3.295 148. 1 69.1320 92. 11.3.295 149. 1	37.	44.9541	a a	102.5592	138°	155.8736	•6¢ I	•
49,1799 70, 104,707k 140, 11 50,2907 61, 105,2911 141, 11 51,2907 62, 105,2911 142, 11 52,5082 64, 105,994 144, 11 54,7208 65, 110,0714 145, 11 55,9286 67, 111,1431 147, 11 54,0708 67, 113,205 148, 11 59,1320 62, 114,055 149, 11	38.	48.0477	60	11345336	139.	156.9331	061	210-7290
50.2907	39.	49,1799	• 600	1.04.7076	140.	157,9924	[6]	-
51,4001 C2, 176,4543 142, 1 52,5082 C3, 102,6271 143, 1 53,6151 C4, 102,6994 144, 1 55,8258 C7, 112,2143 145, 1 56,9286 C7, 113,2952 147, 1 59,1320 C9, 114,355	40.	50.2907	e.1.	1.05.7811	141.	159,0516	132.	•
52,5082 63, 107,6271 143, 1 143, 1 143, 1 144, 1 144, 1 145	41.	51.4001	د ر د	176.4543	142.	160,1105	103.	213,8810
53,6151	42.	52,5182	C 3	137,5271	1434	161-1692	194.	214.9314
54.7298 55. 110.0714 145. 1 55.9286 57. 112.2143 147. 1 58.9786 57. 113.2952 147. 1 59.1320 59. 113.35957 149. 1	43.	53,6151	• 70	7066	144.	142.2211	195	215.9817
55.8252 55.9286 56.9286 54.0308 54.0308 59.1320 50.	444	54.7208	1,5	110.0714	145	163.2850	196	217.0318
56.9286 C7. 112.2143 147. 1 54.0308 C4. 113.2052 148. 1 59.1320 CG. 114.3557 149. 1	45	たた。なっちか		111.1431	144.	164.3441	101	618u 812
59.1320 00.00.00.00.00.00.00.00.00.00.00.00.00	46.	56.9286	C.7	112-2143	147.	165.4020	198.	219,1318
59,1320 °C 114,3557 149. 1	47.	40F0 , 82	• •	113.2952	14B.	166.4597	199.	220.1815
	4.R.	59.1320	g _U	11443557	149	167,5172	2002	221.2312
101. TU-14.1. TU-14.0. IVEN-07	.64	1665.08	• 1: 0 =	114.4259	150.	168,5745	2~1.	222,2807
	- 04	2314		104437	4777	TO A COLUMN		7

:			: :: : : : : : : : : : : : : : : : : :	344357U	7015500		
CASFEVEN	0015co.	() () () () () () () () () ()		DEFECTS	MUSEE	DEFFCIS	
CEFFCIS	r 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		: : :	. [6]	111.2777	152.	171.6311
	2,6593			102	110.35.17	1=3.	1054-21
	C1112	• •	77.6	103	119,4233	9 11 1	100/05/1
	5.8300		3510 97	104	120.0056] c 5.	74.00.47
	7.2418	•	30.7 67	105	121. 5	1,50	10000011
•	9.6013	* * * * * * * * * * * * * * * * * * *	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	104.	122,6391		177 6859
	サカノひ。ひ	•	- L	107	123.7104	1504	7440 011
	11,2204		70.00	. B.	124,7813	15.9°	100,000
	17,4951	* T :	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	657	125.8519	140•	100 100 100 100 100 100 100 100 100 100
	13,7525	*	72 8 3 3 6	110	124,9222	171	161.000
•	14.0955	0 / 1 ·	**************************************		127.9921	162.	10129291
	16,2253	: 		112.	129.0618	143.	183.6755
	17.4466	• • •	/ T T T T T T T T T T T T T T T T T T T	113	130,1311	1640	
	19.0577			114.	131.2002	145.	C160.001
	19.4604			· · ·	132,2689	166.	186.4487
4	21.0563	. •	18-3513	118.	133,3374	147.	1611-181
	22.2454	€ € ₹	x 2 4 4 5 7 7		134,4055	148.	188.5525
	23.4286		195.4.4	• • • • • • • • • • • • • • • • • • • •	135.4734	169.	189.6194
17	74.6064	• , ,	21.4275		136.5410	120.	190-6759
• • •	25, 7793	6.9	32-7141	00.	137.6082	171.	191.7323
٥	24.9474	٦, •	63°B°63	• [6]	138,6753	172.	192.7885
	28,1117	• 11 ·	84 × 8 15.	1 2 2	139.7420	173.	193.8446
21.	29.2710	· 2.:	10.072F	123	140,8085	174.	194.9005
	30.4284	230	B7.0661	124	141.8747	175.	2956.561
23.	21.5815	٠ ٣٠	P. 1.5 (1.4	136	142.9406	176-	197,0118
. 40	12, 7314	75.	99.23.68	136	144,0063	177.	198.4673
7.	23.A7A4	74.	90.33.44	127.	145.0717	178.	199.1225
, ,	35,0225	7.1	95.044.6	120	146,1369	179.	200.1776
27.	36.1639	• ជ ភ	67.84.79	120	147,2018	1,40.	201.2326
2	37.3: 28	79	70,545	130	148.2665	101.	202.2874
29.	78.4797	• c. :	1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 ×	131	149,3309	1924	203-3921
9	19-5735		130,150	135.	150.3950	143.	204 - 3400
31.	400-1054		1700 LO	133	151,4590	40	26.6 5052
32	41,8155	2. A.	04.0771	134.	152,5227		2000-2002
33.	47.94.74	• 4	100.0571	135	153,5861	1	200 613
4	44.0867	30	101-1365	136.	154.6443		200 6630
35.	45.2140	2.7.8	102 2155	137	155,2123	987	210.7206
1	4417	64	103.2041	138.	156.7751		211.7761
77.	47.42.77	60	104.3122	139	157,8376	101	212,8275
-16.	10 S. P.	00	105.4439	140	444 x x x x x x x x x x x x x x x x x x		213.8807
6	370.71	61	106,5272	144	159,950	103.	214.9338
40	50.8	42.	117.6040	142.	161,0239	1040	215 9467
41.			108 4004		62,0858	106	217.0395
3	1510	64.	169.7544	144.	163.1470	106.	218.0922
4 3.	11000	. 53	120.011	145	2802.441	197.	219.1447
4	22 3735	95	111.9673	146.	165,2692	108	220, 1972
45	13.0.0t	97	112,9821	147	2002	100	221.2494
	54 E034	24.0	114.0566	. K4.	15.45.731	200	222, 3016
	10 50 % 6	99	115-1306	841	160 5113	201.	
			116.2043	120.	770		3344

OFFECTS	POTSSON NUMBER	DEFECTS	PUISONO NUSONO	GRSERVED	MINSED	DEFECTS	NI MEDICAL
4	2.8134	51	63.6562	101	110.1551	152	172.6878.
•	4.522	42.	44.7639	102.	119,2320	153.	173.7506
	8470.4	5.3	65,8703	103	120,3085	154.	124 8132
e e	7.4782	e 4 &	46.9759	104.	121.3846	145.	175,8756
	8,8566	5.5	5080 BY	105	123.4604	156	176,9378
'n,	•	n n e	69.194]	106.		157.	177.9998
-		74	70. 2869	107	154 6109	33	179.0615
••	C/6/0/1	x C	71.5787	* co.	125.6836	1691	180-1232
o	15, 3244	4.0	73 5000	01.	127 8360	151	103 2450
10	16.5675	• 5	74 4003		120 001		07474761 197 406
11.	17,7995	42.	75,7878	112	120 0011	163	10, 3477
12	19.0218	, y	76. 4056	21.	121 0541	144	104.101
13.	20.2355	44.	77.0425	114.	132,1269	165.	
4	21-4416	, F. F.	79. 0788	115.	133,1703	146	187.5401
15.	72.6407	, ,	P.1.1743	116.	134.2714	147.	188.6092
164	23,8332		1545-18	117	15.3432	14.8	189,6691
17.	25.0210	α.	47.3632	118.	136.4147	149.	190.7289
- H	26.2030	4.4	#3.4566	119	117.4859	170	191, 7885
16.	27.3803	٠٤/	A4.5494	120.	139,5568	171.	192.8479
20.	28,5531	11.	H5-6415	121	139,6274	172.	193,9071
23.	29.721R	.64	86.733n	122.	140.6977	173.	194.9662
25	30,8867.		82.8238	123.	161-7577	126	196,0251
	12.04A0	14.	99.4140	124.		175.	197,0838
24	33,2059	75.	50.037	125	143-9069	176.	198-1424
٠,	34.3606	7.4	1261.16	124.	144.9761	177.	149.2007
	47174		-92. R11.	127	146,0450	178.	200-2590
	36.6614 11.00 11.	a (93.244n	124.	147,1137	179.	•
			- 10 C C C C C C C C C C C C C C C C C C	****	1221-231	100	502 1769
	4-14-14	•	- 44.04 04.04 04.04	.061	5052.641	101	203.4327
	41.2310		97.4.51	133	7202 121	1924	2004 - 407.
	7 3 3 4 0 0	• c5		9.6	00000161	• C n 1	114C • COZ
	42.5037	9.6	100 700	1334.	156-550	# U	0600.002
. 7	44. 4345	• •	10.0000	- 10 C	153,5501		1260*/02
35	45. 7675	0.4	101.0520	135	154.5869	190	200 7750
36	46. 9066	70	103.0363		164 9100		1000 010
17.	48.0240	0.0	4.	1 28	157 7860	! :	21040323
38.	49,1490	the contract of	105.2012	92.1	358.8510		212.045
30	50.2739		104.2231	07-	159.9175		214.0015
40,	51,3954		10.20.1544	141	160.9829		215.0577
4).	52.5175	ري • دي	1 m. 4 4 4 5 4	147	162.048]		236.1136
42.	53,6371	13	123,5259	143.	163,1131		217.1694
47.	54.7557	• 715	110.4040	144.	164,1778		218,2250
499	55,8722		11126355	145.	165,2423		219.2805
45.	54.0P7R	• 50	112.7543	144.	144,3066		220.3359
46.	58-1021		11348437	147.	157,3707		221,3911
47.	49.2152	• 7 3	114.9221	- t 2 -	168.4345		222.4461
484	69,3271		115,0002	1404	169.4991		223,5011
67	41.4379	• 5 -	117.1779	150	170,5616		224.5559
< 11	27.72	•		•			

NACEBUEN	10015100		1) 2 2 (1)	CHARACED	Charles of		0403
DEFECTS	MINGER	13543		S174486	MULHER		Maria
c	2 9957	1	44.4430	101.	119,1610	152.	173,8982
-	05.72.7	C 7	45,4157	102.	120.2423	153.	174.9646
	6,245,4	ا ار	55.6284	1113	121,3233	154.	176,030B
	1 7537	• 4.	F1.7401	134.	122,4038	155.	177.0968
. 4	9,15,15	 	502K - 22	105.	123,4840	156.	178,1626
		۲. ۴.	F0.3404	106.	124,5638	157.	179,2282
ď	11.9424	6.7	195:417	107.	125,6432	158	293
-	13,1481	3	72.1769	108	126,7222] c 6 •	181,3587
	1454767	9	73,2937	109	127.8009	160.	182,4237
; ; ;	15,705,	4.1.	74. 30GK	110.	128.8792	141.	183,4885
• •	16.9522	414	74947	111.	129,9572	142.	184.5530
-	18.2075	, C.	76.5984	112.	131.0348	143.	185.6174
	19.4426	4.3	77.7324	113	132,1121	1640	186.6816
1 2	20.4686	f 17 d	74.8750	114.	133,1891	145.	187.7.56
1.0	יאמא נכ	U)	79.9068	115.	134.2657	146.	188.8093
- L	22,0073	444	F 2 0 0 1 H	116.	135,3419	147.	184.8729
	6108.30	4.7.4	42.11A1	1174	135.4179	168.	190,9363
1.7	25.4092	17.4	43.2176	118.	137,4935	149.	191.9996
ď	0,09,90	• o	94 4065	119	138,5688	170.	193,0626
2	27.8792	70.	P5.4044	120.	139.6438	171.	194.1254
,	0670	7.1.	96.5020	121	140,7185	172.	195,1881
2	30.2404	12.	A7.5CAR	122.	141.7929	173.	196.2506
	27.7.25	, 2,	8H.6949	123.	142,8670	174.	197,3129
1	32.5854	37.6	F647.48	124.	143.9408	175.	198,3750
24.	11,75%	, F.	95.8851	125.	145,0142	176.	199-4370
7.	14.0.45	74.	61.9743	126.	146.0874	177.	200.4987
26.	36.0750	77	33,0129	127-	147,1603	178.	291,5603
27.	77.234?	7 A •	94.1458	128.	148.2330	179	202.6217
28.	38,3889	7.3	95,2582	129.	149-3053	180	203-5830
.62	30.54]0	. • uu	96,3590	130.	150,3774	• [a .	204.7441
30.	£069409		97.4613	131	151.6691	78	מבחקיים ב
3).	41.5376	60	. 44.6370	132.	152,5207	. 63.	206.8658
32	42,9875		39,5221	133.	153,5919	184	200 000
33.	44.1251	• 77 d	199,7117	134.	154.6629	* n = 1	200.7000
36.	45,2655	659	101,8008	135	155,736	180.	21000012
35.	46.4041	* 'Ya	102.AA93	136.	156.8041	* a c	213 1471
36	47.5407	Z	47.54	465	27,000	900	213 2260
37.	44.6755	a 0	157. CT	138	7446	. 001	214.2865
-	AND			14.0	141 0033	lel	215.3466
*6£	50.0497	•	C		142 1525		214.4053
:	101 CO		100		144,2215	103.	217.4644
 	5. 14.4 5. 12.10		110.4054	143	166 2002	401	218 5234
4.5	55.4490	775	111.5401	164.	165,3587	195.	219,5823
44	56.5726		112.5646	145	166-4269	John	220.6410
45.	57.6949	2,6	113.7482	146.	167.4949	107.	221.6996
46.	58.8158	476	114.8316	147	168.5627	laß	222,7580
47.	59.9355	9 A P	115.9146	148.	169.6302	109.	223,8162
94	61,0539	63	116.9971	LAZ	17: 6976	200	224.8744
		•		< u	1771		

DEFECTS	ABSERVED POTSSON	DESECTS	POTSSON	ORSERVED DEFECTS	NUMBER	OHSFRVED DEFECTS	NUMBER
•			66.939	101	110 7270	16.2	174. 5700
-	4.8711	25	65.9401	102.	120,8117	153.	175.6462
	46294		67.0563	.63	151,8951	15%	126,7166
i en	7.9110	.43	68.1714	104.		145.	177.7845
•	9.3250	23	40,2254	1050	124-0608		
S.	10.6932	. n.e.	70.3384	106.	125,1430	, y ,	160.0133
\	12.0325	73	72 6216	avi	127, 2063	159.	
• •	13,3475	x c	- 1500 CC - C	001	120 3074	140	121 521
	15 0215		74.2408	110.	129,4582	141.	184.1882
• •	17 1063	, F1	75.0402	: = -	130,5485	142.	185,2547
	18.4391	42.	77.0566	112.	131,6285	163.	186.3211
12	10 6813	63	24.1632	113	132, 2082	166	187,3272
13.	50.9142	F.4.	79.2589	114.	133,7875	145.	188.4532
4	22 187	65	90,3730	115.	134.8664	146.	189-5189
٠,	23.355A	, ,	11.47RO	116.	135,9451	147.	190.5845
16	- 23-5461	67.	A2, 5.813	117	137,0233	148.	101-6498
. 2	25.7702	. A.	6E84.E8	118.	138,1013	149.	•
18	26.9586	69	84. 7858	817	139,1789	120	827 - 18
6	24,1414	7.7	45.4A69	120.	140.2562	171.	194.8447
20.	29-3501		Rh. 9273	121	141,3332	172	1808-481
۲.	30°2340	• 6.	PS. nA71	182.	142,4099	173.	196.4730
22	-31,7137		89-1861		7044	1-10	100
33	שטשש כנ	74.	0.00 V.00.00	174	144.3563	176.	200.165A
47	34.0616	- 47	2027	126	146.7134	177.	201,2295
.	40° 7° 60	• r	03.5757	127.	147.7886	178	202, 2930
	י בורצויים בר	45	04.4715	128	148.8634	179.	203,3563
• 00	20.717		95.7567	129	149,9380	180.	204.4194
0	79.8743	- C 3	96.8614	130.	151,0123	101.	205.4824
30.	41-0284	91	97.9554	131	152,0863	102.	206-5452
31.	42.1800	20	6H44 666	132.	153,1600	143.	207.4078
35	43,3793	E	102.1413	133	154,2334	194.	208-6702
18	44.4763	• 70	1452-101	134.	155,3066	195.	209.7325
34	45,6211	25.	102,3259	135	156,3794	186	210-7946
35.	46.7639	. • >0	103,4172	136.	157,4521	197.	211.8566
36.	67,9047	6.7	104.5079	137.	158,3244	1884	212,9183
37.	5640°67	• 60	104.5992	134.	159.5965] a9.	213.9800
38.	50.1906	02	125.6979	139.	150,6683	190	215.0414
39.	51.3159	• 53	1777-101	140	141,7399	171.	216.1027
40,	52.4435	L.1.	122 8659	141.	162,9112	192.	217,1638
91.	53.5A14	• 65	1450.041	145.	163.8823	193.	214.2248
62	54,7118	6.3	111,0419	143	164,9531	194.	219,2856
4 J.	55.8407	• 1/2	112.1242	144.	166.0237	175	220.3463
444	56.36.92	955	.113.216.	145.	167,0940	196.	221.4068
45.	500.00P	• 1:	114.3724	146.	169.164]	107.	252.4672
44	59.219B	0.7.	115,3384	147.	169.2340	198	223.5274
47.	1426.14	• & U	116.4739	144.	170,3036	199.	224.5874
4B.	61.4641	900	117,5592	149.	171,3730	- S002	222.5473
·07 4	62.54Q		113.4437	150	172,4421	201.	226.7071
į		11	119.7279	151*.	173,5111	*20Z	227.7661

000000	× 10+30	じょうきょうせい	P. 550	0.14 - 16 - 0.			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SIDEAGU	-37.114	DEFECTS	NUMBER	KIT 4330	MUREL
					120,3500	152,	175.3274
	3,2129	1	428544	1	131 4344	153.	176,3981
•		°C3	A60-40-55	105	122,527	154.	117.4685
۲	31.74	13.	6425.63	100	127.6084	155.	174.5388
ب	111 · u	ਰ ਹ	7.4.44 1.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0	• • • • • • • • • • • • • • • • • • • •	AF94.451	156.	179.6008.
4,1	-154	5	102	106	125.7787	157.	180.6786
u*	1.4.474	,	1000	107.	126.8632	158.	181-7482
4	12.22.		72 1100	108.	127,9473	*6»:	182.4175
٠.	13,547	• : :	1011001	100	129,0310	160.	183.8867
2	7572 251		75, 3365	119.	130,1144	141.	184.9556
•	14,1400	• 17	75.4443	111	131,1974	162.	184.0243
1,1	1/4/3:5		77.5592	112.	132,2800	143.	167.0928
-	5.75° 5	, r	72.5693	113	133,3622	164	188-1611
2	1995	F. D.	79.7784	114.	134.4441	1454 1	189.6696
۳.	15m1.10	្ត ប្ត	A.) Bu6A	115.	135,5256.	166.	190-2971
14.	726415	447	R1 9943	116.	136.6068	147.	191.
٠ بر .			43,1010	117.	137.6877	16.B.	192.4323
15.	26 25	K Y	P4.2070	II B.	138,7682	6 y l	193.4445
	35.46.46	64	251545	119	139,8683	720	105 4335
2	27.40	7.0	×6.4166	120.	140.9281	171	192.0333
•	20.6474	71.	87.5267	121-	142.0076	311	197.7667
216	30,8572	12.	88.4732	122.	143.0868	1 146	100.8330
	32.04.27	73.	89,7255	123.	14441030	175	100 8001
, ,	226.55	74.	96.4271	124.	145.7441	176.	200.9650_
24.	34.4.19	75.	91-9280	135	14.7 4002	177.	202.0308
ž.	14.4761	76.	93.0782	157	148.4778	178.	203.0964
26.	36,7469	17.	9401218	128	149.5551	179.	204.1617
, r	37.0145		70//00/00	120.	150,6321	LAD	205-2269
28.	39-07-52	2 5	07.4227	130.	151,7088	lel.	206.2919
0	0.192.09	· .	99.5198	131	152,7852	192-	207-3568
35	27 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	.25	99,4163	132.	153,8613	193	208-4214
	43,7108	E G	1942123	133	154-9371	1894	210.5502
2	44.8475	• • • •	101.4076	134.	156.0127	10.0	211.6144
36	46.0120	950	102-9024	135	20075	107.	212.6783
45.	2021.72	9 4 °	103.9966	• EC.	156.1669		213.7421
38	48.304A	97.	1050-201	138	1515.031	199.	214.8057
77.	49.4482	e c	C244 404	130	161.3862	190	215.8692
38.	50.5897	5 X	20020	140.	162.4601	191.	216.9325
90	21.7294	•	100.4500	141	163,5338	1924	217-9956
409	52,8673	1 5	110.5510	142.	164.6072	193.	219.0586
- (1 to 0 to 1	ָרָט לילי	111.6617	143	165,6803	196	220-1214
3	5713	24.5	112.7319	144.	166.7532	195.	221.1840
	07.07 FE	53	113,8215	145	167,8258	9	200
	58.513n	ey.	114.9107	146.	168.8982	* 60 F	224.3710
7,7	59.6617	57.	115,0005	141		201	225.4330
47.	60.789n	• & &	117.0979	148	172 1138	200	226 4949
8	61.0150	63	447 BIL	150	173,1852	241.	•
709	1050 67		£ 10.41.			•	

PR08/
ā
9650
ō
L.
Ž
TOFNCE
ONF
7

PROBABILITY OF ACCEPTANCE	.0320
ABILITY	ACCFPTANCE
	ABILITY

٠

a sel mera mangapatan dan selaman

,

3.3524 5.1726 5.1726 6.2729 13.8145 14.4274 15.1207 16.4274 17.4875 22.2273 22.2273 23.9492 24.4114 27.4875 27.4814	DEFECTS	NUMBER	ORSFRVED	POTSSON	08SERVED DEFECTS	POTSSON	OBSFRVED DEFECTS	POISSON
17.75 5.2, 66.0954 102 122.2010 14.3 17.5 17	4	3,3524	51.	65.8001	101		152.	176,1577
1,21,221 44, 66, 1724 104, 124, 2012 154, 174, 174, 174, 174, 174, 174, 174, 17		5.1725	• 25	46.9254	102.	122,1310	153.	177.2309
1,1160 54, 1734 104, 124, 1305 145, 174, 174, 174, 174, 174, 174, 174, 174	7	6,7783	53	68.0495	103.	123,2202	154	128,3038
	,	A. 747.4	4 10 10 10 10 10 10 10 10 10 10 10 10 10	69.1724	. 04.	124,3089	155.	179.3765
17,170 17,170 17,170 17,170 17,170 17,170 17,170 17,170 17,170 17,170 17,170 17,170 17,170 18,170 1		11 1160		72.750	 		1	1844-181
13 14 12 124 125 1	•	12 4782		12.44[30]	100	120.4850	- A	181.5212
15, 129.7 15, 129.7 15, 129.7 15, 129.7 15, 129.7 15, 129.7 15, 129.7 15, 129.7 15, 129.7 15, 129.7 15, 129.8 16.1 12, 129.8 12.1 12, 1	7.	13,8145	a.	73.6534	108.	128,6596	159.	183.6650
14, 17, 14, 14, 17, 18, 1879 110 130, 1825 14, 17, 18, 18, 18, 18, 18, 18, 18, 18, 18, 18	8	15, 1297	50	74-7711	100	129, 7462	160	184 7365
14, 10.00 1.2, 0.00 1.2,	•	14.4774	, 0A	75.8878	110.	130,8325	141.	185.8079
18,0801	4	17,7101		77-0035		131.9184	162	186,8790
13, 1347	_;	100001	٠,	•	112.	133,0039	143.	187.9499
27,2477 64, 81,3452 114, 135,137 1145, 135,132 1147, 135,137 1145, 135,132 1147, 135,137 1145, 135,132 1147, 135,137 1145, 135,132 1145,132 1145, 135,132 1145, 135,132 1145, 135,132 1145, 135,132 1145, 135,132 1145, 135,132 1145, 135,132 1145, 135,132 1145, 135,132 1145, 135,132 1145, 135,132 1145, 135,132		20,2387	63.	79 2322	113.	134 0890	166.	189-0206
23,999 66, 82,5886 116, 137,3421 147, 382 148, 359 149, 369	<u>.</u>	2184°16.	નું ધ પ્ર	80.3452	114.	135,1737	145.	190.0910
25, 40.19		22.02.0	-			1862-061	- ay	
26,401p 64,4 84,7887 118, 139,5091 169,500 27,4012 26,8112 119, 105,5091 170, 101,509 28,802 12,8112 141,504 171, 171 20,0213 77, 86,7195 121, 142,756 173, 173 32,4037 77, 86,7195 122, 143,838 173, 173 32,4037 72, 20,22 123, 144,204 175, 175, 175 34,404 124, 146,001 177, 175 34,404 126, 146,1632 177, 175 34,402 126, 146,1632 177, 175 34,402 127, 140,245 127, 140,245 179, 170, 170 44,115 44,407 126, 146,001 170, 170 44,115 46,404 127, 170 127, 170 44,115 47,404 130, 152,432 120 44,115 47,404 132,111 126,404 183, 183 44,115 47,404 132,124 126,404 183, 183, 183 44,115 47,404 132,124 126,404 183, 183, 183 44,11	<u>.</u> .	יייייייייייייייייייייייייייייייייייייי	E .	0000 C	- 611	13/.3461	141.	196.6313
17. 17.			***			200.00		
PR. 4071 70. 87.0056 120. 141.6746 171. 31.0213 31.23 122. 142.560 172. 31.0213 32.534 122. 143.6204 173. 32.5416 32.542 122. 144.6204 173. 34.5416 32.542 124.146.0017 175. 34.5416 32.542 125. 144.0017 175. 34.4116 34.416 127. 144.0017 176. 34.4116 34.445 126. 144.032 177. 34.4116 34.445 127. 149.2435 177. 34.4117 34.445 126.1403 177. 177. 34.445 34.445 126.1403 181. 181. 34.446 34.445 130. 152.4856 181. 34.446 34.445 130. 152.4866 181. 34.446 34.445 134. 156.494 184. 34.446 34.444 144. 167.464 <td< td=""><td></td><td>24.40.48</td><td>* 0 * 4</td><td>14.78A7</td><td>* of .</td><td>139:5091</td><td>140</td><td>194.3708</td></td<>		24.40.48	* 0 * 4	14.78A7	* of .	139:5091	140	194.3708
30,0213 11, 88,1129 121 142,1569 172, 143,836 173, 173, 173, 173, 174, 175, 174, 175, 174, 175, 175, 174, 175, 175, 175, 175, 175, 175, 175, 175	0.	נייכא פכ	7.0	97 0054	120	141 6746	12.	104 5005
41,2177 17,0 89,2195 122. 143,6388 173. 74,4092 73. 10,325.3 123. 144,9204 124. 74,4092 74. 91,4344 124. 144,026. 175. 34,7416 75. 92,434 126. 148,1632 177. 37,4402 77. 94,4263 177. 177. 39,482 126. 148,1632 177. 39,482 127. 146,2643 177. 39,482 127. 146,2643 177. 41,2142 130. 152,4826 181. 41,2142 131. 152,4826 181. 41,2142 131. 152,4826 181. 41,2142 131. 152,4826 181. 41,2142 131. 152,4826 181. 41,2142 131. 152,4826 181. 41,2142 131. 152,4826 181. 41,2142 131. 152,4826 182. <	20	30.0213		88.1120	121	142,7569	172	197.5785
12,0097	7	7716.18	12.	A9.2195	122.	143.8388	173.	198.6473
33,54075 74, 91,4304 124, 146,0017 175, 147,124, 146,0017 176, 147,124,124,124,124,124,124,124,124,124,124	22	32 4097	7.3	3253	123	144.9204	176.	199.7159
34, 7814 75 92,5349 125 147,0826 176 36, 4461 76 93,6385 126 148,1632 177 37, 4416 127 149,2435 178 178 32, 4822 19 46,442 180 180 180 39, 4822 19 16,2457 129 151,4032 181 41, 2122 41 42 42 42 181 181 41, 2142 41 141 3465 131 152,4036 181 42, 2342 12 132 154,6404 183 183 184,6404 183 41, 1357 141,3465 134 156,4404 183 185,6404 183 42, 234 141,3465 134,6404 183 185,6404 183 44, 1357 143 156,7971 185,6404 183 185,6404 183 44, 144,7445 134,6445 134,6446 183 185,6404 183 44, 144,744 <td>٠٢,</td> <td>33,5975</td> <td>74.</td> <td>91.4304</td> <td>124.</td> <td>146.0017</td> <td>175</td> <td>200.7844</td>	٠٢,	33,5975	74.	91.4304	124.	146.0017	175	200.7844
17. 12. 148.1632 17. 193.6345 17. 193.6345 178.	245	74. 7H14	75	92.5.360	125.	147,0826	176.	201,8526
12 1383 17 94.7416 127 149.2435 178 19 6422 19 124 150.3235 179 19 6422 19 124 153.335 179 19 6422 19 16.4457 130 152.4826 180 41 5142 11 99.1472 131 152.4826 181 42 1442 131 15.4826 181 182 42 1457 13 15.4836 181 44 1435 14 16.7846 183 45 1457 13 15.4836 184 45 1457 13 15.4836 184 45 1457 13 15.7846 184 45 1457 13 15.7846 184 41 15.445 13 15.4836 184 44 15.445 13 15.4836 184 45 15.475 13 14 16.7563 193 45 15.475 14 16.8366 193 44 15.445 14	, ה'	75.uk1k	٦٨.	93.6345	126.	148,1632	177.	202,9206
34,3119 74, 75,4440 128, 156,4632 179, 180, 180, 180, 180, 180, 180, 180, 180	26.	37,1393	11.	94.7416	127.	149.2435	178-	203,9885
190, 191, 191, 191, 191, 191, 191, 191,	٠٢٥.	מנוב שב	7 H •	75.4440	128.	150,3235	179.	205.0561
60.66496 40. 64.6484 130. 152.4826 191. 61.01625 41.016.2472 131. 152.4826 182. 182. 62.0372 131. 156.6404 183. 163.6404 183. 62.0372 132. 133. 156.7971 183. 185. 62.0372 103.6437 134. 156.7971 185. 186. 186. 62.0372 103.6457 134. 156.7971 185. 186. 186. 186. 62.4472 62.1037 103. 186. 189.	28	39.6822	19.	96,9457	129.	151,4032	180.	206-1236
41 5142 91 92 142 132 153 162 640 183 42, 1357 192 101 247 134 156,640 183 44, 1357 103 445 134 156,640 183 45, 447 103 445 134 156,460 183 45, 447 103 446 184 186 186 47, 467 103 135 157,872 186 47, 467 103 135 160 182 43 104 136 158,9526 197 51, 463 107 137 160 182 51, 463 104 163,2602 191 51, 463 140 163,2602 101 51, 473 11 111,112,202 141 164 165,4123 194 54, 75, 44 11,2,433 142 164 165,4123 194 164 54, 75, 45 12, 434 144 165	20.	60.4496	41) •	5.446.A	130.	152,4826	101.	207,1909
42, 3762 132, 154,6404 193, 184, 185,7189 193, 184, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 185,7189 194, 195, 195, 195, 195, 195, 195, 195, 195	30	41-3142	4.1	99-1473	131	153,5616	192.	208-25AD.
46, 1357 134 155,7189 194 46, 4457 134 156,7971 185 46, 4475 134 156,7971 185 46, 4475 134 156,7971 185 47, 4447 136 157,872 187 48, 44,444 136 167,029 187 81, 14,24 137 161,069 189 81, 14,24 137 161,069 189 81, 14,24 138 161,069 189 81, 14,24 138 161,069 189 81, 14,24 140 163,2602 101 81, 47 111,1202 141 164,3364 103 84, 47 111,202 141 164,3364 103 84, 47 112,433 144 167,563 104 85, 6120 12 113,401 144 167,563 104 85, 6120 12 113,401 144 167,563 104 85, 6120 12 114,401 <td>٠١٠</td> <td>47.0.54</td> <td>, 62</td> <td>100.2472</td> <td>132.</td> <td>154.6404</td> <td>143.</td> <td>209.3249</td>	٠١٠	47.0.54	, 62	100.2472	132.	154.6404	143.	209.3249
45, 25.2 24, 112,445 134, 156,7971 145, 195,7971 186, 196,7971 186, 197, 186, 197, 186, 197, 186, 197, 186, 197, 186, 197, 186, 197, 186, 197, 187, 187, 187, 187, 187, 187, 187, 18	32	.44,1352	<u>63</u>		133	155,7189	194.	210,3917
46 4475 24 103.5433 135 157.8749 186. 43 7 567 6 24 114.6449 136 158.9526 187. 43 7 515 150.0299 160.0299 188. 60 10 2 332 137. 160.0299 189. 51 10 2 334 137. 160.0099 189. 52 1 2 3 10 2 334 160. 163.2602 101. 53 3326 11 110.1202 141. 164.336 102. 54 3326 11 110.1202 141. 164.336 103. 54 3326 11 110.1202 141. 164.336 103. 55 6129 23 112.433 142. 165.4123 103. 55 6129 24 144. 167.5534 105. 55 6129 24 144. 167.5634 105. 55 6129 24 114.4 167.5634 105. 55 6129 25 114.44945 145. 169.5135 107. 50 7154 <t< td=""><td>۴.</td><td>4.57.4.5</td><td>34.</td><td>172.4457</td><td>134.</td><td>156.797]</td><td>1 45.</td><td>211.4582</td></t<>	۴.	4.57.4.5	34.	172.4457	134.	156.797]	1 45.	211.4582
47,40% 136, 158,9526 187, 104,40% 48,7515 47,112,723 137, 160,029 188, 189, 189, 189, 189, 189, 189, 189,	34	45.44.7±	£10	103,5433	135	157,8749	186.	212,5246
64 7515 135 105 7373 160 0299 168 67 4 4 4 4 134 161 1069 162 1037 160 51 - 94 137 104 1054 140 162 1037 160 52 1 - 94 13 104 120 141 164 336 162 1037 54 474 14 11 120 142 165 4123 193 55 6129 12 333 142 166 4880 194 57 846e 64 113 4945 166 4880 196 57 846e 65 112 4945 145 168 6386 196 57 846e 67 115 4945 145 168 6386 197 57 846e 67 115 4945 145 1735 197 61 24 57 69 7135 198 62 14 67 148 171 8626 199	٦.	47,500	* yr	1:4.64.0B	136.	158,9526	107.	213,5908
649, 40, 40 40° 10° 434, 434, 434, 434, 434, 434, 434, 434,	36-	48 7515		1373	137	160.0299	laB	214.6568
51.3453 101.30 162.1837 100. 52.1-94 140.163.2602 101. 53.336 102. 102. 54.477 12. 11.2102 142. 165.4123 193. 55.4129 23. 11.2.4343 142. 165.4123 194. 55.4129 23. 11.2.4343 144. 167.5634 105. 57.412 24. 113.4014 144. 167.5634 105. 57.514 24. 114.4945 145. 169.7135 177. 60.154 27. 116.6785 147. 170.7882 199. 41.245 24.47 171.8626 199. 42.4167 20. 118.8669 149. 172.9367 200.	٠,٠	4 - 57 - 61 W		746× 31.	134.	161.1069	109.	215,7227
101	38	54. Jack 3	0 F	ŧ	139	162,1837	100	216,7883
100 100	or or	46-1.6a	• C::	130.0254	140.	163,2602	101.	217,8538
54,473+ 12-, 711,2145 142-, 165,4123 193- 55,6129 63-, 112-,4343 144-, 166,4880 194- 55,6129 64-, 143-,4345 145-, 168,6346 105- 57,745 65-, 113-,4345 145-, 168,6346 196-,73 67-, 115-,546 145-, 169,735 196-,73 61-,245 69-, 118,866 199-, 172,9367 200-,		53 132A		111-1202	141	164,3364	192.	218,9192
55.6129 62.112.433 143.166.4880 194.167.5634 54.75 64.113.4015 144.167.5634 105.105. 57.8346 65.114.4945 145.168.6386 196.110. 57.8346 64.113.113. 107.113. 107.113. 52.1546 64.215. 118.652. 198.17.7769 41.2416 69.112.9367 200.	41.	4674° 45	• • •	111.2145	142.	165,4123	193.	219,9843
54,75.4 64, 113,4014 144, 167,5634 105, 57,886P 65, 114,4945 145, 168,6386 196, 57,846P 64, 167, 164, 167, 164, 173,770 62,1546 67, 117,770 148, 171,8626 199, 62,4167 69, 117,770 149, 172,9367 200,	-54	55.6129	6.5	112-4:83	143	166.4880	194	221,0493
57,846P 65,114,4945 145,164,6386 196,17, 53,0214 64,115,5449 145,149,135 107,135 52,1544 67,116,6285 147,1700 148,171,8626 199,122,9367	۴3.	54.75.16	**************************************	113.4016	144.	167,5634	105.	222,1142
62.1546 64. 16.0735 107. 62.1546 67. 116.0785 147. 170.7882 198. 61.2467 69. 117.7709 148. 171.8626 199. 62.4167 69. 118.8669 149. 172.9367 200.	44	57.8469	55	114.4345	145.	168.6386	1964	.223.1788
62.1546 CZ. 116.6785 147. 170.7882 198. 61.2467 CG. 117.770 148. 171.8626 199. 62.4167 GG. 118.8669 149. 172.9367 200.	45°.	をりょりとしゃ	۲ ۰	115.5969	145.	169,7135	107.	224.2433
41,2443 cq. 117,7749 148, 171,8626 199, 42,4147 qq. 118,8669 149, 172,9367 200.	46	62,1546		116.6785	147	170.7882.	198.	225,3077
-22-4167 59, 118-8669 149, 172-9367 200s	47.	6 3 × 6 × 1 ×	• ອິ	117.7700	148.	171.8626	109.	224,3718
	4.0	42,4167	5.0	114.8609	149.	172,9367	200.	227.4358

6 - 7 - 4 - 6 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	3.5.46						
		t. 1	66,3323	101	121.8224	152.	127-0949
	รู้ วุรุร	40	67.5123	102.	122,9154	143.	178.1709
	4.9434	57	1199* 49	103.	124.6079	156.	179.2466
	4.5.52	• • · · · · · · · · · · · · · · · · · ·	FG.7489	104.	125.1006	145.	180.3221
	0.46.0	45	70,8952	105	126,1917	156.	181,3973
	27/5	٠,٢	72.0204	106.	127,2829	1<7.	182.4723
	12.7466	1.1	73-1469	7,01	128.3737	158.	183,5470
	14.045.	3	74.2640	104.	129.4640	149.	184,6215
	15.4224	L.D.	75,3901	104	130,5540	LAD	185.5958
	2157 71	الا ر ا	76.5112	110.	131,6435	141.	186.7698
	1777	, T	27,6313	1111	132,7327	162.	187.8437
	19.3.44	47	74.7505	112.	133,8214	143.	188.9172
	30 17 30	6.2	79.4687	ิศ	134,9098	16.6	189,9906
	21,4311	44.	H0.9840	. 14.	135.9977	145.	191.0638
	8000	. น	P2.1324	115	137,0853	1664	192,1367
	24. 47.E	64.	A3.2179	114.	138,1725	147.	193.2094
	25,5536	47.4	94,3325	1174	139,2593	1684	194,2819
	24. 7700	34	85.4463	118.	140.3458	149.	195,3541
	77.00.76	6.4	A6.5593	119.	141,4319	170	196,4262
	05 12 00	7.7	A7.6714	120.	142,5176	171.	197,4981
	7667 05		95.7879	121.	143.6030.	172.	198,5697
	31 4244	12.	46.8934	122.	144.6881	173.	199,6411
	9209 65		91.0032	123.	145,7727	174.	200.7124
	74.64 75	76	92,1123	124.	146.8571	175.	201.7834
	35, 2115	75.	93.2267	125.	147.9411	176.	202.8562
	36. 1045	76.	94.3284	126.	149.0248	177.	203.9248
	0185.75	11.	95.4353	127.	150,1081	178.	204.9953
	14.7421	π.	96.5416	128.	151,1912	179.	206,0655
	39.03PR	79.	97,6472	129.	152,2739	1a0.	207,1355
	41.1125	ψu	98.7522	130.	153,3562	101.	208.2054
	46.5.54	הוח	99,8565	131	154,4383	182.	209.2750
	43.4515	64	100.9601	132.	155,5201	103,	210,3445
ļ	44.6170	:רש	102,0532	133.	156,6015	lak.	211.4138
	45.7800	* 7 H	103,1656	134.	157,6827	105.	212.4828
	46.9405	H5.	104.2674	135.	158,7635	1864	213,5517
	6860 87	¥ 7.	105,3687	136.	159.8441	197.	214.6204
	49,2550	97.	106,4693	137.	150.9243	148.	215-6890
	20,4090	α α	107.5694	138.	162.0043	189.	216,7573
	51,5610	Ьп	108,6689	139	163,0840	190	217,8255
	52.7111	• U U	109.7479	140.	164,1634	101.	218.8935
	53,3592	31	110,8663	141	165,2425	192.	219,9613
	45.0055	62	111.9642	142.	166,3213	193.	221,0289
42.	56,1502	63,	113,0615	1434	167,3999	186.	222,0964
	1565.75	940	114.1584	144.	168,4781	105.	223.1637
	59.4344	95.	115.2547	145.	169,5562	196.	224.2309
	59,5741	G.A.	116,3505	146.	170,6339	107.	225.2978
	50,7123	97.	117.4459	147.	171.7114	198.	226-3645
47.	41.8491	. 86	118.5407	148.	172,7886	199.	227,4312
	62.9844	60	119,6351	169.	173,8656	2002	228,6976
	44.1184	100	120.7290	150.	174.9423	2~1.	229.5639

.0250
ACCEPTANCE
OF.
PROBABILITY
.9750
CONF TOFNCE

ORSERVED DEFECTS	POTSSON NUMBED	OBSFAVED	POTSSON NUMBED	ORSERVED DEFECTS	POTSSON	08SFRVED DEFECTS	NOTESON
		Ş			133 7343	162	178.1762
 -	2 5316	5	101 07	102		153.	179.2554
<u>.</u> ,	17000	, C.	69.3253	103	124.9175	. 154	180 3343
	8.7673	54.	70.4583	104.	126.0134	155	181.4129
,	10.2416	2.5	71,5901	105	127,1089	156.	182,4913
5.	11.6683	-95	72.7207	106.		157.	183,5694
	13,0595	57	73,8501	167	129,2985	158	184-6473
۲.	14.4227	ور در در	74.9785	108.	130,3927	159.	185.7250
4	15,7632	63	76-1057	801	131-4854		107 0705
o į	17.0849	F.D.	9155-77	. I !!	136.5/9/	161	189.0564
 	18, 3904		075, 07		136 7651	14.3	190,031
::	20.00	* c	2124.67	113.	135.8572	144	191-1096
2	23.04	F.4.	A) - 7266	114.		145.	192,1858
1.5	23.4896	65	82.8478	115	138,0401	166.	193,2618
15.	2091.45	64.	A3.96A2	116.	139,1310	147.	194,3375
4	25, 0930	57	85,0876	117	140,2214	148.	165-4131
17.	27.219K	, f.g.	P6.2062	118.	141.3115	149.	196.4884
4	28,4479	69	87,3239	87	742,4012		2007
6	29.6709	70.	88.4408	120	143.4900	171.	196.000
97	30 8884		H4-5564	20.	145 4602	173	200.7874
23.	/ 000T • / E		90.7865	123.	143.0002	176	201.8617
2	34.5113	74.	92,9002	124.	147.8443	175.	202,9357
77	35, 7101	75	96.0131	125	9150,841	176	204 0095
, r	0406.AF	. 91	95.1253	126.	150.0191	177.	205.0831
24	38,0960	77	96-2368	127			207 2207
	7617.0°	œ. c	97.3475		152-1964	100	208 3026
, ,	6077 17	V 0		130	154.3644	191.	209,3754
	096867	•	100.6256	131	155 4500	102	210,6480
-	44.0020	22	101.7936	132.	156.5352	103.	211,5204
32	45,1744	83	102,4910	133.	157,6200	lah.	212,5926
13.	£ 47E 977	• †d	113.9977	134.	158,7046] a.S.	213.6645
74	47,5116	9.5	105-1038	45	8887 851		215 0070
۴. ن	48.6765	ב ה ה	106.2093	136.	160.8/28	• & a	216.8793
4 :	287 84 84 84 84 84 84 84 84 84 84 84 84 84	, , ,	300 4305	130	143 0307	189.	217.9506
*	ייייי כח	• (a	100,5222	139	164.1228	100	219-0216
2	53 3143	יט	110-6253	140-	165,2055	101.	220.0925
0.0	54.4686	91	111,7278	141	166,2879	102.	221,1631
41.		25	112.4298	142.	167,3701	103.	222,2336
42	56.7718	63	113,9313	143	168,4519	- You	223, 3039
43.	47,9207	• 75	115.0322	144.	169,5335	105.	
44	59,0679		116-1326	145.	170,6148	196.	225-6660
٠, ٩	40.2135	• 5 5	117.2324	146.	171,6958	107.	226.5137
46	41,3576		114,3318	147.	172,7766	108	227, 5833
. 4.7	しらしよってと	ອ ອີ	•	148	173,8570	199	228.6527
9	63.6410	557	F825-1121	144	2715		-
•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-	121 4240	ָ האר	176,0172	. [02	230.7911

Sh

19120 1912		00.000	1 457 4/10	.055.0a	03A635F0	F01550N	CHSFRVFU	2000
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OF + COI	737	DEFECTS	2ªO≮9E₽	OFFETS	
1 1 1 1 1 1 1 1 1 1	-					6 6 7	626	179.4627
1, 3,130	0		-1-	5858475	101	1234.1982	163	190.5457
1 1 1 1 1 1 1 1 1 1		סבנים" א	١,	かこうしゃひゃ	•\a.	ロケケエ・ナン	· · ·	181 A283
10.5400, 64, 71.54189 2.044 65, 72.4189 2.046 64, 73.6513 12.050 64, 64, 73.6513 17.609 61, 76.0513 17.609 64, 76.0513 17.609 64, 76.0513 18.629 64, 76.0513 18.629 64, 76.0513 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029 72.029 72.029 20.029		7.5166	4	7.01415	103.		- K-1	182.7107
10.5404 55, 17.54189 17.0541	-	1750 5	, t.	71.7AUR	- 70	1101.121		9697 . 681
12.0710	• 4	10.5404	65.	72.4189		128-2011	27.	7470 401
1,4,4,6, 1,4,4,6,6 1,4,8,16,6 1,4,8,16,6 1,4,8,16,6 1,4,8,16,6 1,4,8,16,16 1,4,8,16 1,4,8,	u	12.0270	, r	74.5557	106.	159.3067	• • • •	C 950 501
	•	77.7.61	C.7.	74,6913	14.7	130,399B		167 0377
15, 1731 62, 76, 9591 17, 5049 17, 5049 17, 5049 17, 5041 18, 2225 17, 2	-	14. 8166	a J	75.4259	10 P.	131.4985	• 6 - 1	00.00
17, 6,090	• •	15.1731	5.2	76.9591	109.	132.5967	17.0	100-1100
18, 8297 61 74, 22255 21, 42295 21, 42295 21, 42295 21, 42295 21, 42295 21, 42295 21, 42295 21, 42295 21, 42295 22, 42395 22, 42295 22, 42395	c	17 5.90	4.0	7P.6917	110	133.6944	• [7]	C
21, 1352	•	F000	, (4	79,2225	111.	134.7918	16.6	19045 2005
27. 7094 27. 7094 27. 4094 27. 4094 27. 4094 28. 4010 28. 4010 28. 4010 31. 4059 31. 4059 31. 4059 31. 4059 31. 4059 31. 4059 31. 4059 31. 4059 31. 4059 32. 4010 33. 4010 34. 4010 34. 4010 34. 4010 35. 4010 36. 4010 37. 4010 38. 4010 39. 4029 40. 4010 40.		26 1 25 2	47.	3475	112.	135,8887	143	191.5000
72.7094		01.4279	63	916419	113	136.9851	160	2005
25.2431 26.4976 27.2431 28.4876 28.4876 28.2364 31.4459 31.445	1	22 7094	44.	9504°26	114.	139.0812	• C 4 1	000000000000000000000000000000000000000
25, 24.13 26, 4976 27, 7444 28, 9824 30, 9824 31, 4659 32, 4669 32, 4669 33, 4669 34, 4669 35, 4669 36, 4669 37, 4669 38, 4669 38, 4669 38, 4669 38, 4669 39		00000000	, y	93,7367	115	139,1768	140.	7010*551
26, 4976, 77, 85, 4879 28, 9844 70, 2141 70, 2141 71, 4459 70, 2141 71, 4459 71, 4459 72, 94, 425 73, 85, 799 74, 114 43, 45, 670 44, 46, 670 44, 46, 670 44, 46, 670 44, 46, 670 44, 46, 670 44, 46, 670 44, 46, 670 44, 46, 670 44, 46, 670 44, 46, 670 44, 46, 670 44, 46, 670 47, 1146 48, 1978 49, 36, 66 51, 7050 52, 1964 52, 1964 52, 1964 53, 769 54, 36, 76 55, 1964 56, 36, 76 57, 114, 782 58, 776 59, 111, 1782 59, 112, 1782 50, 3769 50, 3769 51, 7050 52, 1964 52, 1964 53, 7769 54, 36, 776 56, 3769 57, 114, 782 58, 7769 58, 7769 58, 7769 58, 7769 59, 111, 1782 50, 4769 50, 113, 1782 50, 4769 51, 7769 52, 1964 52, 1964 53, 7769 54, 4760 54, 4760 56, 118, 5826 56, 4760 56, 4760 57, 118, 5836 56, 4760 57, 118, 5836 57, 118, 5836 57, 118, 5836 58, 7769 58, 7769 59, 121, 5835 56, 4760 56, 4760 57, 118, 5836 58, 7769	3	25 2411	44.	14.4427	116.	140.2720	• • • •	10 10 10 10 10 10 10 10 10 10 10 10 10 1
77,7444 70, 2141 70, 224,224 71, 2459 71, 4424 71, 49,3779 71, 42,4244 71, 49,3779 72, 41,402 74, 42,279 75, 74,77 77, 77, 92,720 74, 194, 9491 75, 194, 799 75, 196, 196, 196, 196, 196, 196, 196, 196		26 4976	+7.	R5.4879	117	141,3668	16E.	1204 1201
28.9844 70. 49.82354 10.2181 70. 2181 70. 49.3579 11.4459 72.4459 72.4192 72. 41.4002 72. 42.2011 72. 43.8192 72.1003 42.2011 72.4192 72.42404 72.4246 70. 12.52494 72.54944 72.54944 72.54944 72.54944 72.54944 72.54964 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.54944 72.54944 72.54944 72.54944 72.54944 72.54944 72.549444 72.549444 72.549444 72.549444 72.5494444 72.5494444 72.54944444444444444444444444444444444444	d:	27 71.11	4.9.	87.1121	118.	142,4612	671	197.4370
10,2141 70, 69,3579 11,4459 12,4459 12,4459 13,4857 14,1045 14,1045 14,1045 14,1043 14,4746 14,1043 14,4749 16,172,535	•	7700 00	49	88.2354	119	143,5552	170	200000
11. 4459 17. 90. 4795 17. 49. 4797 17. 49. 49. 7201 17. 49. 720 17. 49. 720 17. 49. 720 17. 49. 720 17. 49. 720 17. 720 17. 7107 17. 720 17. 7		1010 00	70.2	F9.3579	120.	144.6488	1,1	~ d f f f f f f f f f f f f f f f f f f
12, 66.07 13, 88.57 14, 10.07 15, 10.02 16, 10.02 17, 10.02 18, 10.03 19, 40.74 10, 51.07 10, 51.09 10, 51.09 10, 42.02 10, 42.02 11, 42.02 12, 53.02 12, 53.02 13, 53.02	•		7.1.	90.4795	121	145.7420	172.	K270*102
13. 192. 1201 14. 194. 1201 14. 194. 1201 17. 194. 1202 17. 197. 17. 192. 1201 18. 1100 19. 40.74 10. 40.74 10. 40.7	707	10000	12	51.4002	122.	146.8349	173.	202.1509
13,445 14,316 14,316 17,5107 17,5107 18,926 19,9074 11,1003 19,9074 11,1003 10,9218 10,9423 10,9423 10,9423 11,9218 11,9218 11,9218 12,1003 13,716 14,013 11,646 11,6730 11,646 11,6730 11,646 11,6730 11,646 11,6730 11,646 11,6730 11,646 11,6730 11,646 11	7	7 4 4 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	• • • • • • • • • • • • • • • • • • • •	100, 700	123.	147,9273	174.	203.2287
14, 1944 14, 1944 17, 1945 17, 1945 19, 4074 19, 4074 11, 1003 19, 4074 10, 5378 10, 5378 10, 5378 10, 5378 10, 5378 10, 5378 10, 5378 10, 5378 10, 5389 10, 5389 10, 5389 10, 5389 10, 4039 10, 4039 10, 4039 10, 4039 10, 4039 10, 4039 10, 4039 11, 5386 11, 5486 11, 6480 11, 64	22-	13.88.7		כטרם בם	124.	149,0194	175.	204.3063
12. 1000 17. 1919 18. 11003 19. 4074 19. 407. 1919 19. 407. 1919 19. 407. 1919 40. 276. 1919 40. 276. 1919 40. 276. 1919 40. 3464 19. 106. 1919 40. 3464 19. 106. 1919 40. 3464 19. 106. 1919 19. 106. 1919 19. 106. 1919 19. 106. 1919 19. 106. 1919 1919	* * *	47446	* u	CA 9576	125	150,1111	136	205, 1836
14,2109 19,2109 19,2074 19,2074 19,2076 19,2076 10,207	74	4411.45	1	06.0751	126.	151,2025	.177.	206.4607
49,4074 41,1003 41,1003 42,2900 43,4765 44,4600 44,4600 44,4600 44,4600 44,1938 46,1948 47,1948 48,1968	۲.	1014.15		07.1010	127	152,2935	178.	207.5376
42.21013 42.2466 43.4765 44.4600 44.4600 44.4600 44.4600 44.4600 44.1918 44.19	28-		82	2705.90	128	153,3841	179.	208.6143
43.278 43.476 44.4246 44.4246 44.4246 44.4246 44.4246 44.4246 44.4246 44.2769 44.4246 44.4266 44.4266	77.	# C C C C C C C C C C C C C C C C C C C	• or	CFC4.00	129	154-4744	180.	209-6908
42,79111 H1 101,6516 44,6476 P2, 102,7448 45,8460 P2, 102,7448 45,8460 P2, 104,9891 49,3466 P2, 104,9891 50,5369 P8, 107,2108 51,7050 P8, 110,5386 54,0347 G0, 113,8610 54,0348 G2, 113,8610 54,8700 G4, 116,0730 54,8242 G8, 100, 122,6960	28.	41-1003	ų a	100.5378	130.	155,5644	14].	210.7670
4.4.4.4.00 44.4.4.400 45.84.400 45.84.400 45.84.400 46.84.4.4.4.400 46.84.4.4.400 46.84.4.4.400 46.84.4.4.400 46.84.4.400 46.84.4.400 46.84.4.400 46.84.40000 46.84.40000 46.84.40000 46.84.40000 46.84.40000 46.84.40000 46	.	ロット・・・・・	ā	101-6516	131	156.6540	182.	211-8631
45,8406 84, 103,8773 47,0184 84, 104,9891 49,3466 86, 107,2108 50,5369 87, 108,3207 52,8709 87, 108,3207 54,0347 90, 111,646 54,0347 90, 113,8610 54,3541 97, 118,2828 60,9748 94, 118,2828 60,9748 94, 118,2828 61,9748 94, 120,4904 64,4246 98, 120,4904		4 3 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	92.	102.7648	132.	157,7433	183.	212,9189
48 1918	- ;	20 0 V U V	D 3	103.8773	133	158.8322	401	213-3865
48 1938 64, 107,2108 49,3466 87, 107,2108 50,5369 87, 108,3207 51,7050 89, 110,5386 52,8709 99, 110,5386 54,0347 97, 113,8610 57,3541 97, 113,8610 57,3540 94, 116,0730 59,8262 95, 117,1782 60,9748 96, 118,2828 60,9748 97, 120,4904 64,4246 99, 121,5935	150	47.0195	946	104.9491	134.	159,9208	LAD.	212.0100
49, 3444	. ,	מנטן מי	P.S.	106,1003	135	16000191	180	2202
50.5369 PT, 108,3207 51.7050 PR, 109,4299 52.8709 PP, 110,5386 54.0347 90, 111,5446 55.1964 97, 113,6410 54.3541 92, 113,6410 54.3541 92, 113,6410 54.3541 92, 113,6410 54.3541 94, 116,0730 59.8242 94, 118,2828 60.9748 96, 118,2828 62.1274 98, 120,4904 64.4249	75	49.3466	o y a	107.2108	136.	162.0970	* c	2042
51,7050 R8, 109,4299 52,8709 R9, 110,5386 54,0347 C0, 111,6466 55,1964 97, 112,7541 57,5140 97, 113,8673 59,8242 94, 116,0730 59,8242 94, 116,0730 59,8242 94, 116,0730 59,8242 94, 116,0730 59,8242 94, 116,0730 50,8242 94, 119,3869	36.	50.5369	P.7.	108,3207	137	481-161	99,	210,3607
52,8709 89, 110,5386 54,0147 90, 111,646 55,1964 91, 112,7541 57,5140 94, 116,0730 59,8242 94, 116,0730 59,8242 96, 118,2828 60,9748 96, 118,2828 60,9748 96, 119,3869 62,1276 97, 119,3869 63,2769 98, 121,5935 64,65769 10, 122,6960	37.	51.7050	ВВ.	109.4299	138.	104.019		220.4441
54.0147 50. 111.6466 55.1964 91. 112.7541 56.3541 92. 113.8510 57.5140 93. 114.9673 59.8242 94. 116.0730 59.8242 94. 118.2828 60.9748 96. 119.2828 62.1276 97. 119.3869 64.4246 99. 121.5935 64.4246 99. 121.5935	38.	52,8709	999	110,5386	138	2955-501	101	221.5183
55.1964 91. 112.7541 56.3541 92. 113.8510 57.5140 93. 114.9673 59.8242 95. 116.0730 59.8242 95. 118.2828 60.9754 96. 118.2828 62.1276 95. 119.3869 63.2769 98. 120.4904 64.4296 99. 121.5935	39.	24.0347	• UD	111.6466	140	0000	100	222,5924
54.3541 92. 113.8410 57.5140 93. 114.9673 59.8242 94. 116.0730 59.8242 95. 119.2828 60.9748 96. 119.2828 62.1276 97. 119.3869 63.2749 98. 120.4904 64.4594 99. 121.5935 65.508 100. 122.6960	6.0	55, 1964	916	112,7541	141	1017 071	103.	223.6662
57,5140 58,4700 59,8242 60,9748 61,9748 62,1274 63,246 64,4249 64,4249 64,4246 66,119,3869 67,119,3869 67,119,3869 67,120,6904 68,120,6904	41.	56.3561	6 26	113.8410	• 24.	1010-001	106	224.7399
59.8262 55. 117.1782 59.8262 55. 117.1782 60. 119.2828 62.1274 57. 119.3869 63.2749 58. 120.4904 64.426 59. 121.5935	42.	57,5140	93	114.9673		170 7603	105.	225.8134
59, 8242 60, 9748 62, 1274 63, 2749 64, 4246 64, 4246 66, 4246 66, 4246 66, 4246 66, 4246 66, 4246 66, 4246 66, 4246 66, 100, 122, 6960	43.	5A.4700	• 46	116.0730	• • • • • • • • • • • • • • • • • • • •	171.8745	106.	226.8867
62.1274 96. 118.2424 63.2749 97. 119.3869 63.2749 98. 120.4904 64.4249 99. 121.5935	44	59,8242	6.5	78710711	49,1	172.0504	197.	227,9597
62,1274 97, 119,1863 63,2749 98, 120,4004 64,4246 99, 121,5935 65,5709 100, 122,6960	45.	40.974A	96	#2#2.8.1	167	174.0440	198	229,0327
63,2769 44, 12,235 64,4246 99, 121,5935 65,5749 100, 122,6960	466	62,1276	3 6	2007 001	148.	175,1283	199.	230.1054
64.4246 45.5709 100, 122.6960	47.	63.2769	* c	1005 CC	1691	176.2123	2002	231-1780
	68	64-4245		122 6960	150.	177.2961	2n1.	232,2503
	67	45.570A	• (iu.)	0060-221	151	178.3796	202.	233,322

A 1927 S 192 S	CRSFRVFO	POTSSON	OBSFBVED	N05510d	ORSERVED	POTSSON	OBSFRVED	POISSON
1,	DEFECTS	MIMBER	DEFECTS	MUSHEE	DEFECTS	NUMBER	DEFECTS	MUMBER
1. 1,	•			60.05	101	125,1386	152.	181.0672
1, 2, 2, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10		2037	5.3	70.0141	102.	126.2459	153.	182,1546
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	. .	7000 7	n n	71.1627	103	127, 3526	154.	183,2421
	,	0707 0	775	72,3099	104.	128,4588	155.	184.3292
5. 17.4 Gala CK. 74.4 Knord 100. 133.6696 157. 7. 15.3124 CR. 75.4246 100. 132.8056 16. 7. 15.3124 CR. 76.4866 100. 132.8056 16. 10. 13.326 CR. 16.4866 100. 133.8056 16. 11. 13.326 CR. CR. 100. 13.326 16. 11. 2.346 L. 110. 13.326 16. 17. 12. 13.346 L. 111. 13.416 16. 16. 17. 13. 23.315 CR. CR. 11. 14.4059 16. 16. 17. 16. 16. 17. 1	• «	11.010	ע	73.4557	105	129,5645	156	185.4159
15.0114 52. 15.0144 101. 137.045 101. 137.045 101. 137.045 101. 137.045 101. 137.045 101. 137.045 101. 137.045 101. 137.045 101. 137.045 102. 137.045 102. 137.045 102. 137.045 102. 137.045 102. 137.045 102. 137.045 102. 137.045 102. 137.045 102. 102. 137.045 102.	,	12.48]4	. A.R.	F009-72	106.	130.6698	157.	185.5024
7. 15,314.4 6.9 76,484.6 108 132,487 157 1. 1.6,400.6 1.0.20.166. 10.3.166. 10.3.166. 143.487 14.4 1. 1.0.106.6 6.0 79,166. 110.135,008. 14.3.166. <td></td> <td>13.0134</td> <td>5.7</td> <td>75.7436</td> <td>107</td> <td>131,7765</td> <td>100</td> <td>488-781</td>		13.0134	5.7	75.7436	107	131,7765	100	488-781
1	7.	15.3144	a a	76.4856	108.	132.8787	149.	188.0/40
c. IR, OLARA FR. 79,1664 110. 133,0059 171. 11. 20,7065 F2. 81,4421 112. 137,209 143. 11. 20,7065 F2. 81,4421 112. 137,209 145. 11. 22,1156 114. 139,4943 145. 145. 12. 22,1156 14. 139,4943 145. 145. 12. 22,1156 14. 139,4943 145. <		16,6909	59	78-0264	100	133-9KZ5	1,1	100 9457
1	o [']	18.0463	, CA	79.1661	•011	133.0838		101.0300
11. 20,716.5 67. 81,442.1 115. 131,293 145. 131,293 145. 131,293 145. 131,293 145. 131,293 145. 131,293 145. 131,293 145. 131,293 145. 131,293 145. 145.263 147. 145.263 147. 147. 147.263 147. 147.263 147. 147.263 147. 147.263 147. 147.263 147. 147.263 147. 147.263 147. 147.263 147. 147.263 147. 147.263 147. 147.263 147. 147.263 147. 147. 147.263 147.263 147. 147.263 147.263 147.263 147.263 147. 147.263	10	19,3840		80.3046		137 2000	163	193.0158
13	11.	70.7065	, cy	A1.4421	.21.	136.2909	144.	194.1004
13. 23, 1329 64, 43, 130 111, 10, 1552 167, 15. 20, 4254 64, 45, 6411 116, 141, 6959 167, 15. 20, 4231 64, 45, 6411 116, 141, 6959 167, 15. 20, 4231 64, 42, 445 118, 143, 6958 149, 15. 20, 4231 77, 91, 424 120, 146, 9958 173, 15. 21, 445 77, 91, 424 120, 144, 9958 173, 15. 21, 445 77, 91, 424 120, 120, 144, 9958 173, 15. 21, 445 77, 91, 424 120, 120, 120, 120, 15. 21, 425 77, 92, 477 122, 124, 152, 152, 15. 21, 425 77, 77, 92, 477 122, 124, 152, 15. 21, 425 77, 77, 77, 77, 77, 15. 21, 425 77, 77, 77, 77, 15. 21, 425 77, 77, 77, 77, 15. 21, 425 77, 77, 77, 15. 21, 425 77, 77, 77, 15. 21, 42, 17, 77, 15. 21, 43, 17, 77, 77, 15. 21, 43, 17, 77, 15. 21, 43, 17, 77, 15. 21, 43, 17, 77, 15. 21, 43, 17, 77, 15. 21, 43, 17, 77, 17. 27, 44, 17, 77, 77, 18. 14, 43, 17, 77, 18. 14, 43, 17, 77, 18. 14, 43, 17, 77, 18. 14, 43, 17, 77, 18. 14, 43, 17, 77, 18. 14, 43, 17, 18. 14, 43, 17, 18. 14, 43, 17, 18. 14, 43, 17, 18. 14, 43, 17, 18. 14, 43, 17, 18. 14, 43, 17, 18. 14, 43, 17, 18. 14, 43, 17, 18. 14, 43, 17, 18. 18, 43, 17, 18. 18, 43, 17, 18. 18, 44, 17	12	45,0156	63	82.5784		130 4043	145.	195-1848
1,	13.	23.3124	4	83.7136 04.54.30		140.5953	166	196.2689
	1	24,5094	4;	200 30	116.	141,6959	167.	197,3528
17. 28,445 118 143,8956 140. 18. 145,8956 140. 19. 146,0941 171. 19. 146,0941 171. 19. 146,0941 171. 19. 146,0941 171. 19. 146,1945 171. 19. 146,1945 172. 19. 146,1945 172. 19. 146,1945 172. 19. 146,1945 172. 19. 146,1945 172. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 173. 19. 146,1947 174. 19. 146,1947 174. 19. 146,1947 174. 19. 146,1947 174. 19. 174,1947 174,1947 174. 19. 174,1947 174. 19. 174,1947 174,1947 174. 19. 174,1947 174. 19. 174,1947 174,1947 174. 19. 174,1947 174. 19. 174,1947 174	٠ د د	10. X . 10.	• • • • •	1304000	117	142 7961	148	198-4364
10 144,0052 131 144,0052 131 1		20 4057	48	84.2445	118.	143.8958	149.	199.5198
10,		20 6501	0.4	90 2269	911	144,9952	921	200,002
10, 1926 10, 1926 12, 144, 1926 12, 144, 1926 12, 144, 1926 12, 144, 1926 12, 144, 1926 12, 144, 1926 12, 144, 1926 12, 144, 1926 12, 144, 1926 12, 144, 1926 12, 12, 144, 1926 12, 12, 144, 1926 12, 12, 126, 1926 12, 12, 12, 12, 12, 12, 12, 12, 12, 12,	0	9500.05	10.	2405.06	120.	146.0941	171.	201.6858
21. 33.3414 72. 92.7407 122. 148.82907 173. 22. 14.4110 73. 92.7407 124. 150.4856 173. 23. 13.4555 74. 95.0127 124. 150.4856 175. 24. 32.4656 137. 124. 156.4856 175. 25. 32.4625 75. 96.779 124. 156.4856 176. 26. 10.4028 76. 97.771 176. 176. 176. 27. 41.0428 77. 98.3454 127. 128. 154.6716 179. 28. 41.0428 101.7507 130. 157.0614 181. 179. 29. 41.0428 102.404 182. 154.6716 182. 179. 30. 42.5427 130. 154.6874 183. 164.5318 183. 31. 42.4437 42.440 183. 164.5438 184. 184. 32.4440 42.440 <td>20</td> <td>22 1465</td> <td>71</td> <td>45.6326</td> <td>121-</td> <td>147-1926</td> <td>172</td> <td>202 7684</td>	20	22 1465	71	45.6326	121-	147-1926	172	202 7684
22 14,4110 73 93,846 124 150,486 175 24 124 95,0127 124 150,486 175 24 12,0153 126 150,486 175 25 13,0152 126 152,659 177 26 14,025 77 99,577 127 127 175 26 14,023 126 156 176 177 176 27 41,6338 12 152,664 181 177 29 41,637 131 157,664 181 30 42,245 137 157,664 181 30 42,245 137 164,380 182 31 42,457 134 164,380 183 32 42,457 134 164,380 183 34 42,474 164,186 184 184 34 42,474 164,186 184 184 34 43,474	7	43,3414	12.	92,7402	122.	148.2907	173.	203+R304
21 15, 878,6 76 95,0127 124 150,4835 173 26 18, 6711 16 95,0127 16 173,4835 173 173 26 18, 6825 17 98,3853 18 18 173 173 26 18, 6825 17 98,3853 18 18 173 173 27 40,6825 17 17 18 19 18 173 18	22	24,6110	73	93,8869	123		34.	204 0150
24 37,1155 37,1155 170 26 36,4025 127 152,1752 179 27 40,4027 72 99,5079 127 156,4010 100 27 40,4000 72 99,5079 128 155,4060 100 29 41,8038 20 100,5047 100 101 102 100 30 47,4050 90 103,9006 130 155,0504 101 31 45,4050 90 103,0006 130 150,014 101 31 45,4050 90 103,0006 130 160,000 102 31 45,4050 103,000 102 103 103 105 31 40,400 132 160,300 103 105 104 105 32 40,400 103,400 103,400 104 104 104 34 40,201 30 104,200 104 105 104	٠٤٥	15. A 35.6	74.	95.0127	124.	150.4850	175	201.0967
26. 34.7711 7. 91.7713 17. 91.7713 17. 91.7713 17. 91.7713 17. 92.48773 128. 154.8710 179.<	747	37, 0555		25.55	134	152,6701	177.	208-1781
27. 40,6000 78. 99,6079 128. 154.810 179. 28. 41,8038 79. 100,6247 129. 152,9664 100. 29. 41,8038 29. 100,6247 130. 157,0614 181. 20. 42,042 81. 102,870 132. 152,156 182. 31. 46,426 81. 102,109 132. 152,154 183. 32. 46,426 82. 102,109 132. 153,644 183. 34. 40,4438 164,438 185. 184. 185. 34. 40,4438 184. 164,438 185. 34. 40,4438 186. 187. 185. 34. 51,413 44. 164.438 185. 37. 52,4440 48. 110,441 187. 187. 37. 54,400 49. 110,400 189. 164.000 199. 38. 54,400 49.	, ,	ייריי מר	٠ ١ د	4147.14 689.49	127	153, 7752	128	209,2594
28	27	,0 690A	78.	65.5.66	128.	154.8710	179.	210.3404
29. 6.1 00442 pn. 101.7507 130. 157.0614 1p1. 30. 64.2211 81. 102.8210 131. 158.1561 162. 31. 65.4450 92. 103.9906 132. 159.2504 183. 31. 66.6757 83. 105.906 132. 150.2504 183. 34. 67.2457 83. 107.3450 134. 161.4380 185. 34. 67.2713 94. 107.4520 186. 186. 186. 34. 60.2313 94. 166.2542 187. 186.<	9.0	41.8938	79	100.6297	129.	155.9664	180	211-4212
30 44,2911 81 102,8210 132 159,2504 193 31 45,4850 103,1094 134 160,3464 104 32 47,847 144 105,1094 134 161,4380 185 34 47,843 107,3450 136 162,5313 186 187 34 49,648 107,2450 136 162,642 187 187 34 51,4113 47 104,5433 136 162,642 187 37 52,5440 48 110,6933 136 162,642 187 37 52,5440 49 110,6933 136 165,8090 109 37 52,5440 49 110,6933 140 167,9925 101 38 111,8081 140 167,9925 101 167,9925 101 40 54,043 11,400 167,9026 104 102 102 41 57,2766 42 11,44	29.	43.0942	•00	101.7507	130.	157,0614] a [212.5018
31. 45,4650 92. 103.99006 135. 157.530 157.530 32. 46,6757 94. 105.1096 134. 161.4380 185. 34. 49,648 107.3450 136. 162.5313 186. 34. 49,648 136. 162.5313 186. 35. 50,748 47. 176.168 186. 37. 50,548 104.516 187. 187. 37. 50,548 104.516 189. 186. 37. 50,548 110.693 139. 165.8090 189. 37. 50,548 110.693 139. 166.8009 189. 37. 50,548 110.693 101. 167.902 101. 40. 54,037 40. 115.1487 140. 167.902 101. 40. 57,076 40. 115.1487 144. 176.563 102. 40. 59,688 60. 117.356 102. 104.	30.	44.2911	B1	102.8710		150 2504	103.	214.6627
32. 47.6477 134. 161.4380 185. 34. 40.6438 135. 162.5313 186.5313 187.536 189.536	٦,	45.4950	o n	103.9986	132	160.3666	104	215, 74.22
14. 49 5413 196 195 162 5313 196 196 197 196 197 197 197 197 197 197 197 197 197 197	72.	7575	7 2	106.2275	134	161,4380	195.	216.8219
15. 50.2313 ч. 108.4618 136. 163.6242 187. 37. 51.4113 47. 104.573 137. 166.8090 109. 37. 52.5449 49. 111.8081 139. 166.9009 100. 39. 54.0371 60. 111.8081 139. 166.9009 100. 40. 54.0371 60. 112.0227 140. 167.9925 101. 40. 54.0371 61. 114.0357 141. 167.9925 101. 41. 57.7766 62. 116.0357 142. 174. 103. 41. 59.6687 62. 116.2650 104. 105. 106. 43. 59.6687 64. 117.3727 144. 172.3556 105. 44. 60.271 64. 117.3656 106. 106. 45. 61.0377 64. 117.3656 107. 106. 46. 61.0377 64. 117.6667	, , r	0 0 0 0 V	57	107.3%50	135	162,5313	Jab	217,9013
37. 52,5449	25	F1F5.07	E F	108.4418	136.	163.6242	197.	218,9806
37	4	-51415	17.	104,5779	137	164.7168	88.	221 1386
39 51 7641 89 111 8081 101 101 101 101 101 101 102 101 102 101 102 103 103 102 103 103 103 103 103 102 103 103 103 103 103 103 103 103 103 103 103 104 103 103 103 104 103 104 103 104 103 104 103 104 103 104 103 104 103 104 103 104 103 104 103 104 104 104 105	37.	52.5×80	σ α α	110.6933	13R.	0608.591	001	2216.666
19 54,0371 93,112,0327 141,116,0332 162,1070 103,104 41 57,2766 92,115,1487 142,172,653 104,172,653 43 59,4682 94,117,3727 144,172,653 105,456 43 59,4682 94,117,3727 144,172,653 105,456 44 40,371 96,119,5943 146,173,626 103,456 45 63,0323 92,112,922 104,173,802 109,173,802 47 44,2493 124,139 109,178,803 109,178,803 49 44,5592 101,178,803 101,178,803 201,178,803	38	53,7641	80	111-8081		167 0035	101	223.2056
41 57,2766 92 115,1487 142 170,1747 103. 41 58,4036 03 116,2407 144 172,555 106. 43 59,4087 04 117,3727 144 172,3556 105. 44 60,7711 05,118,4838 145 173,4456 196. 45 61,0327 05, 119,5943 146, 174,5353 107. 46 63,0321 05, 119,5943 146, 174,5353 107. 47 64,2493 08, 121,8137 148,811 201.	39.	126.47	٠ ټ ټ	7274-511	• • • • • • • • • • • • • • • • • • • •	160.0838	102	224 3738
41 57,7/6h 42 58 4434	40	56,1079	60	115 17.87	142	170-1747	103.	225.4519
43 59 6087	• [7	まな ノ・ノ・	• • •	116.2610	143	171.2653	104	226.5297
46 60 7711 65 118 4838 145 173 4456 196 45 61 9327 66 119.5947 146 174.5353 197. 46 63 9316 67 120.7043 147 175.6247 198. 47 44 2497 68 121.8137 148 177.8026 200. 49 65 4054 171 177.8026 201.	7,7	59.6682	775	117.3727	144.	172,3556	105.	227.6073
45. 61.9327 c6. 119.5947 146. 174.5353 197. 46. 63.0316 c7. 120.7043 147. 175.6247 108. 47. 64.2497 c8. 121.8137 148. 176.7138 200. 49. 65.0054 101. 122.9225 149. 177.8026 200.	44	60.7711	55		145.	173,4456	106	228.684
47	45.	61,9323	. c.6.	119.5943	146.	174,5353	101	229.7620
47	46	63,0916	5.7	120.7043	147	175.6247	801	0510
49 64.559a 1.01 174.6309 150 178.8911 201.	47.	£676°77	⊕ ∀	121.8137	α σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ	176.7138	* 600	2200,010
40 KK.559a Linearity 104 105 174 175 175 175 175 175 175 175 175 175 175	4.B.	45,4054	7.5	122,9225	5 4 4	170 0011	201	234.0690
		44.5599	• t ts T	0011-971	•	1/4,6711	000	235,1453

ORSFRVED	POTSSON	ORSFOVED	POTSSON NUMBER	OBSERVED	POTSSON NUMBER	OBSFRVED DEFECTS	NUMBER
				3	137 4131	162.	183.7848
4	4-7105		9575417		120 6200	163.	184.8803
-	4.7594	. 5.	71.7388	102	120 6666	73	185.9756
-	1025.		1,00 %	104.	130.7621	145.	187.0703
~ * .	יים אריים יים יים יים יים יים יים יים יים יים	• 4	12. 2200	105	131,8773	156.	188,1649
	13 2601	i.h.	76,3775	106.	132,9920	1<7.	
, ,	1, 7,000	5.3	77 5226	107	1901-451	158	100 3532
,	14.1752	6.0	78.6884	108.	135,2197	159.	191.4469
• a	17 5345	50	79.8419	100	136,3328	140-	2042,5802
0	18.9712	, n	P0.9941	110.	137.4454	141.	193.6333
•	20. 33	41	82,1450		138.5575	142	196-7262
=	21.680	42.	A3.294A	112.	139.6690	143.	195.8187
12	73 0261	64	84.4433	1	140 7801		2000
13.		F4.	A5.5917	114.	141.8907	165.	\$200 86T
14	25, 6617	45,	86.7370	115.	143.000A		200 1040
יטר	26,46,35	, 44.	A7.8822	116.	144.1104	141	0001.002
16.	23,2554	- 67.	89.0263	117.	145.2196		202 2600
17.	79.5394	* K. A.	90.1693	118.	146.3283	149	7024 702 7024 702
18	न् भारक	64	91-3113		- 14.49.93	1.51	204.5490
• 0.	5540°CE	40.	92.4522	120	143.0443	172	205-6391
20	33, 3464	71	93,5922	135	750 7505	193	204.7289
٠١٠	44.Anp	٠٢.	94.7312	122.	150 (350	176	207-8185
22	35, 35,23		95,8693	- 453	11000151	24.1	208-907B
٠٤٢		74.	97.0054	124	156.9711	176	200 996B
24	3365	75			155 1010	127	, ,
7 6		74.	99.2780	127	156.2867	178	212 1742
26.	40,800			1 30	157,391	179.	213,2625
27.	47. n. 74	• c	101-1450	120	158.4951	100	214,3506
28	43,2496		† _	130	159,5987	191.	215.4384
0 (44.44.4	÷ = =	104.0418	131	160, 7019	182	216.5260
 	4584.54	53		132.	161.8046	103.	217,6133
	1	, 7 , 14	107.2016	133	162,9071	104	218,7004
1		77 d	108.3304	134.	164.0091	laj.	219.7873
· , ,	יי בי היי בי יי בי	н5	109.4584	135	165,1107	Jake	220,8739
ر ا	51.7.57	42	119.5956	136.	166.2120	1 a 7 .	221.9603
36.	6.5.2.3	9.7	111-2121	727	167-3129	- BB	
37.	מיני, ישח	а. •	112.8379	138.	168.4135	50.	224 - 1324
. 8.	55,2971	Çn.	113,9630	139	169,5136	na	200,000
20.	51.44.47	• < 3	115.0974	140.	170,6135	101	227 3990
404	57.5617		116.2112	141	171-1128		0767 000
61.	ក្រ.ព ំ ដក្	° 60	117.3342	142.	172.8121	193	04/4-972
42	60,0273	63	118.4566	1	3.75 0002	105	4549.056
۴.7	41,2049	• 1 7	E845-611	44.	2600-671	106.	231.7278
44	45.35.44	45	1	77.6	177 2051	107.	232.8120
44.	0	٠ باري ا	55 H . I . I	140	178.3025	108	233,8960
44.	(")	,	NO III	971	179.3996	109	234.9797
47.	1 to	, d	9551.2551	149	180.4964	200	236-0633
X 9	45 74 TH	10.41	124,2947	150.	181,5928	2~1.	237.1466
					2007		

	BSFDVFr	- USS100	CHACHAGO	1-05510d	OHSENVEN	P01550W	OHSFRVED	405510d
1, 24.01 1, 24.01 1, 24.02 1, 24.02 1, 24.02 1, 24.01	DEFFCIS	;	13745		DEFECTS	- Walder		
1, 2407 1, 2, 17, 174, 4 107 129, 179, 179, 179, 179, 179, 179, 179, 17	ć	2000	,	10.05.80	101	127,9204	152.	184,3901
1, 0256 1, 0, 0256 10, 01 10, 0256	-	4.4045		72,1244	102.	129,0395	143.	185.4874
11 2.50 1.0	• ^	A 6474	1	73.2992	103	130,1579	154.	186.5843
1.0245 1	6	1,1,3401	7.5	74.4525	104.	131,2758	145.	187.6809
14, 40.74	. 4	11.9265	, c,	75.6143	105	132,3931	156.	188.7772
14, 16-10-254 1-2, 27, 27, 27, 27, 27, 27, 27, 27, 27, 2	ıs	13.4476	£6.	76.7747	106.	133,5099	157.	189.8732
1.7.75 1.7.75 1.9. 1.9	ď	14.0246	67.	75.937	107.	134,6261	158.	19049689
	,	14,3640	23	79.0913	108.	135.7418	159.	192.0643
10, 10, 10, 10, 10, 10, 10, 10, 10, 10,	α	17.7	Gu	P.S. 2476	109	136.8569	160.	193,1594
1, 5, 5, 6, 10 1, 6, 10 1, 10	0	10 10,0	لا ر	A1.4324	110.	137.9715	141.	194.2542
1, 0114		20.594	• ;	92.5563	1111	139,0856	162.	195.3487
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	-	21.9114	42.	43.7087	112.	140.1992	143.	196.4430
24, 5, 17 64, 64,010 114, 12,424 145,5311 145,5311 146,6487		25.20.60	, F. 4	P4 - B600	113.	141,3123	164	197,5369
25_2110 45_6 RZ_1550 115_6 144_5667 146_687 14	- 2	24.4.32	44.	46.0101	114.	142,4249	145.	194.6306
10	14.	25, 111, 14	45	97,1590	115.	143,5371	146.	199.7239
10	15.	07. C. TC	66.	84.306A	116.	144.6487	147.	200.8170
10, 10, 10, 10, 10, 10, 10, 10, 10, 10,	16.	29.5.57	£7.	89.4535	117	145,7599	168.	201.9098
11 125.5 12 12.5 12.	17.	24,7944	, R.A.	665.06	118.	146.8705	149.	203.0023
17. 40.01 70. 92.8873 120. 149.0905 171. 173.	18	31.0755	69	91.7432	118	147,9808	120-	-204-0946
13 o b b b b b b b b b b b b b b b b b b	10.	1572.95	70.	92.8873	120.	149.0905	171.	205.1866
10, 4764 17, 65,1714 122, 151,3087 173, 174, 174, 174, 174, 174, 174, 174, 174	20-	33,6159	21.	94.0298	121	150,1998	172.	206.2783
12. 12.	٠١٢.	74.4764	. 22	95,1714	122.	151,3087	173.	207.3698
17. 17.	22.	36.1379	73	96,3119	123.	152,4171	.174.	208.4610
126, 6227	23.	05.95.75	74.	97.4516	124.	153,5251	175.	209.5519
19, at 3	24.	P4 6234	75	98.5903	125.	154.6327	176	210.6626
41, 0474 77 100,8650 127 156,8665 178 42, 5376 78 702,0010 128 155,9528 179 43, 536 70 103,136 130 160,1641 181 44, 754 81 104,2705 130 182,0522 182 45, 9043 82 105,6040 131 161,2692 182 40, 4203 82 107,6040 134 164,5820 183 40, 4203 84 107,6040 134 164,5820 185 40, 4347 84 107,030 135 164,5820 185 80, 4378 84 112,185 136 186 186 84, 4378 84 113,3165 136 186 187 84, 4378 84 113,3165 136 186 186 84, 4378 84 113,40 178,40 191 84, 4378 84 116,50 140 178,50 193 84, 4	26	195.46.95	74.	99.7281	126.	155.7398	1.77.	211.7331
47,5536 74, 102,0010 128, 157, 152, 152, 152, 154, 1 179, 175, 173, 1362 179, 153, 154, 154, 1 179, 154, 154, 1 179, 154, 154, 1 180, 154, 1 180, 154, 1 180, 154, 1 180, 154, 1 180, 154, 1 180, 1 <t< td=""><td>25.</td><td>61.0474</td><td>17.</td><td>100.8650</td><td>127.</td><td>156.8465</td><td>178.</td><td>212.8232</td></t<>	25.	61.0474	17.	100.8650	127.	156.8465	178.	212.8232
43 5536 103.1362 129. 159.0587 180. 44.754 91. 104.4205 130. 166.1641 181. 45.9043 91. 105.4040 131. 166.1641 181. 49.4269 93. 105.5367 132. 162.3739 183. 49.4269 93. 107.6685 133. 165.685 183. 50.4269 93. 107.6685 134. 165.6855 185. 50.4269 95. 111.0596 136. 166.7887 187. 50.4347 86. 111.0596 136. 166.7887 187. 50.4338 87. 112.1884 137. 167.8916 189. 50.521 87. 112.1884 136. 170.992 189. 50.6221 87. 112.1884 137. 1974 191. 50.6231 87. 112.1937 140. 171.197 193. 50.6231 80. 116.605 140. 175.6005 193. 50.7457 97. 127.1937 146. 176.999 194. 50.7457 99. 127.4536 146. 1770.999 194. 50.7450 99. 127.4536 146. 1770.999 194. 65.744	27.	47 cr. 64	7 A •	102.0010	124.	157.9528	179.	213.9131
44, 175H 40. 104,2705 130. 160,1641 181. 45, 9043 91. 105, 606. 131. 161, 2692 182. 49, 40, 473 42. 105, 6367 132. 162, 6373 183. 49, 42, 473 42. 107, 685 134. 164, 5820 185. 40, 473 44. 108, 9300 185. 186. 186. 50, 4334 47. 112, 685 186. 186. 50, 4334 48. 113, 3165 136. 186. 186. 50, 4334 48. 113, 3165 139. 180. 180. 50, 6221 49. 113, 3165 139. 180. 180. 50, 6221 40. 115, 5705 140. 171, 1974 191. 50, 1047 91. 115, 5705 140. 172, 2897 193. 50, 1047 92. 121, 184. 174, 5002 194. 62, 2453 94. 120, 0704 144. 175, 999 1	2.8	43,5536	79.	103,1362	129	159,0587	dal	215.0028
AG, 9943 81 105,4040 131 161,2622 183, AG, 2043 47, 104,5367 132, 162,3739 183, 184,5820 185,485 186,483 186	20.	44.1758	• C &	104.2705	130	160.1641	191.	216.0922
40, 200 47, 200 47, 200 104, 5367 132, 162,3739 143, 144, 200 40, 420 41, 107, 6685 134, 164, 5820 182, 164, 5820 182, 165, 6855 186, 5820 186, 5820 186, 5820 186, 5820 186, 5820 186, 5820 186, 5820 186, 5820 186, 5820 186, 5820 186, 5820 186, 5820 186, 5820 187, 187, 187, 187, 187, 187, 187, 187,	30	45,9943	91	105-4040		7692	1960	
49,4209 43,4209 134,16485 134,164,5820 185,6220 186,5820	٠١٠	Ebud-Lv	9.5°	104.5367	132.	162.3739	193	218.2704
49,6793 84, 108,7997 134, 164,5820 185,6855 186,5850 186,5850 186,5850 186,5855 186,5855 186,5855 186,7820 187,182	32-	49,4209	#3.	107.6685	133.	163.678	468	HACE AND
\$10.0347 \$10.0300 \$15.0837 \$10.0300 \$2.0371 \$6.7687 \$18.086 \$18.0867 \$18.087 \$18.0867 \$18.08	77.	£664.44	• 70	108.7997	1.34	164.5820		220.44.0
C 2 , 137 R 6 , 111,0596 136 , 166,7887 187. C 4 , 234 P 7 , 112,1884 137 , 165,8914 188. C 4 , 6221 P 8 , 112,1865 139 , 166,938 180 C 5 , 6221 P 9 , 112,1865 139 , 170,1974 191 C 5 , 6221 P 9 , 115,6575 140 , 171,1974 191 C 5 , 6221 P 9 , 115,675 141 , 172,2987 192 C 6 , 1967 P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	34.	50 B 347	454	109-9300	1354	165,6855	- day	אבוביואל
E3 2368 B7 112 1884 137 167 8914 184 E4,4338 P8 113.3165 138 166.9936 194 E4,4338 P9 114.439 170.1974 191 E8,0096 91 115.5795 140 171.1974 191 E8,0096 91 116.6965 142 172.2987 192 E0,1947 93 118.9464 142 173.3997 193 E1,544 94 120.0704 144 175.6005 195 E7,245 95 121.1937 146 177.7999 197 E7,1019 97 123.438 146 177.7999 197 E5,1019 97 123.438 146 179.9980 196 E7,4490 99 125.6806 169 169 169 E7,4490 100 156.806 156 169 169 169 E5,004 100 156 160 160 160 160	٦.	52,037)	P.F.	111.0596	136.	166.7887	197.	222-6237
55,6221 PA, 113.3165 138. 168.9938 189. 55,6221 PQ, 114.6439 170.0958 190. 54,8200 90, 115.5795 140. 171.1974 191. 54,8200 91, 116.6965 141. 172.397 192. 50,1005 92, 117.8218 142. 173.3997 193. 61,3417 93. 118.9464 144. 175.6005 195. 62,7453 94. 120.0704 144. 175.6005 195. 62,7453 95. 121.1937 146. 177.7999 197. 65,1009 97. 123.4384 146. 177.7999 197. 65,1009 97. 123.4384 147.1999 197. 65,1009 99. 123.4384 147.1999 197. 67,4500 99. 125.6806 169. 169. 67,4500 100. 126.806 146. 179.999 197. 67,4500 100. 126.806 167. 127.999 197. 128.899 67,4400 100. 126.806 189.1947 201.	36	53.23AB	82e	112-1884	137	167.8914	Tage .	5117-122
55,6221 P9 114,6439 139 170,0950 191 54,8200 90 115,5795 140 171,1974 191 58,005 91 116,6965 142 172,2987 192 60 194 178,0965 192 193 61 118,9464 144 175,6005 195 62 121,093 144 175,6005 195 62 121,1937 146 176,7003 195 62 10,09 121,1937 146 177,7999 197 65 10,09 123,4384 146 177,7999 197 65 10,09 123,4384 146 177,7999 197 65 10,09 123,4384 147 199 199 65 10,09 125,6806 148 179,999 199 67 126,806 166 186 186 199 67 126,806 166 186 186	37.	54.433A	• α α	113,3165	138.	168.9938	189.	0667.455
54,8200 90. 115.5795 140. 171.1974 191. 54,8200 91. 116.6065 141. 172.2987 192. 50,347 92. 117.8218 142. 172.2987 193. 60,3417 93. 118.9464 144. 175.5002 194. 62,10.9 94. 120.0704 144. 175.6005 195. 62,10.9 95. 121.1937 146. 177.7999 197. 65,10.9 97. 123.4384 146. 177.7999 197. 65,10.9 97. 123.4384 146. 177.7999 197. 65,10.9 99. 122.6806 169. 169. 169. 65,10.9 99. 125.6806 169. 189. 189. 200. 65,10.9 10.0 125.6806 156.806 169. 189. 200. 201.	38.	55,6221	P9.	114-4439	138	170-097	- vanar	10000000
SS.0095 91 116.6965 142 172.2987 193 50.1947 92 117.8218 142 173.3997 193 60.3317 93 118.4664 174.5002 194 193 62 125 94 120.0704 144 175.6005 195 62 10.07 95 121.133 146 177.7999 197 65 10.09 97 123.4384 146 177.7999 197 65 10.09 99 122.6896 149 149 64 67 67.490 169 169 169 67 125.6806 125.6806 169 206 67 100 126.806 150 206 67 100 126.806 150 201	or o	44.8200	, 6	115.5795	140.	171.1974	. 61	226.9733
50.1047 42. 173.3997 193. 60.3817 93. 118.9464 142. 175.5002 194. 61.3817 94. 120.0704 144. 175.5002 195. 62.1049 95. 121.1937 146. 177.7999 197. 63.1049 97. 123.4384 146. 177.7999 198. 64.2759 99. 197. 198. 64.2759 198. 146. 179.9980 198. 64.2750 100. 125.6806 150. 206. 64.2750 100. 176.806 150. 201.	404	58,0095	91	116,6965	A	172,2987	Jak	CZR. BBB1
60,3817 93, 118.9464 144, 175,5002 195,5005 195,5005 195,5005 195,5005 195,5005 195,5005 195,5005 195,5005 195,5005 197,7999	4).	40.1047	¢.00	117.8218	142	173,3997	193	229-1468
k1.5k4k 94. 120.0704 144. 175.0005 195. k2.7k53 95. 121.1937 146. 177.7999 197. k3.9241 94. 122.3164 146. 177.7999 197. k4.97k9 97. 123.438k 148. 178.8991 198. k4.97k9 98. 124.5599 148. 179.9980 199. k7.4k90 99. 125.680k 169. 206. k4.650k 100. 126.880g 150. 201.	42.	60,3817	93	118,9666	-	2002-471		
62,7453 95,1019 121,1937 146,177,1999 197,1999 197,1999 197,1999 197,1999 197,1999 197,1999 197,1999 197,1999 197,1999 197,1999 198,199,199 198,199,199 198,199,199 198,199,199 199,199,199 201	43.	41.544A	* 75	120.0704	144.	175-6005	190	231.3193
k1.9241 94. 177.7999 197. 65.1049 97. 123.4384 147. 178.8991 198. 65.1049 94. 124.5594 148. 179.9980 199. 67.4490 99. 125.6806 149. 200. 64.6704 100. 126.6808 150. 200.	44.	62,7453	95	121-1937	44	7003		2504257
65,1009 97, 121,6384 146, 179,9980 199, 67,449n 99, 125,6806 149, 149, 149, 149, 149, 149, 149, 149,	4 G.	1700.67	0.00 0.00	122.3164	146.	177.7999	. 60	234.6410
KK,2749 UA, 179,9980 197,9980	466	65,199	97.	123.4384		12000	100	20124
49,6204 100 126,8809 150 182,1947 201.	47.	64.2750	e 6	124.5599	. 64. 64.	179.9980	199.	214.746
TOTAL PROBLEM CONTROL	1	75.46.70	25	124 9000	150	102.1047	102	237.8317
20 707 07 101 101 101 101 101 101 101 101	9 0	49,4754		100.400		183,2926	202	238.9164

DEFECTS	NIVEED	DEFECTS	NUMBE	DEFECTS	MUSBER	DEFECTS	MINBER
c	4.0414	, נו	71, 1969	101	128.48AS	162.	185.0677
-	7.0472	25	72.5564	102.	129,6099	143.	186,1669
2	9.854¥	5.3	73,7267	103	130,7307	156	187,2658
•	0.65.01	. 44.	74.8912	104.	131.8509	155.	188.3643
4	12,1176	65	76-0563	105	132,9706	156.	189-4625
. .	13.6647		77.2199	106.	134.0897	147.	190.5605
,	14.5878	, R.J.	79.5428	108.	136,3262	149.	192.7554
٩	19 01 35	8.0	202 00	100	132.4637	JAA	163.8624
o	19.4149	4.0.4	A] . A 603	110.	138.5606	141.	194.9491
- 4	20, 7363	41,	83.0170		139,6770	142	196.0455
- 11	22.1494	, , , , , , , , , , , , , , , , , , ,	84.1725	112.	140.7929	143.	197.1416
1 2	23, 5000	7,7	96.4700		163.0231	165	100.3320
14	26 1606	3.7	97.4210	115.	166 1376	146	200 4282
15.	27.4824	£6.	AB.7826	116.	145.2513	147.	201.5231
4	24,7443	62	89,0322	117.	146,3647	148	202 6178
17.	30,000	ਰ ਹ	91.0808	118.	147.4776	149.	203.7122
	25, 45,	,	02 22.62	35.	2020		205 9003
• •	33.03.00	• =	000 F 000	151	149.7050	170	2004-697
21.	15,1242	12.	95.6644	.22.	151.9245	173.	208,0870
22.	35.6432	73.	96.8078	123	153,0351	126	209,1800
23.	27.4978	74.	47.4502	124.	154.1453	175.	210,2728
24.	33.9465	75	59-0912	125.	155.2550	126	2852
٠ ٢	G 2 5 1 6 2 4	74.	100.2322	126.	156,3642	177.	212,4575
2.5	4.3 44.3	96	102.5104	120	150 5015	130	214.64.2
96	43,3947	79.	103.6485	129.	159.6895	100	215, 2327
20.	£161°57	• C a	104,7855	130.	160.7971	191.	216.8239
30	46.3441		105.0212	131	161.9063	182	212.0168
-16	47.54.34	رء د	107.0570	132.	163.0110	193,	219,0056
33	- CAZZ-R9	83	101-1015	133	777.79	W	220 080
•	7 (00°07)	• वी ध	110.450	- 34°	165.2234	195	222 2743
75	-2.4.77	Y.Y.	111.5904	136	167.4341	197.	223.3660
٠,٧٠	53.011A	9.7.	112.7218	137.	148.5389	199	224 4555
47.	40120	* b b	113.4524	134.	169.6434	109.	225.5448
38	56.11.5	Or.	114,0027	139	176.7474	Joh	226,6339
•06	c41.c*L3	• GO	•	140.	•	101.	227.7226
40	5005	61	117.2401	141	172.9544	102	228-8112
41.	が (で)	.	114.3679	245	174.0574	103	9664.622
12,	61 0456	47	120.4214	164	176.2622	105	22,0754
. 4	63.1500	• u	121.7472	145	177.3641	106.	233, 1632
6.5	44.333	٠4٥	122.4723	146.	178.4656	107.	234.2507
46.	65.5177		123-4968	142	179.5668	log	235, 3379
67.	44.4411	ື ຕ່ວ	125-1206	148.	180.6676	109.	236.4249
, B	57.36.72	55	126.2433	149	181,7682	200.	217.5117
			2440				

PROBABILITY OF ACCEPTANCE .0050

ORSERVED DEFECTS	POTSSON MIMBED	ORSERVED	PO (SSON	ORSERVED	POTSSON	08SFRVED DEFECTS	POISSON
	5.2053	51	72,4457	101	129.8884		
	7.4301	* CE	73.6235	102.	131,0157	153.	187.8401
نے	10.0775		7007	163	132,1623	154	169.943
	12.5941	י י י	54/6-0/	104.	133,2683	145.	190.0471
٠.	14.1498	54.5	78.3186	200	126 6100	156	191,1500
	15,6597	5.7	79.4886	107	135,5160	147.	192.2527
	17.1336	e u	A0.4570	108.	137.7665	100	0551-191
	18,5782	59	P1.8241	109.	138.8896	140.	105,557
•	19.9994	F.O.	82.9897	110.	140.0122	161.	196-6600
	22 3202	61	84.1541	111	141,1341	162.	197.7611
	0000	• v	A5.3170	112.	142,2556	143.	198.8618
	25 4043		86-6787	113	143,3765	144.	199.9622
•	26.8360	4 4 4 4	A7.6392	114.	144.4969	145.	201.0623
15.	20.1641		AB 7986	115	145,6168	166	202-1622
	29.4820		44,4354	• • • • • • • • • • • • • • • • • • • •	146.7361	147.	203.2617
7	30-700K	9	200.00		147.8549	148	204.3609
	22,000,2	0.9	40.00 P.D	* c	148.9733	149.	205.4599
	33,3230	70.	94.5769	987	151 2005	927	204 5595
वृ	34.6690	21.	95.7292	120	151.6085	171.	207,6569
	£ \$ 70° 3£	22.	96.8805	122.	153.4417	122	208-7549
	37,2183	73	98.0308	123	154.5576	• • • •	7268.602
	95.45° ac	74.		124.	155.6731	175.	212.0475
	61 0000	75	100-3284	125	156, 7881	126	213-111
	5 00 0V	•	101.4757	126.	157,9026	177.	214.2411
	43.4969	. 04	02.6220	127.	159,0167		215, 3375
	46.7394		103.7574	128.	•		216.4337
l	45.475A		104 0555	126	25.42		217-5295
	47.2.93		07.1982	130	162,3563	101.	219.6251
	10640		108-3601	125	144 COAE	- 787	219-7205
	49.6552		09.4911	133.	165,6920	- TET	221 0156
	ت عام در ال المام المام الم		10.6212	134.	166.8031	105.	223 0050
	47.1.75	7	11,7605	135.	167,9137	į	224.0933
	13.17.42		12.8991	136.	169.0240		225,1934
	55,74,77		115 1777	725	170.1338		226.2872
	56.9356		16.3000	138	171.2433		227.3807
	59.1405		117.4457	140	72 4410		228-4741
i	53.3631		18,5800	141	174.5603	•	229.5671
	•	65.	19.7139	142.	175,6772		25. 162.
	41-75-14	93.	20.8472	143	76.7847		0761-167
		_	21.9797	144.	177.8919		237.0371
	27.5		23-1115	145	72,9987		235.0289
	F1 (5, 44	 מאף	74.7427	146.	180.1051		236.1206
		-	26 5030	147	2112		237,2120
	जा कि सब		27.6321	- * * * * * * * * * * * * * * * * * * *	182,3169	•	238.3032
		10.3	24.7506	40.	277		230, 3042

ARSFOVEN	0016604						
DEFECTS	E 3BWIN	DEFECTS	POTSSON NUMBER	ORSERVED Defects	POISSON	OBSERVED DEFECTS	POISSON
9	5,8:191	בו	73.0002				DINE H
- ,	9.0072	52.	75.11.3	102.	133 0791	152.	189-1736
-	11 5600	53	16.3767	103	134.2072	153.	190.2843
4	13.3054	4 n	77.5629	104.	135,3416	165.	102.5050
ທໍ	14.0964	5.6	79.9301	105	136-6756	186	193.6168
 ,	15.6390	5.7	81.11.1	107	137.6085	157.	194.7243
• a	7.96.71	α (u :	92.2910	108.	139,8729	158	195.8334
o	26. 0642	200	83.6621	109.	141.0042	160.	198-052
10	22,2295	61,	##•6457 #5:4010	110.	142,1349	141.	199.1588
<u>.</u>	27.6257	K.D.	86.9948	113	344 3045	162.	200-2665
2:	25, 1953	£3.	88-1672	113.	144.3745	143.	201.3740
4	27.63.70	, F. 4.	P9.33R3	114.	146.6519	198	202-6811
15	20, 1710	45,	90.50A0	115.	147, 7797		203.5879
15.	30.5007	, r, 4	91.6765	116.	148.9070		205.800S
17.	71. A446.	F.9.	94-0008	- 117.	150.0338		206,9064
9	23,15,14	49.	95,1746	. 0	151.1600	_	208.0119
20	31, 2736	70.	96.3382	120.	153.4108	120	209-1171
21.	47.0702	72.	2002	121	154,5355		2)1 3266
22	34.31.1		99.8224	122.	155.6596	•	212,4309
24	769 69	•	00.9816	124.	157.9064	35	213,5349
25.	25.1636	1	102,1302		159 020		215,7421
-26	संगुष्क हुए		06.4528	126.	160.1512		216.8452
. 00	44.723.		105.6079		162, 3040		217,9480
20.	17.23.44	79-10	106.2620		63.5148	179.	230 1296
30	49.4424		1616-161	130.	164.6350	١.	221,2548
-1	44.7274	11 000	110.011		65. 7568	ı	222, 3565
33	51 965.		111,3690	7	162.9931		223.4579
34	53.4340	* 70	112.5184		169.1116	185.	226 5591
م. م.	54.670.6		114.8148		70.2296		226 7605
36	55 8341		3,9616	130	171.3472	•	227.8609
	57.1226 5. 3443		117,1077		173.5811	2	228.9609
	50,6427	200	10 2022	1	74.6974		231,1603
-	65-77 th		120-5410	140.	175,8133		232.2596
	3 777 L	-	21.6438] -	70 04.30		233,3586
	54-2027	1	22,8259	7	79.1586	193	234.4573
	65.6171	25.	23.4672		180.2729		236.6541
	44.4204	-	25.2477	145	81 3868		237, 7521
41	6.8 - 17.24	1	27, 1269		82,5003	•	238.8499
	10,1000		2° 5253		84.7262	109.	241-0447
	71.6146		130,4001	691	185,8385		242,1417

			THE PARTY		0		
•					MUMBER	DEFECTS	MIMBER
-	4.2144		25, 1914	101	123 E022		
• 0	7 4 4 5 6 6 6		76.3900	102.	134.6454		בשנט ופו
~	10 1760	F. 3	17,5867	103	135 7868		+161.541
	13.46.16	3 1	78.7816	104.	136.9276	165	104 7026
'n	16, 4746	7.7	877.77	105	138,0622	Jek	104 407
	17. 456		29919	106.	139,2071	157.	1
7	19-5741	6.3	25.50	102	140.3450	ISB	107. 7948
8	211 116 116	r o	H.3.5440	108.	141.4840	169.	100
đ	21 6360	B4	84.7206	100	162 6215		*****
10	10 to 60		85.9156	110.	143.7584		1
11.	26. 66.60		87.0000		A SOA	242	2/00-102
	, m. o		88.2810	112.	146.0303		700
1.3	2000	63	20.4616	113	大型を記して		0262.502
· •	רני / מין ניין מין	• 44	90.640A	114.	148 200A		200 002
2	20 11/11/20	65	91.8185	115	17677527	771	7016:502
		ě.	92.9950	116.	150.5670	237	7274
- 1			1021-40	211	151 6008		•
•	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	જ જ	95.3440	118.	182 8210		201 HS02
2	77-0-5	67	96,5165	10	7670 636	169.	209.9607
•	35 -> ° ()	٠ د د	97.6879	120	I KE GOAL	102	211-0709
	36, 626 H	71.	98.8581	100		171.	212.1808
•	C/25-75	٠,	190.0270	122.	167 2663	1724	213,2904
22.	39-24:6	73.	101-1949			173.	214.3996
	4.537E	74.	102.3616	124	120.000	176.	215,5005
4 2	41.4203	75.	103.5272	25.	0010461	175.	216.6171
•	FF 11 3 4 9	74.	104.6917	126	141 6760	126.	217-7254
	44. 1025	11.	105-8551	127	769 670	177.	216.5334
•	2 1 4 4 6 7 7 4 4 7 4 4 7 4 7 4 7 4 7 4 7 4		5210.201	128.	164-1264	1784	219-9411
90	19 S C	79.	108.1789	120	166.2600	•	221.0486
•	2	• Oa	109.3392	130.	166.376A		222-1556
17	22.25	B1	10.4986	130	167 5000		5292.622
. 6	141. E		11.6570	132.	168.6272		224-1690
1	27.5	1	112,8165	133.	467.751	•	225.4752
4	77 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	P4.	13.9710	134.	170.6758		220-2411
35	CE 3000	25.	15-1266	135	171.0004		2000 177 1000 177
		#Y	16.2413	136.	173:1226		220 200
37.	52 1704		17.4352	137	177.2753		27.60.62
36	50.4112	* · ·	18.58.8	138.	175.3676		232 1022
30.	40.6402]	19-7602	139	176.4894		273 2166
40.	61 - HAC 3	_	\$16k*02	140	177.6108		20. 21.6
4).	43.0807]	22-0419	163	78.7317		0417447
42	64-3104		5161.52		179,8523		234 6256
47.	45,52HK	1	24-3403		A0.0724	•	
44	64.7443	•	Cara.07		182:0921		220.7.00
45.	47.0674	1	126.6355	165.	1.63.23.14	• •	
46	40.14.04	-	27.7820	I. A.			244 6251
47.	21. 2772		28-9277	167.	145.4487	•	777.07
48.	71.5940	× 6	30.0727		186,5668		241 1171
49.	72.7845		33. 36.05	169.	187-5845		24.2787

9	
PROBABILITY	
06663	4
COMPTDENCE	
•	

DEFECTS	MUMBER	DEFECTS	NUMBER	DEFECTS	Links		
						Wind and a second	H CHARLE K
٠	4.00v9	512	27.15:0	101	126.0776	152.	194.0891
. .	45.62.0	25	78,3701	102,	137,2302	143.	195.2138
-	12 0422	1	28.27	103	138,3620	154.	196.3380
. 4	14.7942	* u	400 1 a	• 40 6	0000000	145	197.4619
5.	16.4548	.36	83.2030	106.	141,8331	187	100.7004
4	18,0616	57.	84:4057	107.	142.9820	8	125.000
	9.424P	F.8.	R5.6085	108.	144.1303	159.	201.9534
8	21,1542	59	86.8087	109.	145,2779	140.	203.0754
o e	27.4574	, k0,	A8.0072	110.	146.4248	141.	204.1969
<u>.</u>	26.1340	614	89-2041	111	1/2,5711	1620	205-3181
- 0	E 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ر م د	90,3995	112.	148.7167	143.	206.4389
1	1447 00	43	2582018	113.	169-8617	164.	207-5593
	1010000	* d	46. (R55	114.	151,0060	165.	208.6794
15	31.24.14	77	95 1656	451	152-1497	166.	209,7991
. 4	107 66		0001-04	07.	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	167.	210.9184
12.	33,3924	88	97.5402	1174	125.6353	168.	212.0374
18	35.3514	04	08.7254	• 67.7	100001	. 691	213-1561
10.	34,7010	70.	99,9093	120.	157 AG02	15.7	218-2786
24	38,0419	71.	101.0010		15000		214 6000
٠.۲۵	49.474	72.	102,2733	122.	160-1388	193	217.4372
22	40.7002	23.	103,4534	123.	161.2773	174	218.7441
, F.C	40.0144	74.	104.6323	124.	162.4162	175.	219.8607
24	43.3306	75.	105.8100	125.	163,5541	176.	220.9770
۲.	44.6361	76.	105.9866	126.	164.6914	177.	222.0929
26	45,0750	27	108-1620	123	165 9292	128	223, 2086
, ,	F F C C C C C C C C	, 28°	109.3363	124.	166,9645	179.	224,3238
200	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	67	110-5005	129	168, 1002	Jed	225.4388
30.	יה היה השל היה היה היה היה היה היה היה היה היה הי	· 6	711.5A16	130	169,2354	nal.	=;
31.	52,35%2	20	114.0227	25.	171 5043	28.	227 6678
32	63.6239	83	115,1017	133.	172.4370	194	919, 922
٠,٢	54.005K	96	116.3597	134.	173.7711	185.	277.0000
34	56-1545	95.	117,5267	135.	174 903R	106.	232.1221
٦٩.	77.4176	• v: a	118-6927	136.	176.0360	197.	233,2349
4	58-6731		119,8578	132	122, 1627	Lab	224 3474
•	ひょうす。 すい	α α :	121.0220	138.	178.2990	199.	235.4596
	2007	F9.	122-1852	130	179,4297	lab.	236.5215
,	10.4.0.	• •	123.3476	140	180,5600	101.	237,6832
	20010		26.000	1	181.6899	192	238, 7945
- (-	44.1387	֭֭֭֭֭֭֓֞֞֞ ֖֓֞	120.0000 101.0000	142.	182,8193	193.	239 . 9355
د ۲	47.3127	70	27 0003		183,9482	401	261-0163
• 44	4.0 4.04.0	÷ ស្ព	7574	•	185.0767	145.	242.1268
, E	69.4341	96	23.2026	- 545	186.204B	106	243,2370
4.6	71.046.1		121.4500	- C	405470	107.	
47.		a v	٠, ١	945		101	245.4565
84	23 5052	0.0	33, 7703	140	107,3563	* 60 C	6666.042
•67	74.7764	1961	14.0241	031	3000 101		
		•					240.7010

PRIMARILITY OF ACCEPTANCE .0009

NOSSION NOSSION
77.4696
7856538
19-8770 R) 0883
A2.2976
43.5050
H5.9146
32-1168
A8.3173
60.7136
1000 10
93,1033
94-2960
いっとき いっこう
97.8656
9550-00
0.0 - 2394
102-4-24
0282-201
104.9686
841-40
107.3265
109.6797
110-8546
いこくの でして
114.3730
115.5435
116.7133
117-082
7694.611
21.3823
122
123.7111
24.8742
26.0364
727-1977
28.35A2
29.5178
130.6766
131-8345
132,9917
125.3037

_ 1		ı		Ī	-				!			i				!	ı	1	:		i		1				N) <i>T</i>	· #	RE	P	?o	D	<i>U C</i>	11	3 <i>1</i> _	E	ı			ł		1
POISSON	105 0411	106-1666	197.2955	198.4220	199-5480	200,6737	200 200	204 9439	205 1225	204.2043	207.4194	208-5426	209.6652	210-7875	211.9094	214-1520	215,2728	÷	217,5134	218,6331	220 8716	221.9903	223.1087	224.2268	225.3445	227 5700		229.A122	230.0284	232.0442	234 2740	215, 3000	236.5044	237.6:87	238,7327	240.0500	242.0729		244-2582	245.4105	246-5224	140-142	2541.465
DEFECTS	183	153.	154	145.	156.	157.	1584	, c	171	142	163.	164.	145.	166.	147.	169.	170	171.	172.	173	175.	176.	177.		179.	101	192.	193.	104	1.95°	187.	108	149.	100.	191.	103.	104	195.	196	107.	100	200	- emile
NUMBER	136.8813	134,0371	139,1921	140.3464	161.5000	147.0378	164.9563	146,1070	147.2570	148.4064	149,5551	150,7031	151.8505	156 1636	155,2480	156,4338	157,5781	158.7217	159,8646	101.0073	163.2906	164.4314	165.5716	166.7113	10 / . 8504 148 0800	170-1271	171.2646	172.4017	73, 5382	74.6742		78,0792	79.2132	80.3467	• (84.8762	86.0074	87,1382 88,348E	55.2553 80.3084	90.5278	91,6568	
DEFECTS	101	102.	103.	104.	•501	107	108.	109	110.	111	112.	113.	114.	115.	117.	118.	118.	120	121	123	124.			1274	100	130		•	133	135	136.	137	138.	0.41	161	142.	7	•	145.	147.		149	
NUMBER	17,7724	18.9900	80,2055	41.4191	N3. 04.04	25.0484	A6.2545	87.4589	A8.4616	89.8627	91.0421	92,2599	69-46	95.8444	97,0364	696-86	09140	100 2003	172.9755	104-1504	195.3421	106.5235	107.7039	10.0600	11,2378	12,4135	13,5882	14.7618 15.0344	17.1059	14, 2765	6	า :	1.787.17 0000 00		25-2796	26.4435	27.6066	78.7489	3].0900	32,2505	33.4194	34.5675	20,000
DEFECTS	51.	7. P.	23	ร์ ซ ซ	c.k.	.7.	* & & \$	6.9	*Ü*	-14	* C 4	£3.	• · ·	64.	4.7	æ 4.	202	• [~	72.	/3		75.	74.	78.	79.	· Ca	61.	, ,	70	6.5	, , , , , , , , , , , , , , , , , , ,	78	* 0	2.5		٠ د د د	13		1	7.5	- no	7	
Pillages	7,1309	4,00,0	13 36.66	15.0307	14.7445	19,3937	19.0404	21,50:15	0110.50	20.4442	24,2470	29. 4376	31.25.12	41,4416	23,1393	14.4150 11. 1100	37.1390	38.4870	99,8240	41,1531	42.4341	2 4 B 0 2 5	47.40.4	1167.72	49-1153	96.2068 11.	5 3237	54 1441	65,4214	56.64437	57.4543	75,	£.1-72£6	47.00	54+22at -	7.7-6.7	67 96 v.c	69-1-69	5.04.54	71,4512.	1,000,00	Z'aal.	74, 22 10
DEFECTS	٠	. .	-	. 4	ď	4	٦.	a	•				14	٠ ٠	16	, a	10.	20	21.		٠, ۲										 		•					į					707

1

DEFECTS	MIMBED	DEFECTS	MIMBER	DEFECTS	NUMBER	OHSFRVED DEFECTS	NUMBER
4	7.4186	51.	78.5544	101.	217.9012	2	104 24 94
_•	9,7979	, , ,	29.7776	102.	130.0610		107 2700
2	11-9260	£3	80.098	103.	160.2201	154	197.5776
•	13.7060	24.	R2.2179	104.	141.3784	Jes.	100 4303
4.	15.4706	55	83.4350	105	142,5360	186	200.7484
ŗ,	17.1610		P4.6502	106.	143.6928	157.	201.8074
 	18-7955	5.7	85.8636	107	144.8489	14.8	200-102
• •	0,000	ים מיני	A7.0751	108.	146.0043	1:59.	204-1544
	23.55	25	882284B	1094	167,1589	Linda	205.2821
•	7. center	G	89.492A	110.	148.3129	1,1	206.4095
	26, 25, 26	414	90,6991	111	149,4662	162	207,5365
- 0		, .	91.9037	112.	150,6187	143.	208,6631
-	32,66	4,	93,1068	HIS	151,7707	164.	209.7893
	100 1 0 C	• • •	2808.40	114.	152,9219	145.	210.9151
15	22 171	45	95-5081	115.	154.0725	166.	212-0406
· •	27 5603	• ·	95.7065	116.	155.2224	147.	213,1656
	20.00	F.La-	92.9034	117.	156,3717	168.	214,2903
• a	44.44.	or or	6860-66	118.	157.5204	149.	215.4147
٩	32 6030	5.5	100-2930	118	158,6685	120	216.5386
• •	7-310 CF	· .	101.4857	120.	159,8159	171.	217.6622
-	200000		102-6770	121	160,9628	1724	218,7855
- 0	75.45.75	2	103.8471	122.	162.1090	173.	219.9084
23	. 3 . 3 2 4	45)	105-0558	123.	163.2546	174.	221.0309
24	26.4.44	, te	106.2432	124.	164.3997	175.	222.1531
25.	45, 7234			125	165,5461	176.	223,2749
26.	47 77		108.6145	126.	166.6881	177.	224.3965
27.	14.3450	10	1020 000	1274	167,8314		225.5176
28	44.46.64		7077 C	•821 •821	168,9742	179.	226.6384
20.	50.9444	6.3	112 3/33			1A0.	227.7589
30	52,2392	0	114.5220	130	171.2581	19].	228.8791
<u>-</u>	53,527	.00	115,7001		172 5200	182	229 8989
32.	54,3179	63	116.8772	132	173,5598	. a.	231,1184
٠٤٠	56.00.AR	• 477	114.0532	176	175,0105		232.2376
34.	57,3455	i, a	119,2282	בייני	176.05ec	•	433.3564
٦¢.	64.44u	e Y a	120.4022	136.	178,0071	100	00/4"667
3,4	59.4.46	07.	121,5752	137	179,2351	•	2345756
47.	4].]447	σα	122.7472	138.	180.3726	100	237 6267
18	52,4233	88	123,9183	130	181, 5097	100	7070 000
•	サントン・ヒン		125.0884	140	182.6462	101	240.0420
-		7.5	126,2575	141	183,7823	102.	241.1794
- (a	. 60	127.4258	142.	184.9179	103.	242.2960
!	77	53	128,5931	547	186,0530	104	243.4121
•		* 70	7504	144.	187,1877	195.	244.5279
			130,9252	145	188,3218		245.6411
	17.7.7	- - - -	92.0809	146.	189,4556	107.	246.7585
- 1	72	5Z	13,2538	147.	190,5888	108	247.8734
. 64	74.47.5	٠ د د د د د د د د د د د د د د د د د د د	34.4169	148.	191.7217	109.	248.9880
6,	26 1:13		1875-51	89	192,8541	200	250.1024
י ני ני		• 00-	36.7406	150.	193.9860		251 2144
		•	4000			•	+0130163

				444141			
SITHERU	रामुक्ताम	175 £ £ £ £ £	NIMEED				
,		7	70.0477	101	178,5385	162	197, 8625
4	ALDO C	23		102	139.7009	143.	196.1353
•	177	,	91.4951	103	140,8625	156	180
	12 0360	775	42.7177	104.	142.0233	145.	200.3994
. * .	07.22	3.3	03.0302	105	143,1833		0177
:	17 6106	5,45	95.1569	106.	144.3427	147	705.0017 707.0017
•	1000	6.7	86.3736	167	145,5012		1000
	20.6540	, R.3.	P7.5884	108.	146.6591	149.	204 PEC 7
•	22.2169	205	4108.88	100	147,8162	1	207 1910
! •	23 74.42	F.0.	90.0127	!!	148.9726	141.	610107
,	25. 25.56	,1,1	91,2223		150,1283		200 7 300
	A017 26	42.	92.4302	112.	151,2833	163.	204-4340
• •	25. 25. 26	6.2	93.6364		152-6276		7000
1:	20.4500	+ 44 •	94.8410	114.	153,5913	-CY	6640117
	31. 1969	454	96.0441	- 517	154-7462		212 0501
1	12.4077	44.	97.2456	116.	155.8966	•	1004-012
•	22 0017	47	08.4457	121	157.0482		2020
	35, 2040	A. A.	99.6443	118.	158.1993	• 64.	0502.612
•	76. 4756	09	100.001	91	7897 897		37.0 4.646
١	18.0473	70.	102.0371	120.		171.	210 610
•	70 4004		103,2215	121	161-6686		220 7066
1 7	411.7430	12.	104.4246	122.	162.7972		221.6201
22	72, 1099	73	105-6163	123	164.04	4	, ,
23.	7544.64	74.	106.8067	124.	165.0763	176.	224 0770
4	44 7803	25	102,8959		16.9 3864	177.	225.2004
	44.1054	76.	109.1838	127	168 6311	178	226.3235
77	42,4243	71.	2000	126		179.	227.4463
	44.775	¥ 9	3076-111	120	170.8206	. Del.	228.5687
28-			112.0226	130.	171.9645	IAI.	229.6907
	41.44.62	a d	115,1056	=	173,1879	-201	210.012
 	25.03.23	92	116.2866	132.	174,2508	143.	231,9339
	FF 2254	P.3	117.6665	133	125,3931	45	233-113-63
35	56 5.002	96	118.6453	134.	176.5348	. U	234 1 73
·	C.7. 7988	34	119,8231	135	72.676		25.7
ž	50.0645	. ya	120.9999	136.	178.8168		2014-062
2	60.3363	N.Y.	122,1256	137	178-57	991	218.6555
17.	A1.61146	a.	123,3503	138	181-0706	661	230.7746
8	62.8693	88	126.5241	139	182-2300	lol	240.8934
g	44.1207	900	125.6969	140.	14157681		949.6190
•	45, 1488	16	126.8687		164.51.30	103	247.1102
41.	46.44.7A	* % &	128.0397	142.	/000-CB1		244.2481
7.3	47.805B	83	129-2007	2	1887	106	245.7657
43.		45	130,3788	•	1426-191	. Y	246.4830
**	70.3813	95,	131-5470		11010100	107	247.6001
\$ P	71.6747	4¢	132.7144	146.	404T-04T		240.7168
**	72.8756	57	133,8808	167	1910.136.1	967	CLLE DAC
12.	74,1140	. 86	135.0465	148°	5/94°261	200	250.9496
48	75, 3499	88	136.2113		71000181	146	242.0452
			-				

.0004	
ACCFPTANCE	
PROBARILITY OF	
9666.	
CONFIDENCE	

Cadebuen	M03810d	CHRENED	POISSON	ORSERVED	POISSON	OBSFRVED	POISSON
DEFECTS	Mr. AEB.	DEFECTS	N:14BES	DEFECTS	MINHER	E134440	MINNER
0	7.8240	51	79.6362	101	139.3094	15.2	1419-281
٠.	15.2439	°,23		102.	140.4748	153.	199.0493
2	12,3142	53	82-0960	103.	485.644	150	2012 210
٠,	14.212.	4 (#3,372#	. 401	142.8033	155	#616.102
4	4 11 4		2000	104	146, 1207	167.	201 SASA
, ,	17.714A		2017.00	107.	146.2902	158.	204.7189
,	26.9402	ς α σ	88.2099	108.	147,4510	149.	205.8516
æ	22,5532	£9.	89.4269	109.	148-6111	160.	206.9838
ō	24.0052	و ن •	2249.00	110.	149.7705	141.	208,1157
10	25,6107	614	91.8557	111	150,9291	162.	209-2471
11.	27.1034	42.	93.0674	112.	152,0870	143°	210.3781
12	22.5759	63	94-2775	स्त	153.2443	441	211-5088
	10.0307	F.4.	95.4860	114.	154.4008	145	212.6390
14.	31,4695	650	96.6929	115	155,5567	146.	2134 /bdb
,	22.8940	, f.	2868.26	•	130,011	• • • • • • • • • • • • • • • • • • • •	200 710
16.	34,3054	67.	99-1020		157.48664		
.7.	95.7049	α (.	100,3043	£ 7	154.0203		718.2844
	30 6731	62	102.7046	120.	161.3261	171.	219.4123
	20.00		16.3.9026	121.	162,4781	172.	220,5399
21.	21.2.10	72.	105.093	122.	163.6294	173.	221.6671
22	42.544	73.	105.2945	123.	164.7802	174.	.222.7939
22	8005°E"	74.	107.4884	124.	165,9303	175.	223.9204
24	45,2372	15.	10846813	125.	167.0798	176	225-0465
25.	44.46R4	74.	109.4728	126.	168.2288	177.	226.1723
26.	47.4932	17.	111-0630	127.	169,3771	178	221.2977
7.	2010.00	, 4°,	112.25.0	128.	170.5249	641	228°4227
292	E 1, 5255	707	11344398	1294	1779 277	180	220 6710
00	41.4324		114.575	130	373 6440	• c c c	01/00/052
30	53,1363		0218421	133	176 1104	107	2010-515
- 6	14.4.44		118-1796	133	176.2554	184.	234,0429
	57.0160	0.4	119.3618	134.	177,3998	145.	235,1659
34	E0.3017	53	120.5429	135	178.5438		236.2886
35.	40°4054	* yn	121.7239	136.	179.6871	187.	237.4110
35.	F0.8595	97	122,9329	137.	180-8300	1884	238. 5330
٠٢٢.	42,1327	• 60	124.0490	13%	181.97/24	681	100.404
30	63.4.24	₩ 68	12542571	139.	183.1142	190	10//•042
ģ	44.6484	٠ پ	126,4331	• 0 • 1	164.6353	101	2410.046
474	65,4316	415	12/46082		1070,0704	196	241.1264
, i	47.1916	· (724 - 127 -	145	196-536	193	245,258A
27	FX 46 41	35	121.1270	476	188.8160	105.	246.3784
. 7	70.0507	* u	132,2002	145	189.9548	ya T	247.4979
7.5	40.00.07	CA	137.4697	146.	191,0933	197.	248.6172
46.	73.4463	20	134.6394	147.	192,2312	108.	249.7361
47.	10:40%	* * * * * * * * * * * * * * * * * * *	135.8041	149.	193,3687	199.	250.8547
1	4875-42		136-9760	97.	194,5057	100	25.3 0011
i g	77,1476	٠ د د	130 3000	150	195.6463	202	254.2089
50 . -	1 000 1 1 00 1		1.134-1044				•

	CACFRVFD	P01550**	いなくにいくがい	P015504	OMSERVED	POTSSON	OHSFRVED	POISSON
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		, myref	SIDEFECIS	MUSIER	DEFECTS	15. 3ER	DEFECTS	MINBER
1, 6, 6, 6, 7, 1, 6, 7, 6, 1, 6, 7, 6, 1, 1, 6, 5, 5, 1, 1, 6, 5, 5, 1, 1, 1, 6, 5, 5, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	c	8.1117	51.	HD. 3903	101	140.2892	162.	109.0218
12, 45.12 12, 45.13 10, 10, 10, 10, 10, 10, 10, 10, 10, 10,	-	10.5542	درج	9964.10	10%	141.4585	143.	200-2102
14, 17, 17, 17, 17, 17, 17, 17, 17, 17, 17		12.6517	£3.	R2.RKOB	103	142.6263	154	201. 3481
14,175, 14,1	۳°	14.5424	. 44.	6660.47	901	143.7946	145.	9584-202
19,1740 14,1740 17, 17, 17, 17, 17, 17, 17, 17, 17, 17,		14,3751		85-3228	105	2149.44	150	203-627
20, 2014 1.0 100, 100, 100, 100, 100, 100, 100, 100,	ហំ 🔻	14,1740	er L	7055.94	• • • • • • • • • • • • • • • • • • •	146.1276	, d	204-1593
10		2026	Α,,	40,000	108	148.4575	159.	, ,
20, 577 ft CT, 61, 623 110 151, 7644 161 20, 577 ft CT, 62, 663 111 151, 964 163 20, 516 ft CT, 62, 663 111 151, 264 163 20, 516 ft CT, 62, 663 112 152, 263 164 31, 304 ft CT, 62, 663 112 152, 263 164 31, 304 ft CT, 62, 663 117 162, 623 164 31, 304 ft CT, 60, 663 117 166, 633 173 31, 204 ft CT, 121 112 162, 634 174 31, 204 ft CT, 122 112, 623 117 175 31, 204 ft CT, 122 112, 623 175 175 31, 204 ft CT, 122 112, 623 175 176 31, 104 ft CT, 122 112 166, 633 175 31, 104 ft CT, 111, 623 122 166, 633 175 31, 104 ft CT, 111, 623 122 166, 633 175 31, 104 ft	• 0	22 0034	20	5227	100	140 6213	160	208-1666
20, California 111 151, 044 143 20, California 112 151, 1044 143 20, California 116 152, 250 145 21, California 120 120 145 21, California 120 120 145 21, California 120 120 145 22, California 120 120 145 22, California 120 162, 200 173 23, California 120 162, 2765 171 24, California 170 173, 275 173 173 24, California 171 172 173, 275 174 174 24, California 171 174 174 174 175 24, California 172 173 174 174 174 175 24, California 174 175 174 175 174 175 24, California 174 175 175 175 175 175	0	24.5376	F.O.	91.4430	110.	150,7844	141.	209.3016
1, 5, 1, 5, 5, 5, 5, 5, 5, 1, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,	15	24,044.7	41	02-6614		151.0468	142	210.4361
10 51 52 52 52 52 52 52 52	:	27.5445	.	93.8781	-211	153,1084	143.	211.5702
1, 1, 1, 1, 2, 2, 2, 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	-12	20,0514	1	25.0031		156.4.205		
1, 19.9p	•	10.5169 21.0662	4 11	40.500	* 4	155.5000	146.	214.9700
1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	16.	33.3040	44.	98.7283	116.	157,7478	147.	216,1025
TA, 2004 CR. 101.1439 118. 160.0635 159. TA, 2004 TO. 103.5545 120. 162.3765 171. TA, 1014 TO. 103.5541 120. 162.620 171. L1, 1017 TO. 105.6774 122. 166.6969 171. L1, 1017 TA. 105.6774 122. 166.9069 171. L1, 1017 TA. 105.6774 122. 166.9069 171. L4, 6747 TA. 105.6774 126. 180. 176. LA, 102 TA. 110.6694 127. 180. 176. LA, 202 LA. 176.702 176.703 177. LA, 202 LA. 115.6702 170. 170. CA, 672 LA. 115.6702 170. 170. CA, 672 LA. 116.702 170. 170. CA, 673 LA. 176.702 170. 170. CA, 673 LA. 176.702	16.	36.8207	6.7	99.9368	112	159.9060	168.	217.2346
17, 246 17, 102, 5535 120 162, 2201 171 19, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10	17.	34.2294	A. A.	101.1439	118.	160.0635	149.	218,3663
40,0141 70, 103,5535 120, 162,3765 171, 104,7541 120, 164,6869 171, 173, 173, 173, 174, 173, 174, 173, 174, 174, 174, 174, 174, 174, 174, 174	4	27, 6269	69	102.3404	91	161,2203	120	204 015
4 (1,731) 72, 105,9574 122. 164,6869 173. 4 (4,434) 72, 102,953 122, 166,6869 173. 4 (4,432) 74, 102,553 126, 166,9948 175. 4 (4,432) 75, 110,7689 126, 166,9948 176, 176, 176, 176, 176, 176, 176, 176,	•	19.0141	- 0°	103.5535	120.	162,3765	.[7]	220.6286
44,4742 74, 102,1572 124, 166,948 175, 175, 175, 175, 175, 186,948 175, 175, 175, 175, 175, 175, 175, 175,	20-	40.3018	72.	105.0574	122.	166.6869	173.	222.8893
44,4742 74, 108,3558 124, 166,9948 175, 146,728 176,4728 176,4728 176,4728 176,4728 176,4728 176,4728 176,4728 176,4728 176,4728 177,4728<		41.41.47	6.6	107.1572	122	145 8411	42	1910 455
AS, BISS TS, INSTESS 125, 168, 162 126, 162 177, 176 AB, AGIN 27, 1646 177, 1643 177, 178 177, 178 177, 178 AB, AGIN 27, 113, 137 126, 177 176, 2023 177, 178	23.	44.4742	74.	118.3559	124.	166,9948	175.	225.1486
47.1546 76. 110.7489 126. 166.3003 177. 47.1546 77. 110.7489 126. 166.3003 177. 49.8173 78. 110.7489 126. 176.5202 178.756031 179. 51.437 78. 113.1370 126. 176.2023 181. 52.4529 110. 115.5202 130. 175.5041 181. 54.3537 12. 4580 132. 176.2025 183. 54.3540 126.1480 132. 176.2025 183. 58.3552 26.52 132. 176.3067 136. 180.7928 183. 58.3552 26.52 27. 136. 180.7928 183. 58.3538 90. 126.1889 183. 186.186.2087 183. 58.3538 90. 126.1889 183. 186.186. 186.186. 56.528	24	45,8192	75	109-5530	327	168,1478	126.	226. 2776
49,8173 78, 113,1370 129, 171,6033 179, 171,6033 179, 170,6033 179, 170,6033 179, 176,202 170, 170,603 170, 170,603 170, 170,603 170, 170,603 170, 170,603 170, 170,603 170, 170,603 170,603 170,603 170,603 </td <td>ř.</td> <td>47.1586</td> <td>76.</td> <td>110.7489</td> <td>126</td> <td>169,3003</td> <td>177.</td> <td>227.4064</td>	ř.	47.1586	76.	110.7489	126	169,3003	177.	227.4064
51 1378 70 114.3702 130 172.7540 141 52 4529 H0 115.5202 130 172.0536 143 52 1629 H1 116.7100 131 172.0536 143 54 1620 H2 117.0507 143 143 143 54 1630 H4 120.2727 136 173.4967 183 54 1630 H4 120.2727 136 186 186 54 1630 H4 120.2727 136 186 186 54 1630 H4 122.0677 136 186 186 54 1630 H4 125.0677 136 186 186 186 54 1630 H4 126.186 186 186 186 186 186 186 183	27	A9-8173	78.	113,1370	128	171.6033	179.	229.6627
\$\chi_{1,2} \chi_{2,0} \chi_{1,2} \chi_{1,2	28	51 1220	20	114 3202	120	172,7540	100	230 2903
5.2 2.2 3.2 <td>20.</td> <td>55.45.67</td> <td>• E 3</td> <td>115.5202</td> <td>130</td> <td>173,9041</td> <td>141.</td> <td>231.9176</td>	20.	55.45.67	• E 3	115.5202	130	173,9041	141.	231.9176
54,0477 HP. 117,8987 132. 176,2025 143. 54,040 HP. 119,044.3 134. 172,360 144. 144. 120,044.3 145. 172,466.7 145. 146.466.7 145. 146.7 145. 146.7	30	53,7628	#P	116.7100	7	178,0536	-24	233.045
57,4610 #4. 120.2727 134. 178.4987 145. 58,2425 #5. 121.4580 136. 180.7928 147. 61,2425 #7. 122.4580 137. 181.9328 147. 61,2425 #7. 122.6623 136. 180.7928 147. 61,2425 #7. 122.6077 136. 180.0847 180. 62,813 #9. 126.1889 130.0847 180. 64,0816 #9. 127.3691 140. 186.3745 101. 64,228 #1 127.3691 142. 187.6622 193. 64,353 #9. 126.189 142. 187.6622 193. 64,104 #4. 132.000 144. 189.9480 195. 76,4104 #4. 132.000 146. 199.9480 195. 76,4104 #4. 132.000 146. 199.9480 195. 76,4104 #6. 134.4299 146. 199.9480 196. 76,4219 #6. 134.4299 146. 199.9137 201. 76,4219 #7. 1727 #9. 5137 201. 76,4219 #6. 194.5137 201. 76,4219 #6. 194.5137 201.	٤.	55,0477	ر در در	117.8987	N N N	6202.071	143.	234.1/11
SA 0852 PS 121.4580 135. 180.7928 187. 41.5252 PA. 122.6523 136. 180.7928 187. 41.5250 PA. 122.6523 136. 180.7928 187. 64.0816 PA. 122.6623 136. 180.9847 188. 64.0816 PA. 122.1889 140. 185.3745 180. 64.0816 PA. 122.663 140. 185.3745 193. 64.0817 PA. 132.665 144. 189.9480 195. 76.1513 PA. 132.665 146. 189.9480 195. 76.1677 PA. 132.665 146. 189.9480 195. 76.1677 PA. 132.665 146. 189.9480 195. 76.1727 PA. 132.665 146. 199.9480 195. 74.1727 PA. 132.665 146. 199.9480 195. 74.1727 PA. 132.667 146. 194.5137 201. 75.4212 PA. 132.9480 146. 194.5137 201. <td< td=""><td>32</td><td>54.3480</td><td>44</td><td>120.2727</td><td>2</td><td>178.4987</td><td>185.</td><td>236.4233</td></td<>	32	54.3480	44	120.2727	2	178.4987	185.	236.4233
An. 2265 Ar. 122.6423 136. 180.7928 187. 181 9300 A. 5260 Ar. 122.6623 137. 181 9300 189. 189. 189. 189. 189. 189. 189. 189.	• •	5 0 5 5 7	95	121.45RA	1.18	129.6460	And	237.5488
61,5250 61,5250 127,8255 137,181 181,930 188,186 189,0847 189,0847 189,0847 189,0847 189,0847 189,0847 189,0847 189,0847 189,0847 189,0847 189,0847 189,0847 189,0847 189,0847 189,0847 180,084 180,0847 180,0847 180,0847 180,0847 180,0847 180,0847 180,0847 180,0847 180,0847 180,0847 180,0847 180,0847 180,0847 180,0847 1	35.	40.2425	P.A.	122.6423	136.	180.7928	147.	238.6741
K2.8054 FR. 125.0007 139. 185.2745 170. K4.0814 89. 126.1889 180. 186.3745 191. K4.0814 89. 127.3691 140. 185.3745 191. K4.8224 81. 188.5422 142. 187.5622 193. K4.8234 82. 132.0803 144. 189.9480 195. 70.4104 84. 132.0803 144. 189.9480 195. 71.6677 85. 133.2554 145. 191.091 196. 72.9215 85. 134.4299 146. 192.2318 197. 74.1727 97. 135.4299 146. 194.5137 199.373 74.4727 98. 136.2762 146. 194.5137 201. 74.4737 196.7937 201. 74.4737 196.7937 201.	36	6525-14		123.8255	261	181.9390		240 0276
65,353 140. 185,3745 191. 66,228 81 128.5492 141. 184.5185 193. 67,888 92. 129.7265 142. 187.6622 193. 60,1513 93. 130.003 144. 189.9480 196. 70,4109 94. 132.080 146. 189.9480 195. 71,6677 95. 133.2554 145. 191.091 196. 72,4217 97. 135.4599 146. 192.2318 197. 74,1727 97. 135.4629 146. 194.5137 198. 74,4727 98. 136.7762 148. 194.5137 201. 75,4727 99. 146. 195.531 201. 75,471 199.1190 150. 196.7937 201.	٠٢٢.	42.8054	* C	1700021	000	10000	661	249.0478
64, 6228 61 128.5482 143 186.5186 162 67, 8886 92 129.7265 142 187.6622 193. 70,4109 94 132.0000 144 189.9480 195. 71,6677 95 133.2554 145 191.0901 196. 72,4215 66 134.4299 146 192.2318 197. 74,1727 97 135.4699 146 193.3730 198. 74,272 98 136.7762 148 194.5137 199. 76,673 197.21890 150 196.7937 200. 77,2105 196.7937 201. 201.	90	65.75.78	90	127.3601	140.	185.3745	191.	243,1717
67,8886 120,7265 142. 187,6622 193. 70,4153 93,126,65 142. 186,805 194. 70,413 94. 132,000 144. 189,9480 195. 71,6677 95. 133,2554 145. 191,0901 196. 74,1727 97. 135,4599 146. 192,2318 197. 74,1727 97. 135,4629 146. 194,5137 198. 74,4727 98. 136,7762 148. 194,5137 200. 76,673 190,791 150. 196,7937 200. 77,9105 100,7937 201. 201.	99	66.6228	18	128.5482	143	106.5106	102	244.2953
69.1513 93. 130.9037 143. 188.8056 196.7480 196.7480 195.7480 195.7480 195.7480 195.7480 195.7480 195.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 196.7480 197.7480 197.7480 197.7480 197.7480 197.7480 197.7480 201.7480	•1•	47.88AK	45	129.7265	142	187.6622	193,	245.4186
76,4199 \$4. 132,0000 144. 189,9480 193. 71,6677 \$65. 134,4299 146. 192,2318 197. 72,9215 \$67. 135,6299 146. 192,3318 199. 75,4212 \$98. 135,752 148. 194,5137 199. 76,6671 \$99. 137,9480 195,6319 200.	42.	69,1513	33-	130,9837		188.8054	481	2002
72,4215	A 4.	76.4199	• 45.00 P	132.0805		189.4480	6 4	241.0042
74.1727 97. 135.6035 167. 193.3730 198. 75.4212 99. 137.9880 149. 195.6539 200. 77.3105 100. 139.1190 150. 196.7937 201.	45	72.4215	26.	134.6299	146.	192,2318	197.	249.9036
75,4212 99, 135,7762 148, 196,5137 199, 201, 15,6421 99, 137,9480 149, 195,7937 201, 150, 196,7937 201, 196,7937 201, 1	46.	74,1727	97.	175.6035	167.	193,3730	1984	251,0303
77.5105 100. 137.9480 150. 196.7937 201.	67.	75.4212	• 85	136,7762	148.	194.5137	109.	252.1517
77-3164, 134-1349 1340 1340 1340 1340 1340 1340 1340 1340	48	76.6671	65	137.9480	169.	195,6539	200	264. 3036
	0 7	77.0155		139.11.40	• 001	170 1701	000	266, 6141

PEFECTS.	DOTSSON	DEFECTS	POTSSON	OBSERVED	POTSSON MUMBER	OBSFRVED DEFECTS	POTSSON MUMBER
4	8,5172	51	81.4355	101	161.6668	162.	200.6723
-	11.0023	* o	A2.6793	102.	142.8194	153.	201.6150
-	15.0670	2 2	83.9208	Egi	143.9932	154.	202-9573
•	16.8979	, r	86.2072		145.1662	155.	204.0991
5.	18.6480	36.	87.6323	106.	147.5096	167	2042-202
4	20, 372	5.7	88.8652	107	148.6802	1ca.	207.5219
•	21.9402	R.	2960.06	108.	149.8499	159.	208.6620
4	23,5836	59.	91-3253	109.	151.0189	160.	209-8016
•	75.1545	• O.	92.5524	110.	152.1871	141.	210.9408
:	4754-42	419	93,777	ना	153,3545	1624	212-0795
- 0	1417.87 4314.00	* c	2100.50	112.	154.5212	143.	213.2178
2	21:1040		25.4.20		155-6672	188	214-3557
. 41	30.4545	• 4	(1544-17) (1544-18)	•	130.4324	145	215.4932
7	26.1050	***	90 00 00	7611	2000	160.	216-5303
· ·	15,5177	, L4	101.0021	977	9981.461	147.	217.7669
17.	34.0-80	7.8	102 2066	977	1044292	1654	218-3032
α.	74.747	• 0 4	103.5000		101.5063	149	220.0391
o l	20, 76 70	9,0	•	787	180025	1700	221-125
, ,	41.1572		1060.301	150	103.8692	.17.	222 3096
21.	42.5375	72.	107-1454	121	109.4990		223.4443
22.	43.9092		108.3518	123	167 2005	173	CB/C**37
23.	45.2730	74.	109.5565	124.	168.4670	175	224 6469
24.	46.6293	75.	110,7599	125.	169.624B	176	227 0701
٠, ۳,	47.9796	74.	111.9520	126.	170.7820	177.	229.1118
24.	49,3213	77.	113,1528	1274	171,9386	178.	230.2442
	50.6577	, 9, C	114.3623	128.	173.0946	179.	231,3763
29	51.9492	79.	115,5605	129.	174,2500	180.	232,5079
0	53,3131	¶ Ųα	116.7575	130.	175.4048	181.	233,6392
33	54.6326	91,	117,9533	131	176,5590	182.	234,7701
-	55.947.1	٠,	119.1479	132.	177.7127	193.	235,9007
125	57.2546	036	120,3413	1334	178.8657	184.	237,0309
,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	47	121.5336	134.	180.0182	145.	238.1608
200	200	462	122,7248	135.	181,1701	186.	239.2903
• v	A 2 1 1 4 1 1 1		123.9148	136.	182,3215	147.	•
32	23.40		2501057	137	1834423	1984	241,5483
	1 3 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		~ 1 %	138	184.6226	149	242.6768
90	66.3042	0.0	Q#/#*17:	1394	185, 7723	190	243.8050
• 0 7	67 6014			• 0 7 1	180.7615	•161	244.9328
1.7	62 2667	415	24920121	191	70/0°87	192.	246.0603
	70 1266	• •	13100330	* * * *	189.2183	193	247-1875
4 4	71 - 3363	75	1 20 2022	4,41	190-160	1040	248,3143
• • • •	72 4501	• • • •	10Ft - 0Ft	***	1616-161	195	249.4408
45	13.0000	324	129.07.00	145	192,6597	196.	250.5670
• • •	26. 1700			÷ ;	141,8058	101	251.6929
47	74.4341	- (-	130.43/b	147	194.9514	. 96.	252.8184
4.0	77.6447	, o	120,2020	* 4 4 1	190.0900	. 667	253.9436
7	74 55 110			122	77.56.77	7007	9890 " 557
	1		140.4493	150,	198.3854	201	254 1022

PROBABILITY OF ACCEPTANCE .0002

COMF TDENCE

UNCLASSIFIED

Security Classification			
DOCUMENT CONT			
(Security classification of title, body of abstract and indexing a 1. ORIGINATING ACTIVITY (Corpurate author)	ennotation must be e	ntered when the	corall report is classified) CURITY CLASSIFICATION
		INC	ACCICICA
Picatinny Arsenal		2b. GROUP	ASSILIED
Dover, New Jersey			
3. REPORT TITLE		L	
TABLE OF POISSO	NIMBERS		
TABLE OF TOXIAN	M ROPIDIALS		
4. DESCRIPTIVE NOTES (Type of report and inclusive deveu)			
5. AUTHOR(5) (First name, middle initial, last name)			
Donald C. Rappaport			
]			
6. REPORT DATE	74. TOTAL NO. O	F PAGES	75. NO. OF REFS
November 1970	80		2
Se. CONTRACT OR GF .NT NO.	SA. ORIGINATOR'S	REPORT NUME	ER(S)
& PROJECT NO	Technical	L Report 4:	141
1]		
c.	Sh. OTHER REPO	RT NO(8) (Any of	her numbers that may be essigned
i			
d.	<u> </u>		
10. DISTRIBUTION STATEMENT			
Statement 1 - This document has be	esn approved	for public	release and sale;
its distribution is unlimited.			
11. SUPPLEMENTARY NOTES	12. SPONSORING	MILITARY ACTIV	VITY
		y Arsenal	
		ny Munition	as Command
	Dover, I	New Jersey	
13. ABSTRACT	<u></u>		
-The Poisson distribution is an excell	ient ennrovi	metion of t	the binomial distribu-
tion. Its formula, uses and limitations	can be found	in many si	etistics books. It
is noted that the lower the defect rate,	the better th	nese number	s approximate the more
exact binomial distribution.			
This compilation of Poisson numbers to	was designed	to perform	two functions:
to estimate reliability quickly and to pro	epare operat:	ing charact	teristic curves.
į į			
The FORTRAN Program used to generate	these number	rs was writ	ten by the author
and is in Appendix A.			
,			
1			
\$			
į į			
5			

UNCLASSIFIED
Security Classification

•	KEY WURDS	LIN		LIM		LIM	
		ROLE	WT	ROLE	₩Ŧ	ROLE	WT
				[]			
Poisson distribu	tion			!			
Poisson number		j		i i			
Operating charac	teristic curves	Ì					1
Operating charac Reliability esti	mates		}				l
							•
							ł
						1	
	••						
		i					
							ł
		}	[]	1
		1	1	1		}	1
		Į :	[[
		1	l	Į į	!		l
		{	[[[l
		1	1	1	l	1	
		ĺ	ļ		[(l
		}	I]			ŀ
		-	ĺ				
]	ļ]	l
		1	[[]	1
		1			l		Ī
		1	[[l		
		1	1		1		l
		İ	1	Ī į		[
		1	1				!
			ł				
		1	1]	}		ŀ
		1	Ī	i			
		,	F	1]	ŀ
		i i	l]	l
		[ļ			,	l
]			
		}	Ì]		[
		j]			
		Ĭ	Į.	!		}	l
		į į		1		<u> </u>	ŀ
				[
		[
		1				[
			1		-	1	l
		1		1			l
			Ì	j 1			l
		ł	i				
		1					Ī
		[•			[[
]]	1
						. 1	
		1	Ī		'		1
		į				ļ Ì	
						_	

80

UNCLASSIFIED
Becarity Classification